

according to UK REACH Regulation

#### **Textar Cera Tec**

Revision date: 22.07.2021 Page 1 of 8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Textar Cera Tec

#### Product code:

81000400, 81000500

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Lubricants, greases, release products

### 1.3. Details of the supplier of the safety data sheet

Company name: TMD Friction Services GmbH Street: Schlebuscher Str. 99

Place: D-51381 Leverkusen
Telephone: +49 (2171)703-0

e-mail: serviceline@tmdfriction.com

Contact person: Hr. Beier Telephone: +49 (2171)9113-7373

e-mail: serviceline@tmdfriction.com

Internet: www.tmdfriction.com

**1.4. Emergency telephone** GIZ Bonn: +49 (0)228-19240 (24/7)

number:

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### **GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

### 2.2. Label elements

# Additional advice on labelling

Labelling according to Regulation (EC) No. 1272/2008 [CLP]: none.

### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Chemical characterization**

Hazardous ingredients: none according to Regulation (EC) No. 1907/2006 (REACH).

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection! Never give anything by mouth to an unconscious person or a person with cramps.

### After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and



according to UK REACH Regulation

#### **Textar Cera Tec**

Revision date: 22.07.2021 Page 2 of 8

wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

#### 4.2. Most important symptoms and effects, both acute and delayed

Headache, Nausea, Dizziness. May cause drowsiness or dizziness. Causes mild skin irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Water fog. alcohol resistant foam. Dry extinguishing powder. Carbon dioxide (CO2). Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Pyrolysis products, toxic.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protective suit.

In case of fire and/or explosion do not breathe fumes.

### Additional information

Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Provide adequate ventilation. Wear personal protection equipment.

### 6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains. Ensure all waste water is collected and treated via a waste water treatment plant.

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Observe instructions for use. Dust must be exhausted directly at the point of origin. Vapours/aerosols must be



according to UK REACH Regulation

### **Textar Cera Tec**

Revision date: 22.07.2021 Page 3 of 8

exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. When using do not eat, drink, smoke, sniff. Wear personal protection equipment.

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

### Further information on handling

Avoid contact with skin, eyes and clothes.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. To follow: National regulatory information

#### Hints on joint storage

Do not store together with: Oxidising agent, Pyrophoric or self-heating substances. Food and feedingstuffs

### Further information on storage conditions

Store in a cool dry place. To follow: National regulatory information

#### 7.3. Specific end use(s)

Lubricants, greases, release products

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Additional advice on limit values

To date, no national critical limit values exist.

### 8.2. Exposure controls





### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

### Protective and hygiene measures

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

# **Eye/face protection**

Suitable eye protection: Tightly sealed safety glasses. (DIN EN 166)

#### Hand protection

Protect skin by using skin protective cream.

Wear suitable gloves tested to EN374. Suitable material: NBR (Nitrile rubber) Thickness of glove material: 0,45 mm

penetration time (maximum wearing period): 480 min.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

### Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Respiratory protection necessary at: exceeding exposure limit values.



according to UK REACH Regulation

#### **Textar Cera Tec**

Revision date: 22.07.2021 Page 4 of 8

Suitable respiratory protective equipment: Combination filter device (DIN EN 141).. Filtering device with filter or ventilator filtering device of type: A

Observe the wear time limits as specified by the manufacturer.

### **Environmental exposure controls**

To follow: National regulatory information

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid (Paste)

Colour: brown

Odour: characteristic Odour threshold: not determined

Test method

pH-Value: not determined

Changes in the physical state

Melting point/freezing point: not determined > 200 °C Boiling point or initial boiling point and

boiling range:

> 100 °C ISO 3679 Flash point:

**Flammability** 

Solid: not applicable Gas: not applicable

**Explosive properties** 

The product is not: Explosive.

not determined Lower explosion limits: Upper explosion limits: not determined Auto-ignition temperature: not determined

Self-ignition temperature

Solid: not applicable not applicable Gas: not determined Decomposition temperature:

**Oxidizing properties** 

The product is not: oxidising.

not determined Vapour pressure:

Density (at 20 °C): 0.9 a/cm3 DIN 51757

Water solubility: The study does not need to be conducted because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined not determined Viscosity / dynamic: Viscosity / kinematic: not determined Relative vapour density: not determined Evaporation rate: not determined



according to UK REACH Regulation

#### **Textar Cera Tec**

Revision date: 22.07.2021 Page 5 of 8

### 9.2. Other information

Solid content: not determined

No information available.

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges.

### 10.5. Incompatible materials

Oxidising agent, Pyrophoric or self-heating substances.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Pyrolysis products, toxic.

#### **Further information**

Do not mix with other chemicals.

# SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

### **Acute toxicity**

Based on available data, the classification criteria are not met.

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

Has degreasing effect on the skin.

Following eye contact: erythema (redness)

Following inhalation: Irritation to respiratory tract

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **Practical experience**

#### Other observations

No information available.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

The product is not: Ecotoxic.



according to UK REACH Regulation

### **Textar Cera Tec**

Revision date: 22.07.2021 Page 6 of 8

#### 12.2. Persistence and degradability

The product has not been tested.

AOX (mg/l): 0

# 12.3. Bioaccumulative potential

The product has not been tested.

#### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubrication oils.

lubricating oils; hazardous waste

### List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine of the lubrication of the lub

lubricating oils; hazardous waste

### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

# Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

### **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.



according to UK REACH Regulation

### **Textar Cera Tec**

Revision date: 22.07.2021 Page 7 of 8

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

**National regulatory information** 

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

### Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative



according to UK REACH Regulation

#### **Textar Cera Tec**

Revision date: 22.07.2021 Page 8 of 8

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)