

ZF Aftermarket

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: ZF LifeguardFluid 9

Product code: AA01.500.001

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	Transmission oil.
Uses advised against	This product must not be used in applica- tions other than those listed in Section 1 without first seeking the advice of the sup- plier.

1.3 Details of the supplier of the safety data sheet

ZF Friedrichshafen AG ZF Aftermarket Obere Weiden 12 97424 Schweinfurt Germany +49 9721 475 60 www.zf.com/contact

Emergency telephone number 24/7h Emergency telephone number: +49 (0)89 19240 Information in German and English

2. Hazards identification

 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008) Based on available data this substance / mixture does not meet the classification criteria.

2.2 GHS label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms: Signal word: No Hazard Symbol required No signal word



ZF Aftermarket

Hazard statements PHYSICAL HAZARDS:	Not classified as a physical hazard accord-	
HEALTH HAZARDS:	ing to CLP criteria. Not classified as a health hazard under CLP criteria.	
ENVIRONMENTAL HAZARDS:	Not classified as environmental hazard ac- cording to CLP criteria.	
Precautionary statements: Prevention:	No precautionary phrases.	
Response:	No precautionary phrases.	
Storage:	No precautionary phrases.	
Disposal:	No precautionary phrases.	
Safety data sheet available on request.		

Sensitising components:

Contains alkyl acetamide. Contains calcium sulphonate. May produce an allergic reaction.

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB. Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Used oil may contain harmful impurities. Not classified as flammable but will burn.

3. Composition/information on ingredients

3.2 Mixtures

Chemical nature:

Synthetic base oil and additives. Highly refined mineral oil. The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346. The highly refined mineral oil is only present as additive diluent. Classification based on DMSO extract content < 3% (Regula-tion (EC) 1272/2008, Annex VI, Part 3, Note L).



ZF Aftermarket

* contains one or more of the following CAS-numbers (REACH registration numbers): 64742-53-6 (01-2119480375-34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01-2119487077-29), 64742-56-9 (01-2119480132-48), 64742-65-0 (01-2119471299-27), 68037-01-4 (01-2119474878-16), 72623-86-0 (01-2119474878-16), 72623-87-1 (01-2119474889-13), 8042-47-5 (01-2119474889-13), 8042-47-5 (01-2119487078-27), 848301-69-9 (01-0000020163-82), 68649-12-7 (01-2119527646-33), 151006-60-9 (01-2119523580-47), 163149-28-8 (01-2119543695-30).

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGU- LATION (EC) No 1272/2008)	Concentration (% w/w)
Alkyl acetamide	Not Assigned 471-920-1 01- 0000019770-68	Skin Sens.1B; H317	1 - 3
Benzenesulfonic ac- id, 4-(branched alkyl derivs.) and ben- zenesulfonic acid, 4- (linear alkyl dervis.), calcium salts	Not Assigned	Skin Sens.1B; H317	0,1 - 0,99
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *	Not Assigned	Asp. Tox.1; H304	0 - 90

For explanation of abbreviations see section 16.

4. First aid measures

4.1 Description of first aid measures

Protection of first-aiders:

When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.

SAFETY DATA SHEET According to EC No 1907/2006 as amended as at the date of this SDS





ZF Aftermarket

lf inhaled:	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact:	Remove contaminated clothing. Flush ex- posed area with water and follow by wash- ing with soap if available. If persistent irritation occurs, obtain medi- cal attention.
In case of eye contact:	Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medi- cal attention.
If swallowed:	In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms:

Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment:	Notes to doctor/physician:
	Treat symptomatically.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:	Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing media:	Do not use water in a jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting:

Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases



ZF Aftermarket

(smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.

5.3 Advice for firefighters

Special protective equipment for fire- fighters:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is ex- pected. Self-Contained Breathing Appa- ratus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).
Specific extinguishing methods:	Use extinguishing measures that are ap- propriate to local circumstances and the surrounding environment.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions:	For non emergency personnel: Avoid contact with skin and eyes.
Emergency responders:	For emergency responders: Avoid contact with skin and eyes.

6.2 Environmental precautions

Environmental precautions:

Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.

Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up:

Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier

with sand, earth or other containment ma-



ZF Aftermarket

terial.

Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly

6.4 Reference to other sections

Product name: ZF LifeguardFluid 9

For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet.

For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

7. Handling and storage

7.1 Precautions for safe handling

Technical measures	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circum- stances to help determine appropriate con- trols for safe handling, storage and dispos- al of this material.
Advice on safe handling:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper han- dling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.
Product Transfer:	Proper grounding and bonding procedures should be used during all bulk transfer op- erations to avoid static accumulation.

7.2 Conditions for safe storage, including any incompatibilities

Storage class (TRGS 510):	10, Combustible liquids
Further information on storage stabil- ity:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable contain- ers.



Packaging material:

Container Advice:

ZF Aftermarket

Store at ambient temperature.

Refer to section 15 for any additional specific legislation covering the packaging and storage of this product.

Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.

Polyethylene containers should not be exposed to high temperatures because of possible risk of distortion.

7.3 Specific end use(s)

Specific use(s)

Not applicable

8. Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of ex- posure)	Control para- meters	Basis
Oil mist, mine-	Not Assigned	TWA (inhalab-	5 mg/m³	US. ACGIH
ral		le fraction)		Threshold
				Limit Values

Biological occupational exposure limits

8.2 Exposure controls

Engineering measures

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Define procedures for safe handling and maintenance of controls.



ZF Aftermarket

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation. Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle. Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection:	If material is handled such that it could be splashed into eyes, protective eyewear is recommended. Approved to EU Standard EN166.
Hand protection Remarks:	 Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection



ZF Aftermarket

	we recommend the same but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate mainte- nance and replacement regimes are fol- lowed. Glove thickness is not a good pre- dictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model.
Skin and body protection:	Skin protection is not ordinarily required beyond standard work clothes. It is good practice to wear chemical re- sistant gloves.
Respiratory protection:	No respiratory protection is ordinarily re- quired under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting rel- evant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for com- bined particulate/organic gases and va- pours [Type A/Type P boiling point > 65°C (149°F)] meeting EN14387 and EN143.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	liquid	
Colour:	Blue-green	
Odour:	Data not availa	ble
ZF Friedrichshafen AG • ZF Aftermarket	© ZF Friedrichshafen AG	Revision Date: 29.06.2022

SAFETY DATA SHEET According to EC No 1907/2006 as amended as at the date of this SDS



ZF Aftermarket

Product name: ZF LifeguardFluid 9

Odour Threshold: pH: Data not available Not applicable

Pour point	<= -42 °C	Method DIN ISO 3016
Melting / freezing point	Data not available	
Initial boiling point and boiling range	> 280 °C	estimated value(s)
Flash point	>= 185 °C	Method: ISO 2592
Evaporation rate	Data not available	
Flammability (solid, gas)	Data not available	
Upper explosion limit	Typical 10 %(V)	
Lower explosion limit	Typical 1 %(V)	
Vapour pressure	< 0,5 Pa (20 °C) estimated value(s)	
Relative vapour density	> 1 estimated value(s)	

Relative density	0,846 - 0,852 (15 °C)	
Density	846 - 852 kg/m³ (15 °C)	Method: ISO 12185
Solubility(ies)		
Water solubility	negligible	
Solubility in other solvents	Data not available	
Partition coefficient: n- octanol/water	log Pow: > 6(based on information on similar products)	
Auto-ignition temperature	> 320 °C	
		l

© ZF Friedrichshafen AG

Revision Date: 29.06.2022



ZF Aftermarket

Product name: ZF LifeguardFluid 9

Decomposition tempera- ture	Data not available	
Viscosity Viscosity, dynamic	Data not available	
Viscosity, kinematic	5,4 - 5,8 mm²/s (100 °C) 26 mm²/s (40 °C)	Method: ASTM D445
Explosive properties	Not classified	
Oxidizing properties	Data not available	

9.2 Other information

Conductivity:

This material is not expected to be a static accumulator.

10. Stability and reactivity

10.1	Reactivity	The product does not pose any further re- activity hazards in addition to those listed in the following subparagraph.
10.2	Chemical stability:	Stable. No hazardous reaction is expected when handled and stored according to provisions
10.3	Possibility of hazardous reactions:	Reacts with strong oxidising agents.
10.4	Conditions to avoid:	Extremes of temperature and direct sun- light
10.5	Incompatible materials Materials to avoid:	Strong oxidising agents.
10.6	Hazardous decomposition products:	No decomposition if stored and applied as directed.



ZF Aftermarket

11. Toxicological information

11.1 Information on toxicological effects

Information on likely routes of expo-	Skin and eye contact are the primary
sure	routes of exposure although exposure may
	occur following accidental ingestion.

Acute toxicity

Product: Acute oral toxicity:	LD50 rat: > 5.000 mg/kg
	Remarks: Low toxicity: Based on available data, the classification criteria are not met.
Acute inhalation toxicity:	Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity:	LD50 Rabbit: > 5.000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Product:

Remarks: Slightly irritating to skin. Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Remarks: Slightly irritating to the eye. Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

Remarks: For respiratory and skin sensitisation: Not a sensitiser., Based on available data, the classification criteria are not met.

Components:

Alkyl acetamide:

Remarks: Experimental data has shown that the concentration of potentially sensitising components present in this product does not induce skin sensitisation. May cause an allergic skin reaction in sensitive individuals.

Germ cell mutagenicity



ZF Aftermarket

Product name: ZF LifeguardFluid 9

Genotoxicity in vivo: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

Germ cell mutagenicity- Assessment: This product does not meet the criteria for classification in categories 1A/1B.

Carcinogenicity

Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

Carcinogenicity - Assessment:

This product does not meet the criteria for classification in categories 1A/1B.

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification

Reproductive toxicity

Product:

Effects on fertility

Remarks: Not a developmental toxicant. Does not impair fertility. Based on available data, the classification criteria are not met.

Reproductive toxicity – Assessment This product does not meet the criteria for classification in categories 1A/1B.

STOT - single exposure

Product: Remarks: Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product: Remarks: Based on available data, the classification criteria are not met.



Aspiration toxicity

Product:

Not an aspiration hazard. Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Further information

Product: Remarks Used oils may contain harmful impurities that have accumulated during use. The

© ZF Friedrichshafen AG



ZF Aftermarket

		concentration of such impurities will depend on use and they may present risks to health and the environment on disposal. ALL used oil should be handled with cau- tion and skin contact avoided as far as possible.
II	Remarks	Slightly irritating to respiratory system.
	Remarks	Classifications by other authorities under varying regulatory frameworks may exist.

12. Ecological information

12.1 Toxicity

	Product: Toxicity to fish (Acute toxicity):	Remarks: LL/EL/IL50 > 100 mg/I Practically non toxic: Based on available data, the classification criteria are not met.
	Toxicity to daphnia and other aquatic invertebrates:	Remarks: LL/EL/IL50 > 100 mg/I Practically non toxic: Based on available data, the classification criteria are not met.
	Toxicity to algae/aquatic plants (Acute toxicity)	Remarks: LL/EL/IL50 > 100 mg/I Practically non toxic: Based on available data, the classification criteria are not met.
	Toxicity to fish (Chronic toxicity)	Remarks: Based on available data, the classification criteria are not met.
	Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	Remarks: Based on available data, the classification criteria are not met.
	Toxicity to microorganisms (Acute toxicity)	Remarks: Based on available data, the classification criteria are not met
12.2	Persistence and degradability Product: Biodegradability	Remarks: Not readily biodegradable., Ma- jor constituents are inherently biodegrada- ble, but contains components that may persist in the environment., Persistent per

© ZF Friedrichshafen AG



ZF Aftermarket

IMO criteria., International Oil Pollution Compensation (IOPC) Fund definition: "A non-persistent oil is oil, which, at the time of shipment, consists of hydrocarbon fractions, (a) at least 50% of which, by volume, distills at a temperature of 340°C (645°F) and (b) at least 95% of which, by volume, distils at a temperature of 370°C (700°F) when tested by the ASTM Method D-86/78 or any subsequent revision thereof."

12.3	Bioaccumulative potential Product: Bioaccumulation	Remarks: Contains components with the potential to bioaccumulate.
	Partition coefficient: n-octanol/water	log Pow: > 6Remarks: (based on infor- mation on similar products)
12.4	Mobility in soil Product: Mobility	Remarks: Liquid under most environmental conditions. If it enters soil, it will adsorb to soil particles and will not be mobile. Remarks: Floats on water.
12.5	Results of PBT and vPvB assessment Product: Assessment	This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.
12.6	Endocrine disrupting properties	no data available
II 12.7	Other adverse effects Product: Additional ecological information	Does not have ozone depletion potential, photochemical ozone creation potential or global warming potential. Product is a mix- ture of non-volatile components, which will not be released to air in any significant quantities under normal conditions of use. Poorly soluble mixture. Causes physical

13. Disposal considerations

13.1 Waste treatment methods Product:

ZF Friedrichshafen AG • ZF Aftermarket Obere Weiden 12, 97424 Schweinfurt, Germany Phone: +49 9721 4756-0 www.zf.com/contact Recover or recycle if possible.

fouling of aquatic organisms.



ZF Aftermarket

Contaminated packaging:	It is the responsibility of the waste genera- tor to determine the toxicity and physical properties of the material generated to de- termine the proper waste classification and disposal methods in compliance with ap- plicable regulations. Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Do not dispose into the environment, in drains or in water courses Do not dispose of tank water bottoms by allowing them to drain into the ground. This will result in soil and groundwater contamination. Waste arising from a spillage or tank cleaning should be disposed of in accord- ance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand. MARPOL - see International Convention for the Prevention of Pollution from Ships (MARPOL 73/78) which provides technical aspects at controlling pollutions from ships.
	ulations, preferably to a recognized collec- tor or contractor. The competence of the collector or contractor should be estab- lished beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.
Local legislation Waste catalogue	
EU Waste Disposal Code (EWC):	13 02 06*
Remarks:	Disposal should be in accordance with ap- plicable regional, national, and local laws and regulations. Classification of waste is always the re- sponsibility of the enduser.

© ZF Friedrichshafen AG



ZF Aftermarket

14 Transport information

14.1 UN number

ADN	Not regulated as a dangerous good
ADR	Not regulated as a dangerous good
RID	Not regulated as a dangerous good
IMDG	Not regulated as a dangerous good
IATA	Not regulated as a dangerous good

14.2 Proper shipping name

ADN	Not regulated as a dangerous good
ADR	Not regulated as a dangerous good
RID	Not regulated as a dangerous good
IMDG	Not regulated as a dangerous good
ΙΑΤΑ	Not regulated as a dangerous good

14.3 Transport hazard class

ADN	Not regulated as a dangerous good
ADR	Not regulated as a dangerous good
RID	Not regulated as a dangerous good
IMDG	Not regulated as a dangerous good
IATA	Not regulated as a dangerous good

14.4 Packing group

ADN	Not regulated as a dangerous good
CDNI Inland Water Waste Agreement	NST 3411 Mineral Lubricating Oils
ADR	Not regulated as a dangerous good
RID	Not regulated as a dangerous good
IMDG	Not regulated as a dangerous good
IATA	Not regulated as a dangerous good

14.5 Environmental hazards

ADN	Not regulated as a dangerous good
ADR	Not regulated as a dangerous good
RID	Not regulated as a dangerous good
IMDG	Not regulated as a dangerous good

14.6 Special precautions for user Remarks:

Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

MARPOL Annex 1 rules apply for bulk shipments by sea.



ZF Aftermarket

15.

Regulatory information

Product name: ZF LifeguardFluid 9

15.1 Safety, health and environmental regulations/legislation specific for stance or mixture		ulations/legislation specific for the sub-
	REACH - List of substances subject to authorization (Annex XIV)	Product is not subject to Authorisation un- der REACH.
	REACH - Candidate List of Substances of Very High Concern for Authorisa- tion (Article 59).	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
	Water contaminating class (Germany):	WGK 2 obviously hazardous to water Remarks: Classification according to AwSV, Annex 1 (5.2)
	Volatile organic compounds:	Volatile organic compounds (VOC) con- tent: 0 %
	Other regulations:	The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.
		Technische Anleitung Luft: Product not listed by name. Observe section 5.2.5 in connection with section 5.4.9
		Product is subject Betriebs-Sicherheits- Verordnung (BetrSichV).
		Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), annex XIV. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), annex XVI. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work and its amendments. Directive 1994/33/EC on the protection of

© ZF Friedrichshafen AG Revision Date: 29.06.2022



ZF Aftermarket

young people at work and its amendments.

Council Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding and its amendments.

The components of this product are reported in the following inventories: REACH Not established.

TSCA: All components listed.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

16. Other information

П

Full text of H-Statements

- H304 May be fatal if swallowed and enters airways.
- H317 May cause an allergic skin reaction.

Full text of other abbreviations

Asp. Tox.	Aspiration hazard
Skin Sens.	Skin sensitisation

Abbreviations and Acronyms:	ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Test ing of Materials; bw - Body weight; CLP -
	Classification Labelling Packaging Regulation; Regula tion (EC) No 1272/2008; CMR - Car- cinogen, Mutagen or Reproductive Toxicant; DIN - Standard
	of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -
	European Chemicals Agency; EC-Number - European Community number; ECx - Concen-
Friedrichshafen AG • 7F Aftermarket	© 7E Friedrichshafen AG Bovision Data: 20.06.2022

© ZF Friedrichshafen AG Revision Date: 29.06.2022



ZF Aftermarket

tration

associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergen cy Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration as sociated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good La boratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships car rying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - Interna tional Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test popula tion; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MAR-POL - Interna tional Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Ef fect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS -Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub stance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quanti tative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and

Revision Date: 29.06.2022



ZF Aftermarket

	Re striction of Chemicals; RID - Regulations concerning the International Carriage of Dan- gerous Goods by Rail; SADT - Self-Accelerating De- composition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative
Further information Training advice:	Provide adequate information, instruction and training for operators.
Other information:	No Exposure Scenario annex is attached to this safety data sheet. It is a non-classified mixture containing hazardous substances as detailed in Section 3; relevant information from Exposure Scenarios for the hazardous substances contained have been integrated into the core sections 1-16 of this SDS.
	A vertical bar () in the left margin indicates an amendment from the previous version.
Sources of key data used to compile the Safety Data Sheet	The quoted data are from, but not limited to, one or more sources of information (e.g. toxi- cological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).

The information provided in this Safety Data Sheet is correct to the best of our knowledge, infor mation and belief at the date of its publication. The information given is designed only as a guid ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.