Safety data sheet according to 1907/2006/EC, Article 31

according to 1907/2006/EC, Article 31 Version number 1

Revision: 20.07.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier	
· Trade name:	AISIN Premium ATF 6
 Article number: 1.2 Relevant identified uses of Sector of Use 	ATF-92001 & ATF-92005 the substance or mixture and uses advised against SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites SU21 Consumer uses: Private households / general public / consumers SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
 Product category Process category 	 PC17 Hydraulic fluids PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing) PROC20 Use of functional fluids in small devices
· Environmental release	
category	 ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article) ERC7 Use of functional fluid at industrial site ERC9a Widespread use of functional fluid (indoor) ERC9b Widespread use of functional fluid (outdoor)
· Application of the substance /	
the mixture	Hydraulic fluid
 1.3 Details of the supplier of th Manufacturer/Supplier: 	ne safety data sheet AISIN Europe .SA. Avenue de l'Industrie 21 1420 Braine L'Alleud Tel.: +32 387 01 10
 Further information obtainable from: 1.4 Emergency telephone 	AISIN Europe Aftermarket - www.aisinaftermarket.eu
number:	Telephone to 112 (European emergency phone number, avaible anywhere in the EU, free of charge)

SECTION 2: Hazards identification

 • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 					
• 2.2 Label elements • Labelling according to					
Regulation (EC) No 1272/2008	The product is classified and labelled according to the CLP regulation.				
 Hazard pictograms 	Void				
 Signal word 	Void				
 Hazard statements 	H412 Harmful to aquatic life with long lasting effects.				
 Precautionary statements 	P273 Avoid release to the environment.				
·	P501 Dispose of contents/container in accordance with local/regional/national/ international regulations.				
· 2.3 Other hazards	U				
· Results of PBT and vPvB assessment					
· PBT:	Not applicable.				
· vPvB:	Not applicable.				

Printing date 20.07.2017

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.07.2017

Version number 1

Revision: 20.07.2017

Trade name: AISIN Premium ATF 6

(Contd. of page 1)

*	SECTION 3: Composition/information on ingredients						
	· 3.2 Mixtures						
	· Dangerous components:						
	CAS: 72623-87-1 EINECS: 276-738-4 Reg.nr.: 01-2119474889-13	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based 50 -100% Asp. Tox. 1, H304					
	CAS: 64742-53-6 EINECS: 265-156-6 Reg.nr.: 01-2119480375-34	Distillates (petroleum), hydrotreated light naphthenic 10 - <25% S Asp. Tox. 1, H304 10					
	CAS: 125643-61-0 ELINCS: 406-040-9 Reg.nr.: 01-0000015551-76	enzenepropanoic acid, 3,5bis(1,1-dimethylethyl)-4-hydroxy, C7-9- anched alkyl esters					
	CAS: 36878-20-3 EINECS: 253-249-4 Reg.nr.: 01-2119488911-28	bis(nonylphenyl)amine 1 - <2.5% Aquatic Chronic 4, H413					
	ELINCS: 424-820-7 Reg.nr.: 01-0000017126-75	Alkyl phosphite Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H312					
	· Additional information:	For the wording of the listed hazard phrases refer to section 16.					
	SECTION 4: First aid me	asures					
	 4.1 Description of first aid After inhalation: After skin contact: After eye contact: After swallowing: 4.2 Most important sympto and effects, both acute and delayed 	Supply fresh air; consult doctor in case of complaints. Generally the product does not irritate the skin. Rinse opened eye for several minutes under running water. Do not induce vomiting; call for medical help immediately. ms					
	4.3 Indication of any immediate medical attention and spectreatment needed						
	SECTION 5: Firefighting	measures					
		nts: CO2, dry chemical, or foam. Water can be used to cool and protect exposed material.					
	 For safety reasons unsuita extinguishing agents: 5.2 Special hazards arising 	Water with full jet					
	from the substance or mixe • 5.3 Advice for firefighters	ure Formation of toxic gases is possible during heating or in case of fire.					
	Protective equipment:	Wear self-contained respiratory protective device. Wear fully protective suit.					
*	SECTION 6: Accidental r	elease measures					
	 6.1 Personal precautions, protective equipment and emergency procedures 6.2 Environmental precaution 	Wear protective clothing. ons: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.					
	6.3 Methods and material for containment and cleaning	 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders sawdust). Remove from the water surface (e.g. skim or suck off). 					
	• 6.4 Reference to other sect SECTION 7: Handling an	ions See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.					
	SECTION 7. Handling an						

· 7.1 Precautions for safe handling

Avoid the formation of oil haze.

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Printing date 20.07.2017

Revision: 20.07.2017

ade name: AISIN Premium ATF	6
	(Contd. of page
 Information about fire - and explosion protection: 	No special measures required.
 7.2 Conditions for safe storage Storage: 	e, including any incompatibilities
· Requirements to be met by storerooms and receptacles:	Store only in the original receptacle.
Information about storage in one common storage facility:	Not required.
 Further information about storage conditions: 7.3 Specific end use(s) 	Store in cool, dry conditions in well sealed receptacles. No further relevant information available.
SECTION 8: Exposure contr	ols/personal protection
 Additional information about design of technical facilities: 	No further data; see item 7.
 8.1 Control parameters Ingredients with limit values that require monitoring at the workplace: 	Contains mineral oil. Under conditions which may generate mists, observe t
· Additional information:	OSHA PEL of 5 mg per cubic meter, ACGIH STEL of 10 mg per cubic meter. The lists valid during the making were used as basis.
 8.2 Exposure controls Personal protective equipment General protective and hygienic measures: Respiratory protection: Protection of hands: 	Wash hands before breaks and at the end of work. Not required.
· Material of gloves	Wear gloves for the protection against chemicals according to EN 374 Oil resistant gloves Nitrile rubber, NBR PVC gloves Neoprene gloves Recommended thickness of the material: ≥ 0.35 mm The selection of the suitable gloves does not only depend on the material, but al on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
 Penetration time of glove material 	For continuous contact we recommend gloves with breakthrough time of more th 240 minutes with preference for > 480 minutes where suitable gloves can identified. For short-term/splash protection we recommend the same, but recogn that suitable gloves offering this level of protection may not be available and in t case a lower breakthrough time may be acceptable so long as appropria maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it dependent on the exact composition of the glove material. The exact break trough time has to be found out by the manufacturer of t protective gloves and has to be observed.
 Eye protection: Body protection: 	Goggles recommended during refilling Protective work clothing
SECTION 9: Physical and ch	
 9.1 Information on basic physic General Information Appearance: 	cal and chemical properties
Form:	Liquid
Colour: · Odour:	Red Characteristic
 Change in condition Initial boiling point and boilir 	ng range: Undetermined.

(Contd. on page 4)

Printing date 20.07.2017

Version number 1

Revision: 20.07.2017

Trade name: AISIN Premium ATF 6

(Contd. of page 3)

		(Conta: of page
Drip point: Pour point		-60 °C (ASTM D97)
Flash point:		>110 °C
Flammability (solid, gas):		Not applicable.
Auto-ignition temperature:		Product is not selfigniting.
Explosive properties:		Product does not present an explosion hazard.
Explosion limits:		
Lower:		Not determined.
Upper:		Not determined.
Density at 20 °C:		0.855 g/cm ³
Solubility in / Miscibility with water:		Not miscible or difficult to mix.
• Partition coefficient: n-octanol/water:		Not determined.
	water.	Not determined.
Viscosity: 40 °C		29.6 mm²/s (ASTM D445)
Solvent content:		
Organic solvents:		0.0 %
9.2 Other information		No further relevant information available.
SECTION 10: Stability and re	eactivity	1
10.1 Reactivity	No furth	ner relevant information available.
10.2 Chemical stability		
Thermal decomposition /		
conditions to be avoided:	To avoi	d thermal decomposition do not overheat.
10.3 Possibility of hazardous reactions	Decet	with strong ovidining agonto
10.4 Conditions to avoid		with strong oxidising agents. ner relevant information available.
10.5 Incompatible materials:		her relevant information available.
10.6 Hazardous decomposition		
products:		gerous decomposition products known.
SECTION 11: Toxicological	informa	tion
11.1 Information on toxicologic	al effect	S
Acute toxicity		on available data, the classification criteria are not met.
LD/LC50 values relevant for cla		
72623-87-1 Lubricating oils (pe	troleum)	, C20-50, hydrotreated neutral oil-based
Oral LD50 > 5000 mg/kg (rat		
Dermal LD50 > 2000 mg/kg (rat	<i>,</i> ,	
Alkyl phosphite		
Dermal LD50 1100 mg/kg (ATE)	
Primary irritant effect:		
Skin corrosion/irritation		on available data, the classification criteria are not met.
Serious eye damage/irritation	Based	on available data, the classification criteria are not met.
Respiratory or skin sensitisation	D '	
cMR effects (carcinogenity,	Based	on available data, the classification criteria are not met.
mutagenicity and toxicity for		
reproduction)	This pr	oduct contains mineral oils which are considered to be severely refined a
		sidered to be carcinogenic under IARC. All of the oils in this product ha
		emonstrated to contain less than 3% extractables by the IP 346 test.
Germ cell mutagenicity	Based	on available data, the classification criteria are not met.
Carcinogenicity		on available data, the classification criteria are not met.
Reproductive toxicity		on available data, the classification criteria are not met.
STOT-single exposure		on available data, the classification criteria are not met.
STOT-repeated exposure		on available data, the classification criteria are not met.
Aspiration hazard	Based	on available data, the classification criteria are not met. (Contd. on page

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.07.2017

Version number 1

Trade name: AISIN Premium ATF 6

Revision: 20.07.2017

(Contd. of page 4)

SECTION 12: Ecological information						
· 12.1 Toxicity						
· Aquatic toxicity:						
	72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based					
	LL/EL/IL50 > 100 mg/l (fish) (OECD 203)					
• 12.2 Persistence and						
degradability	No further relevant information available. No further relevant information available.					
• 12.3 Bioaccumulative potential	No further relevant information available.					
· Ecotoxical effects:						
· Remark:	Harmful to fish					
· Remark:	This material is expected to be harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.					
Additional ecological information						
 General notes: 12.5 Results of PBT and vPvB a 	Harmful to aquatic organisms Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.					
· PBT:	Not applicable.					
· vPvB:	Not applicable.					
· 12.6 Other adverse effects	No further relevant information available.					
SECTION 13: Disposal consi	derations					
· 13.1 Waste treatment methods						
· Recommendation	Must not be disposed together with household garbage. Do not allow product to reach sewage system.					
· European waste catalogue						
13 01 10* mineral based non-chl	orinated hydraulic oils					
 Uncleaned packaging: Recommendation: 	Disposal must be made according to official regulations.					
SECTION 14: Transport infor	mation					
· 14.1 UN-Number · ADR/ADN, ADN, IMDG, IATA	Void					
· 14.2 UN proper shipping name · ADR/ADN, ADN, IMDG, IATA	Void					
· 14.3 Transport hazard class(es)						
· ADR/ADN, ADN, IMDG, IATA · Class	Void					
· 14.4 Packing group · ADR/ADN, IMDG, IATA	Void					
· 14.5 Environmental hazards: · Marine pollutant:	No					
· 14.6 Special precautions for us	er Not applicable.					
• 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.						
· UN "Model Regulation":	Void					
SECTION 15: Regulatory info	ormation					

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

1907/2006 ANNEX XVII

- · Named dangerous substances
- ANNEX I · REGULATION (EC) No

None of the ingredients is listed.

Conditions of restriction: 3

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.07.2017	Version number 3	Revision: 20.07.2017					
Trade name: AISIN Premium ATF 6	Trade name: AISIN Premium ATF 6						
		(Contd. of page 5)					
· National regulations:							
• Waterhazard class:	Water hazard class 2 (Self-assessment): hazardous for water	er.					
 15.2 Chemical safety assessment: 	A Chemical Safety Assessment has not been carried out.						
SECTION 16: Other informat	ion						
	present knowledge. However, this shall not constitute a gua tablish a legally valid contractual relationship.	arantee for any specific					
· Relevant phrases	 H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. 						
 Department issuing SDS: Contact: Abbreviations and acronyms: 	Product safety department. Product safety department ADR: Accord européen sur le transport des marchandises dangereuses par concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent DBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Maritime Maritime Maritime Acute to the aquatic environment - long-term aquatic hazard - Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Aguatic Chronic 3: Hazardous to the aquatic environment - long-ter	– Category 1 azard – Category 1 azard – Category 3					
	Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic ha	azard – Category 4					
· Sources	EC/453-2010						

* Data compared to the previous version altered.