

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

SCHRAUBENSICHERUNG SUPERFEST
Article number: 930250, 93050, 93005, 93010

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Sealing material

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company PETEC Verbindungstechnik GmbH
Wüstenbuch 26
96132 Schlüsselfeld / GERMANY
Phone +49 (0) 9555 80994-0
Fax +49 (0) 9555-80994-25
Homepage www.petec.de
E-mail info@petec.de

Address enquiries to

Technical information info@petec.de

Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (english)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye Dam. 1: H318 Causes serious eye damage.
Skin Sens. 1: H317 May cause an allergic skin reaction.
Skin Irrit. 2: H315 Causes skin irritation.
STOT SE 3: H335 May cause respiratory irritation.
Aquatic Chronic 4: H413 May cause long lasting harmful effects to aquatic life.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictograms



Signal word

DANGER

Contains:

2-Hydroxyethyl methacrylate
(2,4,6-trioxo-1,3,5-triazine-1,3,5(2H,4H,6H)-triylo)tri-2,1-ethanediyl triacrylate
Acrylic acid
Cumene hydroperoxide

Hazard statements

H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.
H315 Causes skin irritation.
H335 May cause respiratory irritation.
H413 May cause long lasting harmful effects to aquatic life.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves / protective clothing / eye protection / face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER / doctor / ...
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/national regulation.

2.3 Other hazards

Other hazards

Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

Range [%]	Substance
60 - < 90	Bisphenol A ethoxylate dimethacrylate
	CAS: 41637-38-1, EINECS/ELINCS: Polymer, Reg-No.: 01-2119980659-17
	GHS/CLP: Aquatic Chronic 4: H413
10 - 30	2-Hydroxyethyl methacrylate
	CAS: 868-77-9, EINECS/ELINCS: 212-782-2, EU-INDEX: 607-124-00-X, Reg-No.: 01-2119490169-29-XXXX
	GHS/CLP: Skin Irrit. 2: H315 - Skin Sens. 1: H317 - Eye Irrit. 2: H319
1 - < 3	Acrylic acid
	CAS: 79-10-7, EINECS/ELINCS: 201-177-9, EU-INDEX: 607-061-00-8, Reg-No.: 01-2119452449-31-XXXX
	GHS/CLP: Flam. Liq. 3: H226 - Acute Tox. 4: H302 H312 H332 - Skin Corr. 1A: H314 - Aquatic Acute 1: H400 - STOT SE 3: H335, M = 1
1 - < 3	(2,4,6-trioxo-1,3,5-triazine-1,3,5-(2H,4H,6H)-triyl)tri-2,1-ethanediy triacrylate
	CAS: 40220-08-4, EINECS/ELINCS: 254-843-6
	GHS/CLP: Eye Dam. 1: H318
1 - < 2,5	Cumene hydroperoxide
	CAS: 80-15-9, EINECS/ELINCS: 201-254-7, EU-INDEX: 617-002-00-8, Reg-No.: 01-2119475796-19
	GHS/CLP: Org. Perox. E: H242 - Acute Tox. 3: H331 - Acute Tox. 4: H302 H312 - STOT RE 2: H373 - Skin Corr. 1B: H314 - Aquatic Chronic 2: H411 - STOT SE 3: H335
< 1	Ethylene glycol
	CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX
	GHS/CLP: Acute Tox. 4: H302 - STOT RE 2: H373

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Change soaked clothing immediately.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

In case of contact with skin wash off immediately with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Do not induce vomiting.
Rinse out mouth and give plenty of water to drink.
Get medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects
Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Dry powder.
Foam.
Carbon dioxide.

Extinguishing media that must not
be used Full water jet

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)
Carbon dioxide (CO₂)

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.
Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance with
the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
Use personal protective equipment.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, universal absorbent, diatomaceous earth).
Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
Keep away from open flames, hot surfaces and sources of ignition.
Do not eat, drink or smoke when using this product.
Wash hands before breaks and after work.
Use barrier skin cream.
Take off contaminated clothing and wash before reuse.
Contaminated work clothing should not be allowed out of the workplace.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Do not store together with oxidizing agents.
Do not store together with food and animal food/diet.
Keep container tightly closed.
Keep container in a well-ventilated place.
Keep in a cool place. Store in a dry place.
Protect from heat/overheating.
Recommended storage temperature: 5-25 °C (41-77 °F).

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance
Acrylic acid
CAS: 79-10-7, EINECS/ELINCS: 201-177-9, EU-INDEX: 607-061-00-8, Reg-No.: 01-2119452449-31-XXXX
Long-term exposure: 2 ppm, A4; ACGIH2006
Ethylene glycol
CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX
Long-term exposure: 20 ppm, 52 mg/m ³ , Vapour, particulate: 10 mg/m ³
Short-term exposure (15-minute): 40 ppm, 104 mg/m ³

Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES
Acrylic acid
CAS: 79-10-7, EINECS/ELINCS: 201-177-9, EU-INDEX: 607-061-00-8, Reg-No.: 01-2119452449-31-XXXX
Eight hours: 10 ppm, 29 mg/m ³
Short-term (15-minute): 20 ppm, 59 mg/m ³ , 1
Ethylene glycol
CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX
Eight hours: 20 ppm, 52 mg/m ³ , H
Short-term (15-minute): 40 ppm, 104 mg/m ³

DNEL

Substance
Acrylic acid, CAS: 79-10-7
Industrial, oral, Acute - local effects: 30 mg/m ³ .
Industrial, dermal, Acute - local effects: 1 mg/cm ² .
Industrial, oral, Long-term - local effects: 30 mg/m ³ .
general population, dermal, Acute - local effects: 1 mg/cm ² .
general population, oral, Acute - local effects: 3,6 mg/m ³ .
general population, oral, Long-term - local effects: 3,6 mg/m ³ .
Ethylene glycol, CAS: 107-21-1
Industrial, inhalative, Long-term - local effects: 35 mg/m ³ .
Industrial, dermal, Long-term - systemic effects: 106 mg/kg bw/d.
general population, inhalative, Long-term - local effects: 7 mg/m ³ .
general population, dermal, Long-term - systemic effects: 53 mg/kg bw/d.
Cumene hydroperoxide, CAS: 80-15-9
Industrial, inhalative, Long-term - systemic effects: 6 mg/m ³ (AF=5,25).
Bisphenol A ethoxylate dimethacrylate, CAS: 41637-38-1
Industrial, inhalative, Long-term - systemic effects: 3,52 mg/m ³ .
Industrial, dermal, Long-term - systemic effects: 2 mg/kg bw/d (AF=300).
general population, oral, Long-term - systemic effects: 0,5 mg/kg bw/d (AF=600).
general population, dermal, Long-term - systemic effects: 1 mg/kg bw/d (AF=600).
general population, inhalative, Long-term - systemic effects: 0,87 mg/m ³ .

PNEC

Substance
Acrylic acid, CAS: 79-10-7

seawater, 0,0003 mg/l.
sediment (freshwater), 0,0236 mg/kg bw.
soil, 1 mg/kg bw.
oral (food), 30 mg/kg.
sewage treatment plants (STP), 0,9 mg/l.
freshwater, 0,003 mg/l.
Ethylene glycol, CAS: 107-21-1
seawater, 1 mg/L.
sediment (seaater), 3,7 mg/kg.
sewage treatment plants (STP), 199,5 mg/kg.
sediment (freshwater), 37 mg/kg.
freshwater, 10 mg/L.
soil, 1,53 mg/kg.
Cumene hydroperoxide, CAS: 80-15-9
freshwater, 0,003 mg/l (AF=1000).
seawater, 0 mg/l (AF=10000).
sewage treatment plants (STP), 0,35 mg/l (AF=1).
sediment (freshwater), 0,023 mg/kg dw.
sediment (seaater), 0,002 mg/kg dw.
soil, 0,003 mg/kg dw.
Bisphenol A ethoxylate dimethacrylate, CAS: 41637-38-1
There are no PNEC values established for the substance.,

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	safety glasses (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,5 mm; Butyl rubber, >480 min (EN 374-1/-2/-3). > 0,5 mm; Viton, >480 min (EN 374-1/-2/-3). Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	light protective clothing
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours. Avoid contact with eyes and skin.
Respiratory protection	If ventilation is insufficient, wear respiratory protection. Short term: filter apparatus, filter A. (DIN EN 14387)
Thermal hazards	not applicable
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Color	green
Odor	pungent
Odour threshold	No information available.
pH-value	No information available.
pH-value [1%]	No information available.
Boiling point [°C]	No information available.
Flash point [°C]	> 100
Flammability (solid, gas) [°C]	not applicable
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/ml]	1,1
Bulk density [kg/m³]	not applicable
Solubility in water	virtually insoluble
Partition coefficient [n-octanol/water]	No information available.
Viscosity	400-600 mPas
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.
Reactions with reducing agents.
Reactions with various metals.

10.4 Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.
Sensitive to air.

10.5 Incompatible materials

See SECTION 10.3.

10.6 Hazardous decomposition products

In the event of fire: See SECTION 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.:
dermal, Based on the available information, the classification criteria are not fulfilled.:
oral, Based on the available information, the classification criteria are not fulfilled.:
Substance
Acrylic acid, CAS: 79-10-7
LD50, oral, Rat: 617-1405 mg/kg (OECD 401).
LD50, dermal, Rabbit: 294-997,5 mg/kg.
LC50, inhalative, Rat: 5,1 mg/l/4h (OECD 403).
Ethylene glycol, CAS: 107-21-1
LD50, dermal, Rabbit: 9530 mg/kg.
LD50, oral, Rat: 4000 mg/kg.
Cumene hydroperoxide, CAS: 80-15-9
LD50, dermal, Rabbit: 133,6 mg/kg.
LD50, oral, Rat: 382 mg/kg.
Bisphenol A ethoxylate dimethacrylate, CAS: 41637-38-1
LD50, dermal, Rat: > 2000 mg/kg bw.
LD50, oral, Rat: > 35 000 mg/kg bw.

Serious eye damage/irritation	Toxicological data of complete product are not available. Product is caustic. Calculation method
Skin corrosion/irritation	Toxicological data of complete product are not available. Irritant Calculation method
Respiratory or skin sensitisation	Toxicological data of complete product are not available. May cause an allergic skin reaction. Calculation method
Specific target organ toxicity — single exposure	Toxicological data of complete product are not available. May cause respiratory irritation. Calculation method
Specific target organ toxicity — repeated exposure	Toxicological data of complete product are not available. Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Toxicological data of complete product are not available. Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Toxicological data of complete product are not available. Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Toxicological data of complete product are not available. Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	

Toxicological data of complete product are not available.
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

SECTION 12: Ecological information

12.1 Toxicity

Substance
Acrylic acid, CAS: 79-10-7
LC50, (96h), Oncorhynchus mykiss: 27 mg/l (US EPA).
EC50, (72h), Desmodesmus subspicatus: 0,13 mg/l.
EC50, (48h), Daphnia magna: 95 mg/l.
Ethylene glycol, CAS: 107-21-1
LC50, (96h), Oncorhynchus mykiss: 40761 mg/l.
EC50, (96h), Pseudokirchneriella subcapitata: 6500 - 13000 mg/l.
EC50, (96h), Oncorhynchus mykiss: 6500 mg/l.
EC50, (48h), Daphnia magna: > 100 mg/l.
EC50, Pseudomonas putida: 10000 mg/l (17 h).
Cumene hydroperoxide, CAS: 80-15-9
LC50, (96h), Oncorhynchus mykiss: 3,9 mg/l.
EC50, (48h), Daphnia magna: 18,84 mg/l.
Bisphenol A ethoxylate dimethacrylate, CAS: 41637-38-1
EL50, (48h), Daphnia magna: > 100 mg/l.
LL50, (96h), Rainbow trout: > 100 mg/l.

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Coordinate disposal with the authorities if necessary.

Waste no. (recommended) 080409*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110*

SECTION 14: Transport information

14.1 UN number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2008/47/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS DOT-Classification, ADR (2017); IMDG-Code (2017, 38. Amdt.); IATA-DGR (2017).

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4

- Observe employment restrictions for people Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.

- VOC (2010/75/CE) not determined

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 03)

H302 Harmful if swallowed.
H411 Toxic to aquatic life with long lasting effects.
H373 May cause damage to organs through prolonged or repeated exposure.
H302+H312 Harmful if swallowed or in contact with skin.
H331 Toxic if inhaled.
H242 Heating may cause a fire.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H314 Causes severe skin burns and eye damage.
H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.
H226 Flammable liquid and vapour.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H315 Causes skin irritation.
H413 May cause long lasting harmful effects to aquatic life.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
ELINCS = European List of Notified Chemical Substances
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV®/TWA = Threshold limit value – time-weighted average
TLV®STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Customs Tariff

not determined

Classification procedure

Eye Dam. 1: H318 Causes serious eye damage. (Calculation method)
Skin Sens. 1: H317 May cause an allergic skin reaction. (Calculation method)
Skin Irrit. 2: H315 Causes skin irritation. (Calculation method)
STOT SE 3: H335 May cause respiratory irritation. (Calculation method)
Aquatic Chronic 4: H413 May cause long lasting harmful effects to aquatic life. (Calculation method)

Modified position

SECTION 2 been added: H413 May cause long lasting harmful effects to aquatic life.

SECTION 2 been added: Aquatic Chronic 4

Copyright: Chemiebüro®