according to Commission Regulation (EU) 2020/878 as amended

MA PROFESSIONAL BRAKE CLEANER

Creation date 07th September 2017

Revision date 14th January 2025 Version 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier MA PROFESSIONAL BRAKE CLEANER

Substance / mixture substance
Number M-16052023

Chemical name Hydrocarbons, C6, n-alkanes, iso-alkanes, cyclics, n-

hexane rich

CAS number 64742-49-0 EC (EINECS) number 925-292-5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Substance's intended use

Cleaning agent.

Main intended use

PC-CLN-17.5 Brake cleaners

Substance uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Distributor

Name or trade name AMTRA Sp. z o. o.

Address Schonów 3, Sosnowiec, 41-200

Poland

 VAT Reg No
 PL6250009241

 Phone
 +48 32 294 41 00

 E-mail
 amtra@amtra.pl

Competent person responsible for the safety data sheet

Name AMTRA Sp. z o. o. E-mail amtra@amtra.pl

1.4. Emergency telephone number

European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the substance in accordance with Regulation (EC) No 1272/2008

The substance is classified as dangerous.

Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Repr. 2, H361 STOT RE 2, H373 Aquatic Chronic 2, H411

Most serious adverse physico-chemical effects

Highly flammable liquid and vapour.

Most serious adverse effects on human health and the environment

May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. Suspected of damaging fertility or the unborn child. Toxic to aquatic life with long lasting effects.

according to Commission Regulation (EU) 2020/878 as amended

MA PROFESSIONAL BRAKE CLEANER

Creation date 07th September 2017
Revision date 14th January 2025

Revision date 14th January 2025 Version 4.0

2.2. Label elements

Hazard pictogram



Signal word

Danger

Dangerous substance

Hydrocarbons, C6, n-alkanes, iso-alkanes, cyclics, n-hexane rich (EC: 925-292-5; CAS: 64742-49-0)

Hazard statements

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P233 Keep container tightly closed.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing spray.
P280 Wear protective gloves.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P314 Get medical advice/attention if you feel unwell.

P391 Collect spillage.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container to according to applicable regulations.

Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

2.3. Other hazards

The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Substance does not meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.

according to Commission Regulation (EU) 2020/878 as amended

MA PROFESSIONAL BRAKE CLEANER

Creation date 07th September 2017 Revision date

4.0 14th January 2025 Version

SECTION 3: Composition/information on ingredients

Substances

Chemical characterization

The substance specified below.

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 64742-49-0 EC: 925-292-5	substance main component Hydrocarbons, C6, n-alkanes, iso-alkanes, cyclics, n-hexane rich	≤100	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Repr. 2, H361 STOT RE 2, H373 (nervous system) Aquatic Chronic 2, H411	
Index: 601-037-00-0 CAS: 110-54-3 EC: 203-777-6	n-hexane	≥55	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Repr. 2 (***), H361f STOT RE 1, H372 (nervous system) Aquatic Chronic 2, H411 Specific concentration limit: STOT RE 2, H373: $C \ge 5$ %	1
Index: 601-020-00-8 CAS: 71-43-2 EC: 200-753-7	benzene	<0.01	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Muta. 1B, H340 Carc. 1A, H350 STOT RE 1 (**), H372	2
Index: 601-021-00-3 CAS: 108-88-3 EC: 203-625-9	toluene	<0.01	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Carc. 2, H351 STOT RE 2, H373	1, 2

Notes

- ** another exposure route cannot be ruled out
- *** reproductive toxicity: supplementary letters specify whether fetal harm (d) or fertility harm (f) may occur
- A substance for which exposure limits are set.
- The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

Description of first aid measures

Do not perform artificial respiration without self-protection (e.g. a mask). Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

according to Commission Regulation (EU) 2020/878 as amended

MA PROFESSIONAL BRAKE CLEANER

Creation date 07th September 2017

Revision date 14th January 2025 Version 4.0

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists. Rinse skin with water or shower.

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

If the affected person vomits, make sure to prevent inhalation of the vomit (as there is a danger of lung damage after inhalation of these liquids in the airways also in infinitesimal amount). Provide medical treatment considering the frequent need of further observation for at least 24 hours. Bring an original container with the label and the Safety Data Sheet of the given substance as appropriate.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Cough, headache. May cause drowsiness or dizziness.

If on skin

Causes skin irritation.

If in eyes

Not expected.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3.

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. The substance is flammable. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. **Environmental precautions**

Prevent contamination of the soil and entering surface or ground water. Do not allow to enter drains.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

according to Commission Regulation (EU) 2020/878 as amended

MA PROFESSIONAL BRAKE CLEANER

Creation date 07th September 2017

Revision date 14th January 2025 Version 4.0

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. No smoking. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature is from +5 °C to +30 °C. Protect against frost. Protect from sunlight. Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Store locked up. Keep container tightly closed. Keep cool.

The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

European Union

Commission Directive 2006/15/EC

Substance name (component)	Туре	Value
n hovens (CAS) 110 E4 2)	OEL 8 hours	72 mg/m ³
n-hexane (CAS: 110-54-3)	OEL 8 hours	20 ppm

European Union

Commission Directive 2006/15/EC

Substance name (component)	Туре	Value
	OEL 8 hours	192 mg/m ³
taluana (CAC) 100 00 3)	OEL 8 hours	50 ppm
toluene (CAS: 108-88-3)	OEL 15 minutes	384 mg/m ³
	OEL 15 minutes	100 ppm

Notes Skin.

according to Commission Regulation (EU) 2020/878 as amended

MA PROFESSIONAL BRAKE CLEANER

Creation date 07th September 2017

Revision date 14th January 2025 Version 4.0

8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection:

Chemical resistant gloves should be worn whenever working with chemical products when a risk assessment indicates this is necessary.

The selected protective gloves must meet the requirements of the EN 374-1 standard. Recommended for long-term contact:

Material for protective gloves: nitrile rubber. Thickness: 0.11 mm

Breakthrough time: > 480 min.

Efficiency class: 6

Recommended for momentary contact: Material for protective gloves: nitrile rubber

Thickness: 0.11 mm

Breakthrough time: > 480 min.

Efficiency class: 6

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Mask with a filter against organic vapours in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid
Colour
Colour
Colour
Colourless
Odour
Characteristic
Melting point/freezing point
Boiling point or initial boiling point and boiling range
Flammability
Iinflammable

Lower and upper explosion limit

bottom 1.1 % upper 7.4 % Flash point <0 °C

Auto-ignition temperature not determined

Decomposition temperature not determined

pH non-soluble (in water)

Kinematic viscosity 0.6 mm²/s at 40 °C Solubility in water insoluble Partition coefficient n-octanol/water (log value) not determined

Vapour pressure 4.2-6.0 bar

Density and/or relative density

Density 0.663-0.685 g/cm³
Relative vapour density not determined
Particle characteristics not determined

9.2. Other information

according to Commission Regulation (EU) 2020/878 as amended

MA PROFESSIONAL BRAKE CLEANER

Creation date 07th September 2017

Revision date 14th January 2025 Version 4.0

none

SECTION 10: Stability and reactivity

10.1. Reactivity

The substance is highly flammable.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the substance. Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time.

Acute toxicity

No data available for the substance. Based on available data the classification criteria are not met.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

No data available for the substance. Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

No data available for the substance. Based on available data the classification criteria are not met.

Germ cell mutagenicity

No data available for the substance. Based on available data the classification criteria are not met.

Carcinogenicity

No data available for the substance. Based on available data the classification criteria are not met.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.

Toxicity for specific target organ - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

May be fatal if swallowed and enters airways.

according to Commission Regulation (EU) 2020/878 as amended

MA PROFESSIONAL BRAKE CLEANER

Creation date 07th September 2017

Revision date 14th January 2025 Version 4.0

11.2. Information on other hazards

Endocrine disrupting properties

Based on available data the classification criteria are not met. Does not contain any components that may cause endocrine disruption for humans.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

No data available for the substance.

12.3. Bioaccumulative potential

No data available for the substance.

12.4. Mobility in soil

Based on available data the classification criteria are not met. Does not contain any PMT or vPvM components.

12.5. Results of PBT and vPvB assessment

Based on available data the classification criteria are not met. Does not contain any PBT or vPvB components.

12.6. Endocrine disrupting properties

Based on available data the classification criteria are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

UN 1208

14.2. UN proper shipping name

HEXANES

14.3. Transport hazard class(es)

3 Flammable liquids

14.4. Packing group

ΤT

Page

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

8/14

according to Commission Regulation (EU) 2020/878 as amended

MA PROFESSIONAL BRAKE CLEANER

33

1208

Creation date 07th September 2017 Revision date 14th January 2025

Version 4.0

Additional information

Hazard identification No.

UN number
Classification code F

Safety signs 3+hazardous for the environment



Road transport - ADR

Limited quantities 1 L Excepted quantities E2

Packaging

Packing instructions P001, IBC02, R001

Mixed packing provisions MP19

Portable tanks and bulk containers

Guidelines T4
Special provisions TP1

ADR tank

Tank code LGBF
Vehicles for tank carriage FL
Transport category 2
Tunnel restriction code (D/E)

Special provision for

operation S2, S20

Railway transport - RID

Excepted quantities E2

Packaging

Packing instructions P001, IBC02, R001

Mixed packing provisions MP19

Portable tanks and bulk containers

Guidelines T4
Special provisions TP1

RID Tanks

Tank code LGBF Transport category 0

Air transport - ICAO/IATA

Packaging instructions for limited amount Y341
Packaging instructions passenger 353
Cargo packaging instructions 364

Marine transport - IMDG

EmS (emergency plan) F-E, S-D

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

according to Commission Regulation (EU) 2020/878 as amended

MA PROFESSIONAL BRAKE CLEANER

Creation date 07th September 2017 Revision date 14th January 2025

4.0 Version

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

benzene

Restriction	Conditions of restriction
05	1. Shall not be used in toys or parts of toys where the concentration of benzene in the free state is greater than 5 mg/kg (0,0005 %) of the weight of the toy or part of toy.
	2. Toys and parts of toys not complying with paragraph 1 shall not be placed on the market.
	3. Shall not be placed on the market, or used, — as a substance,
	- as a constituent of other substances, or in mixtures, in concentrations equal to, or greater than 0,1 % by weight.
	 4. However, paragraph 3 shall not apply to: (a) motor fuels which are covered by Directive 98/70/EC; (b) substances and mixtures for use in industrial processes not allowing for the emission of benzene in quantities in excess of those laid down in existing legislation. (c) natural gas placed on the market for use by consumers, provided that the concentration of benzene remains below 0,1 % volume/volume.
29	Shall not be placed on the market, or used, as substances,
	 as constituents of other substances, or, in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:
	 either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,
	— the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.
	Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:
	"Restricted to professional users".
	2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC; (c) the following fuels and oil products:
	 motor fuels which are covered by Directive 98/70/EC, mineral oil products intended for use as fuel in mobile or fixed combustion plants, fuels sold in closed systems (e.g. liquid gas bottles);
	(d) artists' paints covered by Regulation (EC) No 1272/2008; (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date.
	(f) devices covered by Regulation (EU) 2017/745.

according to Commission Regulation (EU) 2020/878 as amended

MA PROFESSIONAL BRAKE CLEANER

4.0

Creation date 07th September 2017
Revision date 14th January 2025 Version

benzene

Restriction	Conditions of restriction
28	1. Shall not be placed on the market, or used, — as substances,
	— as constituents of other substances, or,
	— in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:
	— either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,
	— the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.
	Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:
	"Restricted to professional users".
	2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC; (c) the following fuels and oil products:
	 motor fuels which are covered by Directive 98/70/EC, mineral oil products intended for use as fuel in mobile or fixed combustion plants, fuels sold in closed systems (e.g. liquid gas bottles);
	(d) artists' paints covered by Regulation (EC) No 1272/2008;
	(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the
	said date. (f) devices covered by Regulation (EU) 2017/745.

according to Commission Regulation (EU) 2020/878 as amended

MA PROFESSIONAL BRAKE CLEANER

Creation date	07th September 2017		
Revision date	14th January 2025	Version	4.0

benzene	
Restriction	Conditions of restriction
72	1. Shall not be placed on the market after 1 November 2020 in any of the following: (a) clothing or related accessories; (b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing; (c) footwear; if the clothing, related accessory, textile other than clothing or footwear is for use by consumers and the substance is present in a concentration, measured in homogeneous material, equal to or greater than that specified for that substance in Appendix 12.
	2. By way of derogation, in relation to the placing on the market of formaldehyde [CAS No 50-00-0] in jackets, coats or upholstery, the relevant concentration for the purposes of paragraph 1 shall be 300 mg/kg during the period between 1 November 2020 and 1 November 2023. The concentration specified in Appendix 12 shall apply thereafter.
	 3. Paragraph 1 shall not apply to: (a) clothing, related accessories or footwear, or parts of clothing, related accessories or footwear, made exclusively of natural leather, fur or hide; (b) non-textile fasteners and non-textile decorative attachments; (c) second-hand clothing, related accessories, textiles other than clothing or footwear (d) wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners.
	4. Paragraph 1 shall not apply to clothing, related accessories, textiles other than clothing, or footwear within the scope of Regulation (EU) 2016/425 of the European Parliament and of the Council (*) or Regulation (EU) 2017/745 of the European Parliament and of the Council (**).
	5. Paragraph 1(b) shall not apply to disposable textiles. 'Disposable textiles' means textiles that are designed to be used only once or for a limited time and are not intended for subsequent use for the same or a similar purpose.
	6. Paragraphs 1 and 2 shall apply without prejudice to the application of any stricter restrictions set out in this Annex or in other applicable Union legislation.
	7. The Commission shall review the exemption in paragraph 3(d) and, if appropriate, modify that point accordingly. (*) Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC (OJ L 81, 31.3.2016, p. 51).
	(**) Regulation (EU) 2017/745 of the European Parliament and of the Council of 5 April 2017 on medical devices, amending Directive 2001/83/EC, Regulation (EC) No 178/2002 and Regulation (EC) No 1223/2009 and repealing Council Directives 90/385/EEC and 93/42/EEC (OJ L 117, 5.5.2017, p. 1).

toluene

Restriction	Conditions of restriction
	Shall not be placed on the market, or used, as a substance or in mixtures in a concentration equal to or greater than 0.1% by weight where the substance or mixture is used in adhesives or spray paints intended for supply to the general public.

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

A list of standard	rick nhraces use	ad in the saf	ety data sheet
A list of Stalluaru	. I ISK DIII ASES USt	eu III LIIE Sai	etv uata siieet

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H340	May cause genetic defects.

according to Commission Regulation (EU) 2020/878 as amended

MA PROFESSIONAL BRAKE CLEANER

Creation date	07th September 2017		
Revision date	14th January 2025	Version	4.0

H350 May cause cancer.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H361f Suspected of damaging fertility.

H372 Causes damage to the nervous system through prolonged or repeated exposure.

H372 Causes damage to organs through prolonged or repeated exposure.

H373 May cause damage to the nervous system through prolonged or repeated exposure.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P233 Keep container tightly closed.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing spray.
P280 Wear protective gloves.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P314 Get medical advice/attention if you feel unwell.

P391 Collect spillage.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container to according to applicable regulations.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Asp. Tox. Aspiration hazard
BCF Bioconcentration Factor

Carc. Carcinogenicity

CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System

Eye Irrit. Eye irritation Flam. Liq. Flammable liquid

IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

log Kow Octanol-water partition coefficient

according to Commission Regulation (EU) 2020/878 as amended

MA PROFESSIONAL BRAKE CLEANER

Creation date 07th September 2017 Revision date 14th January 2025 Version 4.0

Muta. Germ cell mutagenicity OEL Occupational Exposure Limits

PBT Persistent, bioaccumulative and toxic

PMT Persistent, mobile and toxic

Parts per million ppm

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

Reproductive toxicity Repr.

RID Agreement on the transport of dangerous goods by rail

Skin Irrit. Skin irritation

STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure

Four-figure identification number of the substance or article taken from the UN UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very persistent and very bioaccumulative

vPvM Very persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 4.0 replaces the SDS version from Tuesday, 16 May 2023. Changes were made in sections 1, 2, 11, 12, 13, 15 and 16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.