| | | SAFETY | DATA SHEET | | |
|---------------------------------|--|-------------------------------|--|----------------|--|
| | | according to Regulation (EC) | No 1907/2006 (REACH) | as amended | |
| | AUTON | ATIC SILICONE G | GASKET MAKER | BLACK 260 °C | |
| Creation date 03rd January 2019 | | | | | |
| Revisi | ion date | 31st January 2022 | Version | 3.0 | |
| SECT | ION 1: Identification | of the substance/mixture | and of the company/w | ndertaking | |
| 1.1. | Product identifier | | AUTOMATIC SILICONE GASKET MAKER BLACK 260 °C | | |
| | Substance / mixture | | mixture | | |
| | Number | | M-31012022 | | |
| | UFI | | D8J0-W0GV-S00 |)4-SM2W | |
| 1.2. | Relevant identified | uses of the substance or n | nixture and uses advis | ed against | |
| | Mixture's intended | use | | - | |
| | Sealing agent. | | | | |
| | Main intended use | | | | |
| | PC-ADH-OTH | Other adhesives a | nd sealants | | |
| | Mixture uses advised against | | | | |
| | The product should not be used in ways other then those referred in Section 1. | | | | |
| 1.3. | Details of the suppl | ier of the safety data shee | t | | |
| | Distributor | | | | |
| | Name or trade | name | AMTRA Sp. z o. o. | | |
| | Address | | Schonów 3, Sos | nowiec, 41-200 | |
| | | | Poland | | |
| | VAT Reg No | | PL6250009241 | | |
| | Phone | | +48 32 294 41 (| 00 | |
| | E-mail | | amtra@amtra.pl | l | |
| | Competent person | responsible for the safety of | data sheet | | |
| | Name | | AMTRA Sp. z o. o. | | |
| | E-mail | | amtra@amtra.pl | l | |
| 1.4. | Emergency telephone number | | | | |
| | European emergency | number: 112 | | | |
| | | | | | |
| | ION 2: Hazards identi | | | | |
| 2.1. | | e substance or mixture | | | |
| | Classification of the mixture in accordance with Regulation (EC) No 1272/2008 | | | | |
| | The mixture is classif | ied as dangerous. | | | |
| | Aerosol 3, H229 | | | | |
| | Aquatic Chronic 3, H4 | 12 | | | |
| | Full toxt of all classifi | entione and barard statement | c is given in the costies 1 | c | |
| | Full text of all classifie | cations and hazard statement | s is given in the section 1 | .0. | |
| | | | | | |

Most serious adverse physico-chemical effects

Pressurised container: May burst if heated.

2.2. Label elements

Signal word Warning

Hazard statements

| H229 Pressurised container: May burst if heated. | | | |
|--|---|--|--|
| H412 | Harmful to aquatic life with long lasting effects. | | |
| Precautionary statements | | | |
| P101 | If medical advice is needed, have product container or label at hand. | | |
| P102 | Keep out of reach of children. | | |
| P103 | Read label before use. | | |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. | | |
| P251 | Do not pierce or burn, even after use. | | |
| P273 | Avoid release to the environment. | | |
| P410+P412 | Protect from sunlight. Do no expose to temperatures exceeding 50 °C. | | |
| P501 | Dispose of contents/container to by disposing in a hazardous waste receptacle. | | |

according to Regulation (EC) No 1907/2006 (REACH) as amended

AUTOMATIC SILICONE GASKET MAKER BLACK 260 °C

Creation date Revision date 03rd January 2019 31st January 2022

Version

3.0

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

| Identification numbers | Substance name | Content in % weight | Classification according to Regulation (EC) No 1272/2008 | Note |
|---|------------------------------|------------------------|--|---------|
| CAS: 17865-07-5 EC: 241-816-9 Registration number: 01-2119966899-07- xxxx | Propyltriacetoxysilan | 1-<2,5 | Skin Corr. 1B, H314 EUH071 | |
| Index: 022-006-00-2 CAS: 13463-67-7 EC: 236-675-5 | titanium dioxide | 0,1-<1 | Carc. 2, H351 (inhalation) | 1, 2, 3 |
| Index: 014-018-00-1 CAS: 556-67-2 EC: 209-136-7 | octamethylcyclotetrasiloxane | 0,01-<0,1 | Flam. Liq. 3, H226 Repr. 2, H361f Aquatic Chronic 1, H410 (M=10) | 4, 5, 6 |

Notes

- 1 Note V: If the substance is to be placed on the market as fibres (with diameter < $3 \mu m$, length > $5 \mu m$ and aspect ratio $\geq 3:1$) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.
- 2 Note W: It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung.

This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation.

- 3 Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter \leq 10 µm.
- 4 Substance of very high concern SVHC.
- 5 Persistent, bioaccumulative and toxic or very persistent and very bioaccumulative
- 6 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

according to Regulation (EC) No 1907/2006 (REACH) as amended

AUTOMATIC SILICONE GASKET MAKER BLACK 260 °C

Creation date Revision date 03rd January 2019 31st January 2022

Version

3.0

If swallowed Unlikely.
4.2. Most important symptoms and effects, both acute and delayed If inhaled Not expected.
If on skin Not expected.
If in eyes When intruding eyes, it can evoke irritation.
If swallowed Not expected.
4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

Symptomatic treatment.

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Pressurised container: May burst if heated. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale aerosols.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

The product should be used only in the areas where it is not in contact with open fire and other ignition sources. No smoking. Protect against direct sunlight. Do not pierce or burn, even after use. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

7.3. Specific end use(s)

not available

according to Regulation (EC) No 1907/2006 (REACH) as amended

AUTOMATIC SILICONE GASKET MAKER BLACK 260 °C

Creation date Revision date 03rd January 2019 31st January 2022

Version

3.0

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set.

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

It is not needed.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

- Respiratory protection
- Respirator.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| The second | |
|---|--------------------|
| Physical state | liquid |
| Colour | colourless |
| Odour | characteristic |
| Melting point/freezing point | data not available |
| Boiling point or initial boiling point and boiling range | data not available |
| Flammability | data not available |
| Lower and upper explosion limit | data not available |
| Flash point | >162 °C |
| Auto-ignition temperature | 365-470 °C |
| Decomposition temperature | data not available |
| рН | data not available |
| Kinematic viscosity | >21 mm²/s at 40 °C |
| Solubility in water | data not available |
| Partition coefficient n-octanol/water (log value) | data not available |
| Vapour pressure | data not available |
| Density and/or relative density | data not available |
| Relative vapour density | data not available |
| Particle characteristics | data not available |
| Other information | |
| not available | |

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

9.2.

not available

10.2. Chemical stability The product is stable under normal conditions.

10.3. Possibility of hazardous reactions Unknown.

| | | SAFETY | DATA SHEET | |
|---------|-----------------------------------|---|------------------------|---|
| | | according to Regulation (EC) |) No 1907/2006 (REACH) | as amended |
| | AUT | OMATIC SILICONE | GASKET MAKER | BLACK 260 °C |
| | on date | 03rd January 2019 | | |
| Revisio | on date | 31st January 2022 | Version | 3.0 |
| 10.4. | Conditions to a | void | | |
| | | | | t against flames, sparks, overheating and |
| 10 5 | Incompatible n | essurised container: May burst if h | leated. | |
| 10.5. | | trong acids, bases and oxidizing a | aents | |
| 10.6. | - | omposition products | genter | |
| | | | comes such as carbon m | onoxide and carbon dioxide are formed at |
| | high temperature | | | |
| SECTI | ON 11: Toxicolog | gical information | | |
| 11.1. | | hazard classes as defined in F | Regulation (EC) No 127 | 2/2008 |
| | - | data is available for the mixture. | | |
| | Acute toxicity | | | |
| | | le data the classification criteria a | re not met. | |
| | Skin corrosion | | ve net met | |
| | | Ie data the classification criteria a mage/irritation | re not met. | |
| | - | le data the classification criteria a | re not met | |
| | | skin sensitisation | | |
| | | le data the classification criteria a | re not met. | |
| | Germ cell muta | genicity | | |
| | | le data the classification criteria a | re not met. | |
| | Carcinogenicity | , | | |
| | Based on availab | le data the classification criteria a | re not met. | |
| | Reproductive t | - | | |
| | | le data the classification criteria a | | |
| | | cific target organ - single exp | | |
| | | le data the classification criteria a | | |
| | | ecific target organ - repeated e le data the classification criteria a | - | |
| | Aspiration haza | | le not met. | |
| | • | le data the classification criteria a | re not met | |
| 11.2. | Information on | | | |
| | not available | | | |
| | | | | |
| | ON 12: Ecologica | al information | | |
| 12.1. | Toxicity | | | |
| 122 | Acute toxicity Persistence and | d degradability | | |
| 12.2. | not available | | | |
| | not available | | | |

- **12.3. Bioaccumulative potential** Data not available.
- **12.4. Mobility in soil** Data not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

- 12.6. Endocrine disrupting properties
- not available
- 12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

according to Regulation (EC) No 1907/2006 (REACH) as amended

AUTOMATIC SILICONE GASKET MAKER BLACK 260 °C

Creation date Revision date 03rd January 2019 31st January 2022

Version

3.0

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.


SECTION 14: Transport information

- 14.1. UN number or ID number
- UN 1950
- **14.2.** UN proper shipping name AEROSOLS
- 14.3. Transport hazard class(es) 2 Gases
- 14.4. Packing group not relevant
- 14.5. Environmental hazards not relevant
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.

| 14.7. | Maritime transport in bulk according to IMO instruments | | |
|-------|---|--|--|
| | not relevant | | |
| | Additional information | | |

Hazard identification No.

UN number Classification code Safety signs



| Road transport - ADR | |
|---------------------------------|--------------------|
| Special provisions | 190, 327, 344, 625 |
| Limited quantities | 1 L |
| Excepted quantities | EO |
| Packaging | |
| Packing instructions | P207, LP200 |
| Special packing provisions | PP87, RR6, L2 |
| Mixed packing provisions | MP9 |
| Transport category | 3 |
| Tunnel restriction code | (E) |
| Special provision for | |
| packages | V14 |
| loading, unloading and handling | CV9, CV12 |
| | |

according to Regulation (EC) No 1907/2006 (REACH) as amended

AUTOMATIC SILICONE GASKET MAKER BLACK 260 °C

| 2019 | |
|---------------------|--|
| 2022 Version | 3.0 |
| | |
| 190, 327, 625 | |
| EO | |
| | |
| LP02, P003 | |
| L2, PP17, PP87, RR6 | |
| MP9 | |
| 3 | |
| | |
| W14 | |
| CW12, CW9 | |
| | |
| F-D, S-U | |
| 620 | |
| | 190, 327, 625 E0 LP02, P003 L2, PP17, PP87, RR6 MP9 3 W14 CW12, CW9 F-D, S-U |

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

octamethylcyclotetrasiloxane

| Restriction | Conditions of restriction |
|-------------|--|
| 70 | Shall not be placed on the market in wash-off cosmetic products in a concentration equal to or greater than 0,1 % by weight of either substance, after 31 January 2020. For the purposes of this entry, "wash-off cosmetic products" means cosmetic products as defined in Article 2(1)(a) of Regulation (EC) No 1223/2009 that, under normal conditions of use, are washed off with water after application. |

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

| H226 | Flammable liquid and vapour. |
|---------------------|---|
| H229 | Pressurised container: May burst if heated. |
| H314 | Causes severe skin burns and eye damage. |
| H351 | Suspected of causing cancer if inhaled. |
| H361f | Suspected of damaging fertility. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Guidelines for safe | handling used in the safety data sheet |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P251 | Do not pierce or burn, even after use. |
| P410+P412 | Protect from sunlight. Do no expose to temperatures exceeding 50 °C. |
| P501 | Dispose of contents/container to by disposing in a hazardous waste receptacle. |
| P103 | Read label before use. |
| P273 | Avoid release to the environment. |
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children. |
| 7/9 | Made in SBLCore 2022 (22.4.36) www.sblcore.co |

according to Regulation (EC) No 1907/2006 (REACH) as amended

AUTOMATIC SILICONE GASKET MAKER BLACK 260 °C

Creation date Revisio

03rd January 2019

| on date | 31st January 2022 | Version | 3.0 |
|---|--|-----------------------------|---|
| A list of additional | standard phrases used in t | he safety data sheet | |
| EUH071 | Corrosive to the re | spiratory tract. | |
| Other important inf | formation about human he | alth protection | |
| as per the Section 1. | The user is responsible for ad | herence to all related heal | /importer - used for purposes other than th protection regulations. |
| Key to abbreviation | is and acronyms used in th | e safety data sheet | |
| ADR | European agreeme road | ent concerning the internat | ional carriage of dangerous goods by |
| BCF | Bioconcentration F | actor | |
| CAS | Chemical Abstracts | Service | |
| CLP | Regulation (EC) No substance and mix | | on, labelling and packaging of |
| EINECS | European Inventor | y of Existing Commercial (| Chemical Substances |
| EmS | Emergency plan | | |
| EuPCS | | Categorisation System | |
| IATA | | ransport Association | |
| IBC | International Code Dangerous Chemic | | Equipment of Ships Carrying |
| ICAO | | Aviation Organization | |
| IMDG | International Marit | ime Dangerous Goods | |
| INCI | International Nom | enclature of Cosmetic Ingr | edients |
| ISO | International Orga | nization for Standardizatio | n |
| IUPAC | International Unior | n of Pure and Applied Cher | nistry |
| log Kow | Octanol-water part | ition coefficient | |
| LZO | Volatile organic co | mpounds | |
| MARPOL | | ention for the Prevention o | of Pollution from Ships |
| OEL | Occupational Expo | | |
| PBT | Persistent, Bioaccu | mulative and Toxic | |
| ppm | Parts per million | | |
| REACH | Registration, Evalu | ation, Authorisation and R | estriction of Chemicals |
| RID | Agreement on the | transport of dangerous go | ods by rail |
| UE | European Union | | |
| UN | Model Regulations | | tance or article taken from the UN |
| UVCB | Substances of unk biological material | | ion, complex reaction products or |
| vPvB | Very Persistent an | d very Bioaccumulative | |
| WE | Identification code | for each substance listed | in EINECS |
| Aerosol | Aerosol | | |
| Aquatic Chronic | | iquatic environment (chror | nic) |
| Carc. | Carcinogenicity | | |
| Flam. Liq. | Flammable liquid | | |
| Repr. | Reproductive toxic | ity | |
| Skin Corr. | Skin corrosion | | |
| Training guidelines | | | |
| Inform the personnel ways of handling the | | /s of use, mandatory prote | ective equipment, first aid and prohibited |
| Recommended restrictions of use | | | |

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

8/9

Classification procedure - calculation method.

according to Regulation (EC) No 1907/2006 (REACH) as amended

AUTOMATIC SILICONE GASKET MAKER BLACK 260 °C

Creation date Revision date 03rd January 2019 31st January 2022

Version

3.0

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.