



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture GIANT 9540 LL 10W-40

Registration number -

Synonyms None.

Product code RP_1005M

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Automotive applications.

Uses advised against All other uses.

1.3. Details of the supplier of the safety data sheet

Company name REPSOL LUBRICANTES Y ESPECIALIDADES, S.A.

Address Méndez Álvaro, 44 28045 - MADRID, Spain

Telephone +34 917538000 /+34 917538100

Fax +34 902303145

Email address FDSRLESA@repsol.com

1.4. Emergency telephone number

Carechem 24 +34 91 114 2520 / +44 1235 239670

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Not assigned.

Response Not assigned.

Storage Not assigned.

Disposal Not assigned.

Supplemental information on the label EUH208 - Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.
EUH210 - Safety data sheet available on request.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.
The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Please refer to Sections 5, 6 and 7 of this SDS for information on other hazards, different from classification hazards but which may contribute to the overall hazards of the product.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
C14-16-18 Alkyl phenol	0,2 - 2,2	1190625-94-5 931-468-2	01-2119498288-19-XXXX	-	

Classification: Skin Sens. 1B;H317, STOT RE 2;H373

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Distillates (petroleum), hydrotreated heavy paraffinic	0,2 - 2,2	64742-54-7 265-157-1	01-2119484627-25-XXXX	649-467-00-8	
Classification: Asp. Tox. 1;H304					L
Distillates (petroleum), solvent-dewaxed heavy paraffinic	0,2 - 2,2	64742-65-0 265-169-7	01-2119471299-27-XXXX	649-474-00-6	
Classification: Asp. Tox. 1;H304					L
Distillates (petroleum), solvent-dewaxed light paraffinic	0,2 - 2,2	64742-56-9 265-159-2	01-2119480132-XXXX	649-469-00-9	
Classification: Asp. Tox. 1;H304					L
Paraffin oils (petroleum), catalytic dewaxed heavy	0,2 - 2,2	64742-70-7 265-174-4	01-2119487080-42-XXXX	649-477-00-2	
Classification: Asp. Tox. 1;H304					L
zinc bis[o-(6-methylheptyl)] bis[o-(sec-butyl)] bis(dithiophosphate)	0,6 - 1,4	93819-94-4 298-577-9	01-2119543726-33-XXXX	-	
Classification: Skin Irrit. 2;H315, Eye Dam. 1;H318, Aquatic Chronic 2;H411					
Specific Concentration Limits: Skin Irrit. 2;H315: C >= 6.25 %, Eye Dam. 1;H318: C > 12.5 %, Eye Irrit. 2;H319: 10 % < C <= 12.5 %					

Composition comments IP346 method DMSO extract for base oil substances: <3.0%.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed Exposure may cause temporary irritation, redness, or discomfort.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards Will burn if involved in a fire.

5.1. Extinguishing media

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed such as: Carbon monoxide, carbon dioxide, oxides of sulphur, zinc and phosphorus.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Do not breathe mist/vapours. Follow standard emergency procedure. Wear appropriate personal protective equipment (See Section 8).

For emergency responders Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not breathe mist/vapours. Ensure adequate ventilation. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Ensure safe systems of work or equivalent arrangements are in place to manage risks. Do not breathe mist/vapours. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

7.3. Specific end use(s) Automotive applications.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Spain. Occupational Exposure Limits

Product	Type	Value	Form
Oil mist, mineral	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no effect levels (DNELs)

General Population

Components	Value	Assessment factor	Notes
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)			
Short-term, Local, Inhalation	1,19 mg/m3	75	Repeated dose toxicity
Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)			
Long-term, Local, Inhalation	1,19 mg/m3		Repeated dose toxicity
zinc bis[o-(6-methylheptyl)] bis[o-(sec-butyl)] bis(dithiophosphate) (CAS 93819-94-4)			
Long-term, Systemic, Dermal	0,29 mg/kg bw/day	240	Repeated dose toxicity
Long-term, Systemic, Inhalation	2,11 mg/m3	60	Repeated dose toxicity
Long-term, Systemic, Oral	0,24 mg/kg bw/day	600	Repeated dose toxicity

Workers

Components	Value	Assessment factor	Notes
C14-16-18 Alkyl phenol (CAS 1190625-94-5)			
Long-term, Systemic, Dermal	0,3 mg/kg	300	Repeated dose toxicity
Long-term, Systemic, Inhalation	1,17 mg/m3	75	Repeated dose toxicity
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)			
Short-term, Local, Inhalation	5,58 mg/m3	45	Repeated dose toxicity
Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)			
Long-term, Local, Inhalation	5,58 mg/m3		Repeated dose toxicity
zinc bis[o-(6-methylheptyl)] bis[o-(sec-butyl)] bis(dithiophosphate) (CAS 93819-94-4)			
Long-term, Systemic, Dermal	0,58 mg/kg bw/day	120	Repeated dose toxicity
Long-term, Systemic, Inhalation	8,31 mg/m3	30	Repeated dose toxicity

Predicted no effect concentrations (PNECs)

Components	Value	Assessment factor	Notes
C14-16-18 Alkyl phenol (CAS 1190625-94-5)			
Freshwater	0,1 mg/l	1000	
Marine water	0,01 mg/l	10000	
Secondary poisoning	3,3 mg/kg	300	Oral
Sediment (freshwater)	4266,16 mg/kg		
Sediment (marine water)	426,62 mg/kg		
Soil	852,58 mg/kg		
STP	100 mg/l	10	
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)			
Secondary poisoning	9,33 mg/kg		Oral
zinc bis[o-(6-methylheptyl)] bis[o-(sec-butyl)] bis(dithiophosphate) (CAS 93819-94-4)			
Freshwater	4 µg/l	100	
Intermittent releases	21 µg/l	100	
Marine water	4,6 µg/l	10000	
Secondary poisoning	10,67 mg/kg	300	Oral
Sediment (freshwater)	0,012 mg/kg		
Sediment (marine water)	0,001 mg/kg		
Soil	0,005 mg/kg		
STP	100 mg/l	100	

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information

The choice of the most appropriate personal protective equipment in each case depends, among other factors, on the nature of the work to be done and the conditions in which it is carried out. To do so, take the relevant risk analyses into account and consult the safety officer and/or equipment suppliers, if necessary, to make the right choice. In any case, the equipment must comply with the currently applicable CEN standards. Workers using this equipment must have received the required training in the use of the same.

Eye/face protection

Wear safety glasses with side shields (or goggles). Eye protection should meet standard EN 166.

Skin protection

- Hand protection

Wear appropriate chemical resistant gloves. Always wear chemical-resistant protective gloves that comply with EN 374 to handle this product. Observe good industrial hygiene practices and wash gloves with soap and water before removing them. Assess the working conditions and always consult your glove supplier for information on the most suitable type of glove for each task and the required material, thickness, and breakthrough time specifications. The use of type-B gloves in accordance with EN 374 is recommended as a minimum protection against intermittent or splash contact. Consult your supplier to find the most suitable option for the product in question. The requirements of EN 388 must be taken into account for applications involving mechanical hazards with the risk of abrasion or incision. The requirements outlined in EN 407 must be taken into consideration for tasks involving thermal hazards.

- Other

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation or risk of inhalation of oil mist, suitable respiratory equipment with combination filter (type A2/P2) can be used. Respiratory protection should meet standard EN 14387. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection. Appropriate respirator selection should be made by a qualified professional.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

Product should not reach the environment through wastewater or sewage. Measures to take in case of accidental release can be found in Section 6 of this SDS.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Form	Liquid.
Colour	4.0 max.
Odour	Characteristic.
Melting point/freezing point	> -27 °C (> -16,6 °F)
Boiling point or initial boiling point and boiling range	No data available (*)
Flammability	Will burn if involved in a fire.
Lower and upper explosion limit	
Explosive limit - lower (%)	Property has not been measured.
Explosive limit – upper (%)	Property has not been measured.
Flash point	> 235 °C (> 455 °F)
Auto-ignition temperature	Property has not been measured.
Decomposition temperature	Property has not been measured.
pH	No data available (*)
Kinematic viscosity	13,5 mm²/s (100 °C (212 °F)) 86 mm²/s (40 °C (104 °F))
Solubility	
Solubility (water)	Property has not been measured.
Partition coefficient (n-octanol/water) (log value)	Property has not been measured.
Vapour pressure	Property has not been measured.
Density and/or relative density	
Density	0,8659 g/cm³ (20 °C (68 °F))
Relative density	No data available (*)
Vapour density	Property has not been measured.
Particle characteristics	Not applicable, material is a liquid.
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.
9.2.2. Other safety characteristics	
Viscosity	No data available (*)
Other safety characteristics	(*) No data available at the time of writing or because it is not applicable due to the nature and danger of the product.

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.
Information on likely routes of exposure	
Inhalation	Prolonged inhalation may be harmful.
Skin contact	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	May cause discomfort if swallowed.
Symptoms	Exposure may cause temporary irritation, redness, or discomfort.
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008	
Acute toxicity	

Product	Species	Test Results
GIANT 9540 LL 10W-40 (CAS Mixture)		
<u>Acute</u>		
Dermal		
ATE		> 5000 mg/kg
Oral		
ATE		> 5000 mg/kg
Components	Species	Test Results
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 5000 mg/kg
Inhalation		
<i>Aerosol</i>		
LC50	Rat	> 5,53 mg/l, 4 Hours
Oral		
LD50	Rat	> 5000 mg/kg
Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 5000 mg/kg
Inhalation		
<i>Aerosol</i>		
LC50	Rat	> 5,53 mg/l, 4 Hours
Oral		
LD50	Rat	> 5000 mg/kg
Distillates (petroleum), solvent-dewaxed light paraffinic (CAS 64742-56-9)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 5000 mg/kg, 24 Hours
Inhalation		
<i>Aerosol</i>		
LC50	Rat	> 5 mg/l, 4 Hours
Oral		
LD50	Rat	> 5000 mg/kg
Paraffin oils (petroleum), catalytic dewaxed heavy (CAS 64742-70-7)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 5000 mg/kg
Inhalation		
LC50	Rat	> 5 mg/l, 4 Hours
Oral		
LD50	Rat	> 5000 mg/kg
zinc bis[o-(6-methylheptyl)] bis[o-(sec-butyl)] bis(dithiophosphate) (CAS 93819-94-4)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 3160 mg/kg, 24 Hours
Oral		
LD50	Rat	2600 mg/kg
Skin corrosion/irritation	Based on available data, the classification criteria are not met.	
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.	
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.	

Skin sensitisation	The product contains a small amount of sensitising substance which may provoke an allergic reaction among sensitive individuals. The classification for this hazard is based on information provided by the supplier.
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.
Carcinogenicity	Based on available data, the classification criteria are not met.

IARC Monographs. Overall Evaluation of Carcinogenicity

Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	3 Not classifiable as to carcinogenicity to humans.
Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)	3 Not classifiable as to carcinogenicity to humans.
Highly refined mineral oil (CAS -)	3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - single exposure Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Mixture versus substance information No information available.

11.2. Information on other hazards

Endocrine disrupting properties The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other information Prolonged or repeated contact with used oil may cause serious skin diseases. Unless otherwise stated, the health effects of this product are assessed on the basis of the applicable calculation methods for classification.

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic environment.

Components		Species	Test Results
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)			
Aquatic			
Acute			
Algae	NOEL	Pseudokirchneriella subcapitata	> 100 mg/l, 72 hours
Crustacea	EL50	Daphnia magna	> 1000 mg/l, 48 hours
Fish	LL50	Pimephales promelas	> 100 mg/l, 96 hours

12.2. Persistence and degradability No data is available on the degradability of this product.

12.3. Bioaccumulative potential No data available.

Partition coefficient n-octanol/water (log Kow) Not available.

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB assessment This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting properties The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects Oil spills are generally hazardous to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
Hazard No. (ADR)	Not assigned.
Tunnel restriction code	Not assigned.
14.4. Packing group	Not assigned.
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not assigned.

RID

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not assigned.

ADN

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not assigned.

IATA

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not assigned.

IMDG

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	
Marine pollutant	No.
EmS	Not assigned.
14.6. Special precautions for user	Not assigned.

14.7. Maritime transport in bulk according to IMO instruments Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

zinc bis[o-(6-methylheptyl)] bis[o-(sec-butyl)] bis(dithiophosphate) (CAS 93819-94-4)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended.

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ATE: Acute toxicity estimate.

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization.

IATA: International Air Transport Association.

IMDG: International Maritime Dangerous Goods.

IMO: International Maritime Organization.

LC50: Lethal Concentration, 50%.

LD50: Lethal Dose, 50%.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit.

TWA: Time Weighted Average.

vPvB: Very persistent and very bioaccumulative.

References

ECHA CHEM

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity

Information on evaluation method leading to the classification of mixture
Full text of any H-statements not written out in full under Sections 2 to 15

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H373 May cause damage to organs through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.

Training information
Disclaimer

Follow training instructions when handling this material.

This Safety Data Sheet (SDS) refers exclusively to the substance/product specified in section 1 of this document.

The information provided in this SDS has been obtained according to the best information available on the basis of technical data that is considered reliable at the time of its preparation, and in accordance with the legal requirements in force concerning classification, packaging and labelling of dangerous substances, not involving the granting of any express or implied warranty or on the accuracy of the information contained therein or concerning its suitability for a particular use or specification.

The purchaser as the recipient of the substance/product specified in section 1 of this document to which this Safety Data Sheet (SDS) refers, is responsible for evaluating the information contained in the SDS, and for verifying that it is correct and appropriate for the intended use of the substance/product specified in section 1 of this document.

The purchaser, as the recipient of the substance/product specified in section 1 of this document referred to in this Safety Data Sheet (SDS) is also responsible for adequately managing the risks thereof in its place of work. Consequently, the purchaser is obliged, regarding its workers and representatives, as well as any other person who may handle, use or be exposed to the substance/product specified in section 1 of this document in their place of work to (i) facilitate access to the relevant information in this Safety Data Sheet (SDS), transmitting for this purpose the relevant indications included in the SDS, especially those relating to the risks of the product/substance specified in section 1 of this document for the safety and health of persons and for the environment. As well as (ii) ensuring that they receive and have adequate training in handling, using or being exposed to the product/substance specified in section 1 of this document in accordance with the guidance contained in the SDS.

Accordingly, no liability for damages to the recipient of the SDS arising out of the use of the information or the use of the substance/product specified in section 1 of this document shall be accepted.