



Ferdinand Bilstein GmbH + Co. KG

Date printed 11.11.2019, Revision 11.11.2019

Version 08. Supersedes version: 07

Page 1 / 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

**febi 34049 SAE 10W-40 Truck Special Longlife
Article number: 105840; 34047, 34048, 34049**

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG
Wilhelmstr. 47
58256 Ennepetal / GERMANY
Phone +49 2333 911-0
Fax +49 2333 911-444
Homepage www.febi.com
E-mail info@febi.com

Address enquiries to

Technical information info@febi.com

Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictograms none

Signal word none

Hazard statements none

Precautionary statements none

Special labelling EUH210 Safety data sheet available on request.

Contains: Calcium sulfonate. EUH208 May produce an allergic reaction.

2.3 Other hazards

Other hazards No particular hazards known.

Ferdinand Bilstein GmbH + Co. KG

Date printed 11.11.2019, Revision 11.11.2019

Version 08. Supersedes version: 07

Page 2 / 10

SECTION 3: Composition / Information on ingredients

Product-type:

3.2 The product is a mixture.

Range [%]	Substance
1 - < 5	Phenol, 2,2'-polythiobis[4-C8-30-alkyl derivs., calcium salts, overbased CAS: 90480-91-4, EINECS/ELINCS: 291-829-9, Reg-No.: 01-2119524004-56 GHS/CLP: Aquatic Chronic 4: H413
1 - < 5	Polyolefin polyamine succinimide GHS/CLP: Aquatic Chronic 4: H413
1 - < 2,5	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts CAS: 68784-31-6, EINECS/ELINCS: 272-238-5, Reg-No.: 01-2119657973-23-XXXX GHS/CLP: Eye Dam. 1: H318 - Aquatic Chronic 2: H411
0,1 - < 1	Calcium sulfonate GHS/CLP: Skin Sens. 1: H317

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take off contaminated clothing and wash before reuse.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

When in contact with the skin, clean with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Do not induce vomiting.
Seek medical advice immediately.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam, dry powder, water spray jet, carbon dioxide.

Extinguishing media that must not be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)
Sulphur oxides (SO_x).
Nitrogen oxides (NO_x).

Ferdinand Bilstein GmbH + Co. KG

Date printed 11.11.2019, Revision 11.11.2019

Version 08. Supersedes version: 07

Page 3 / 10

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

Cool containers at risk with water spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of aerosols.

Use only in well-ventilated areas.

Keep away from all sources of ignition - Refrain from smoking.

Do not eat, drink or smoke when using this product.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.

Use barrier skin cream.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container in a well-ventilated place.

Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2



Ferdinand Bilstein GmbH + Co. KG

Date printed 11.11.2019, Revision 11.11.2019

Version 08. Supersedes version: 07

Page 4 / 10

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

DNEL

Substance
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts, CAS: 68784-31-6
Industrial, dermal, Acute - systemic effects: 100 mg/kg bw/d.
Industrial, dermal, Long-term - systemic effects: 10,42 mg/kg bw/d.
Industrial, inhalative, Acute - systemic effects: 496,4 mg/m³.
Industrial, inhalative, Long-term - systemic effects: 2,93 mg/m³.
general population, oral, Acute - systemic effects: 29 mg/kg bw/d.
general population, oral, Long-term - systemic effects: 0,21 mg/kg bw/d.
general population, dermal, Acute - systemic effects: 50 mg/kg bw/d.
general population, dermal, Long-term - systemic effects: 2,1 mg/kg bw/d.
general population, inhalative, Acute - systemic effects: 198,6 mg/m³.
general population, inhalative, Acute - systemic effects: 11,75 mg/m³.

PNEC

Substance
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts, CAS: 68784-31-6
oral (food), 8,33 mg/kg.
soil, 0,0548 mg/kg.
sewage treatment plants (STP), 3,8 mg/l.
sediment (freshwater), 0,0701 mg/l.
sediment (seawater), 0,00701 mg/l.
freshwater, 0,0040 mg/l.
seawater, 0,0046 mg/l.

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. Nitrile rubber, >120 min (EN 374-1/-2/-3).
Skin protection	light protective clothing
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.
Respiratory protection	Not required under normal conditions.
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

Ferdinand Bilstein GmbH + Co. KG

Date printed 11.11.2019, Revision 11.11.2019

Version 08. Supersedes version: 07

Page 5 / 10

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Form	liquid
Color	brown
Odor	characteristic
Odour threshold	No information available.
pH-value	No information available.
pH-value [1%]	No information available.
Boiling point [°C]	not applicable
Flash point [°C]	230 (EN ISO 2592)(COC)
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/ml]	0,87 (15 °C / 59,0 °F)
Bulk density [kg/m ³]	not applicable
Solubility in water	virtually insoluble
Partition coefficient [n-octanol/water]	No information available.
Viscosity	103,7 mm ² /s (40°C)
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	not applicable
Decomposition temperature [°C]	No information available.

9.2 Other information

No information available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materialsStrong oxidizing agent.
strong acids**10.6 Hazardous decomposition products**

No hazardous decomposition products known.

Ferdinand Bilstein GmbH + Co. KG

Date printed 11.11.2019, Revision 11.11.2019

Version 08. Supersedes version: 07

Page 6 / 10

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.:
dermal, Based on the available information, the classification criteria are not fulfilled.:
oral, Based on the available information, the classification criteria are not fulfilled.:
Substance
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts, CAS: 68784-31-6
LD50, dermal, Rabbit: >5000 mg/kg bw.
LD50, oral, Rat: 2750 mg/kg bw.

Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled. Non-irritant. Analogous to product with a similar composition. On basis of test data
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Toxicological data of complete product are not available. May produce an allergic reaction. Calculation method
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	Toxicological data of complete product are not available.

SECTION 12: Ecological information

12.1 Toxicity

Product
Based on the available information, the classification criteria are not fulfilled.:
Substance
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts, CAS: 68784-31-6
EC50, (16h), Pseudomonas putida: 380 mg/l.
IC50, (21d), Daphnia magna: >0,8 mg/l.
EL50, (72h), Desmodesmus subspicatus: 410 mg/l.
EL50, (48h), Daphnia magna: 75 mg/l.
NOEC, (21d), Daphnia magna: 0,8 mg/l.
NOELR, (48h), Daphnia magna: 32 mg/l.
NOELR, (96h), Oncorhynchus mykiss: 3,2 mg/l.
LL50, (96h), Oncorhynchus mykiss: 4,4 mg/l.
EC0, (16h), Pseudomonas putida: 200 mg/l.
LOEC, (21d), Daphnia magna: 0,8 mg/l.



Ferdinand Bilstein GmbH + Co. KG

Date printed 11.11.2019, Revision 11.11.2019

Version 08. Supersedes version: 07

Page 7 / 10

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

Ecological data of complete product are not available.
 Do not discharge product unmonitored into the environment or into the drainage.
 The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product	Coordinate disposal with the authorities if necessary.
Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils
Contaminated packaging	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150110*

SECTION 14: Transport information

14.1 UN number

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
Air transport in accordance with IATA	not applicable



Ferdinand Bilstein GmbH + Co. KG

Date printed 11.11.2019, Revision 11.11.2019

Version 08. Supersedes version: 07

Page 8 / 10

14.2 UN proper shipping name

- Transport by land according to ADR/RID NO DANGEROUS GOODS
- Inland navigation (ADN) NO DANGEROUS GOODS
- Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"
- Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

- Transport by land according to ADR/RID not applicable
- Inland navigation (ADN) not applicable
- Marine transport in accordance with IMDG not applicable
- Air transport in accordance with IATA not applicable

14.4 Packing group

- Transport by land according to ADR/RID not applicable
- Inland navigation (ADN) not applicable
- Marine transport in accordance with IMDG not applicable
- Air transport in accordance with IATA not applicable

14.5 Environmental hazards

- Transport by land according to ADR/RID no
- Inland navigation (ADN) no
- Marine transport in accordance with IMDG no
- Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 11.11.2019, Revision 11.11.2019

Version 08. Supersedes version: 07

Page 9 / 10

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014
TRANSPORT-REGULATIONS	ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).
- Observe employment restrictions for people	not applicable
- VOC (2010/75/CE)	not applicable

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 03)

H317 May cause an allergic skin reaction.
 H411 Toxic to aquatic life with long lasting effects.
 H318 Causes serious eye damage.
 H413 May cause long lasting harmful effects to aquatic life.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
 ATE = acute toxicity estimate
 CAS = Chemical Abstracts Service
 CLP = Classification, Labelling and Packaging
 DMEL = Derived Minimum Effect Level
 DNEL = Derived No Effect Level
 EC50 = Median effective concentration
 ECB = European Chemicals Bureau
 EEC = European Economic Community
 EINECS = European Inventory of Existing Commercial Chemical Substances
 ELINCS = European List of Notified Chemical Substances
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IC50 = Inhibition concentration, 50%
 IMDG = International Maritime Code for Dangerous Goods
 IUCLID = International Uniform Chemical Information Database
 LC50 = Lethal concentration, 50%
 LD50 = Median lethal dose
 LC0 = lethal concentration, 0%
 LOAEL = lowest-observed-adverse-effect level
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships
 NOAEL = No Observed Adverse Effect Level
 NOEC = No Observed Effect Concentration
 PBT = Persistent, Bioaccumulative and Toxic substance
 PNEC = Predicted No-Effect Concentration
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 STP = Sewage Treatment Plant
 TLV®/TWA = Threshold limit value – time-weighted average
 TLV®/STEL = Threshold limit value – short-time exposure limit
 VOC = Volatile Organic Compounds
 vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Modified position none

Safety Data Sheet 1907/2006/EC - REACH (GB)

**febi 34049 SAE 10W-40 Truck Special Longlife Article number 105840; 34047,
34048, 34049**



Ferdinand Bilstein GmbH + Co. KG

Date printed 11.11.2019, Revision 11.11.2019

Version 08. Supersedes version: 07

Page 10 / 10