According to EC No 1907/2006 as amended as at the date of this SDS

Helix Ultra Professional AO-L 0W-20

Version	Revision Date:	SDS Number:	Date of last issue: 26.05.2020
1.1	11.12.2022	800010039452	Print Date 12.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	Helix Ultra Professional AO-L 0W-20
Product code	:	00115204

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Engine oil.
Uses advised against	: This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the sup- plier.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	 Shell UK Oil Products Limited Shell Centre London SE1 7NA United Kingdom
Telephone Telefax	: (+44) 08007318888
Contact for Safety Data Sheet	 If you have any enquiries about the content of this SDS please email lubricantSDS@shell.com

1.4 Emergency telephone number

: +44 (0) 1235 239 670 (This telephone number is available 24 hours per day, 7 days per week)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Based on available data this substance / mixture does not meet the classification criteria.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms Signal word	:	No Hazard Symbol required No signal word
Hazard statements	:	PHYSICAL HAZARDS: Not classified as a physical hazard according to CLP

According to EC No 1907/2006 as amended as at the date of this SDS

Helix Ultra Professional AO-L 0W-20

Version 1.1	Revision Date: 11.12.2022	SDS Numb 800010039				
		N E	EALTH HAZARDS: lot classified as a health hazard under CLP criteria. NVIRONMENTAL HAZARDS: lot classified as environmental hazard according to ria.			
Preca	Precautionary statements :		on:			
		١	No precautionary phrases.			
			e:			
			lo precautionary phrases.			
		Storage:				
		١	lo precautionary phrases.			
			Disposal:			
		١	lo precautionary phrases.			
Safet	y data sheet available c	n request.				
Sensi	tising components		s molybdenum complex. duce an allergic reaction.			

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Used oil may contain harmful impurities. Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature Synthetic base oil and additives. : Highly refined mineral oil. The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346. The highly refined mineral oil is only present as additive diluent. Classification based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L). * contains one or more of the following CAS-numbers (REACH registration numbers): 64742-53-6 (01-2119480375-34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01-2119487077-29), 64742-56-9 (01-2119480132-48), 64742-65-0 (01-2119471299-27), 68037-01-4 (01-2119486452-34), 72623-86-0 (01-2119474878-16), 72623-87-1 (01-

According to EC No 1907/2006 as amended as at the date of this SDS

Helix Ultra Professional AO-L 0W-20

Version	Revision Date:	SDS Number:	Date of last issue: 26.05.2020
1.1	11.12.2022	800010039452	Print Date 12.12.2022

2119474889-13), 8042-47-5 (01-2119487078-27), 848301-69-9 (01-0000020163-82), 68649-12-7 (01-2119527646-33), 151006-60-9 (01-2119523580-47), 163149-28-8 (01-2119543695-30), 64741-88-4 (01-2119488706-23), 64741-89-5 (01-2119487067-30).

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *	Not Assigned	Asp. Tox. 1; H304	0 - 90
Alkaryl amine	36878-20-3 253-249-4 01-2119488911-28	Aquatic Chronic 4; H413	1 - 3
Alkylated phenol ester	125643-61-0 406-040-9 607-530-00-7	Aquatic Chronic 4; H413	1 - 3
Molybdenum alkylthiocarbamide complex	Not Assigned 457-320-2 01-0000019337-66	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 3; H412	0.1 - 0.99

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures Protection of first-aiders : When administering first aid, ensure that you are wearing the

	•	appropriate personal protective equipment according to the incident, injury and surroundings.
If inhaled	:	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	:	Remove contaminated clothing. Flush exposed area with wa- ter and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
In case of eye contact	:	Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention.

According to EC No 1907/2006 as amended as at the date of this SDS

Helix Ultra Professional AO-L 0W-20

Versio 1.1	n Revision Date: 11.12.2022		DS Number: 00010039452	Date of last issue: 26.05.2020 Print Date 12.12.2022	
If swallowed		:	In general no treatment is necessary unless large quantit are swallowed, however, get medical advice.		
4.2 Mo	ost important symptoms a	nd e	effects, both acute	e and delayed	
Symptoms		:	Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.		
4.3 Ind	lication of any immediate	me	dical attention and	d special treatment needed	
Tr	reatment	:	Notes to doctor/p Treat symptomat		
SECT	ION 5: Firefighting mea	sur	es		
5.1 Ex	tinguishing media				
	uitable extinguishing media	:	-	y or fog. Dry chemical powder, carbon diox- may be used for small fires only.	
	nsuitable extinguishing	:	Do not use water	in a jet.	

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- : fighting	A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
--	--

5.3 Advice for firefighters

media

Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.

SECTION 6: Accidental release measures

Personal precautions	:	6.1.1 For non emergency personnel: Avoid contact with skin and eyes.
		6.1.2 For emergency responders: Avoid contact with skin and eyes.

According to EC No 1907/2006 as amended as at the date of this SDS

Helix Ultra Professional AO-L 0W-20

Version	Revision Date:	SDS Number:	Date of last issue: 26.05.2020
1.1	11.12.2022	800010039452	Print Date 12.12.2022

6.2 Environmental precautions

Environmental precautions	: Use appropriate containment to avoid environmental contami- nation. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
	Local authorities should be advised if significant spillages cannot be contained.
C O Mathada and matarial fan as	

6.3 Methods and material for containment and cleaning up

Methods for cleaning up :	Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.
---------------------------	--

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Technical measures :	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Advice on safe handling :	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate- rials in order to prevent fires.
Product Transfer :	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
Hygiene measures :	Exposure to this product should be reduced as low as reason- ably practicable. Reference should be made to the Health and Safety Executive's publication "COSHH Essentials".
7.2 Conditions for safe storage, inc	luding any incompatibilities

Further information on stor-	:	Keep container tightly closed and in a cool, well-ventilated
age stability		place.
		Use properly labeled and closable containers.

According to EC No 1907/2006 as amended as at the date of this SDS

Helix Ultra Professional AO-L 0W-20

Version 1.1	Revision Date: 11.12.2022	SDS Number: 800010039452	Date of last issue: 26.05.2020 Print Date 12.12.2022
		Store at amb	ient temperature.
Packa	ging material	ering the pac The storage Pollution (Oil ance may be office.	ion 15 for any additional specific legislation cov- kaging and storage of this product. of this product may be subject to the Control of Storage) (England) Regulations. Further guid- obtained from the local environmental agency erial: For containers or container linings, use mild
		steel or high	density polyethylene. aaterial: PVC.
Conta	iner Advice		containers should not be exposed to high tem- cause of possible risk of distortion.
-	ic end use(s) fic use(s)	: Not applicabl	le

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Oil mist, mineral	Not As- signed	TWA (inhalable fraction)	5 mg/m3	US. ACGIH Threshold Limit Values
Oil mist, mineral		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

Biological occupational exposure limits

8.2 Exposure controls

Engineering measures

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

According to EC No 1907/2006 as amended as at the date of this SDS

Helix Ultra Professional AO-L 0W-20

Version	Revision Date:	SDS Number:	Date of last issue: 26.05.2020
1.1	11.12.2022	800010039452	Print Date 12.12.2022

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection	:	If material is handled such that it could be splashed into eyes, protective eyewear is recommended. Approved to EU Standard EN166.
Hand protection		
Remarks	:	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with break-through time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model.
Skin and body protection	:	Skin protection is not ordinarily required beyond standard work clothes. It is good practice to wear chemical resistant gloves.
Respiratory protection	:	No respiratory protection is ordinarily required under normal

According to EC No 1907/2006 as amended as at the date of this SDS

Helix Ultra Professional AO-L 0W-20

Version	Revision Date:	SDS Number:	Date of last issue: 26.05.2020
1.1	11.12.2022	800010039452	Print Date 12.12.2022
		tions should be ta If engineering co tions to a level w select respiratory cific conditions of Check with respir Where air-filtering priate combination Select a filter suit	th good industrial hygiene practices, precau- aken to avoid breathing of material. ntrols do not maintain airborne concentra- hich is adequate to protect worker health, γ protection equipment suitable for the spe- f use and meeting relevant legislation. ratory protective equipment suppliers. g respirators are suitable, select an appro- on of mask and filter. table for combined particulate/organic gases be A/Type P boiling point > 65°C (149°F)]

SECTION 9: Physical and chemical properties

Physical state	:	Liquid at room temperature.
Colour	:	clear
Odour	:	Data not available
Odour Threshold	:	Data not available
pour point	:	-51 °C Method: IP 15
Melting / freezing point		Data not available
Initial boiling point and boiling range	:	> 280 °Cestimated value(s)
Flammability		
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not classified as flammable but will burn.
Lower explosion limit and upp	ere	xplosion limit / flammability limit
Upper explosion limit / upper flammability limit	:	Typical 10 %(V)
Lower explosion limit / Lower flammability limit	:	Typical 1 %(V)
Flash point	:	241 °C Method: ASTM D92 (COC)
Auto-ignition temperature	:	> 320 °C
	•	Method: ASTM D92 (COC)

9.1 Information on basic physical and chemical properties

According to EC No 1907/2006 as amended as at the date of this SDS

Helix Ultra Professional AO-L 0W-20

Vers 1.1	sion	Revision Date: 11.12.2022		S Number: 0010039452	Date of last issue: 26.05.2020 Print Date 12.12.2022
		position temperature composition tempera-	:	Data not availab	le
	рН		:	Not applicable	
	Viscos Visc	ity cosity, dynamic	:	Data not availab	e
	Viso	cosity, kinematic	:	46.6 mm2/s (40. Method: ASTM [
				8.6 mm2/s (100 Method: ASTM [
	Solubil Wa	ity(ies) ter solubility	:	negligible	
	Sol	ubility in other solvents	:	Data not availab	e
	Partitio octano	n coefficient: n- I/water	:	log Pow: > 6 (based on inform	ation on similar products)
	Vapou	r pressure	:	< 0.5 Pa (20 °C) estimated value(s)
	Relativ	e density	:	0.837 (15.0 °C)	
	Density	/	:	837 kg/m3 (15.0 Method: Unspec	
	Relativ	e vapour density	:	> 5	
9.2	Other in	nformation			
	Explos	ives	:	Classification Co	de: Not classified
	Oxidizi	ng properties	:	Data not availab	e
	Flamm	ability (liquids)	:	Not classified as	flammable but will burn.
	Evapor	ration rate	:	Data not availab	e
	Condu	ctivity	:	This material is r	not expected to be a static accumulator.

According to EC No 1907/2006 as amended as at the date of this SDS

Helix Ultra Professional AO-L 0W-20

Version	Revision Date:	SDS Number:	Ľ
1.1	11.12.2022	800010039452	F

Date of last issue: 26.05.2020 Print Date 12.12.2022

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

10.2 Chemical stability

Stable.

No hazardous reaction is expected when handled and stored according to provisions

10.3 Possibility of hazardous reactions

Hazardous reactions	: F	Reacts with strong oxidising agents.

10.4 Conditions to avoid

Conditions to avoid	:	Extremes of temperature and direct sunlight.
---------------------	---	--

10.5 Incompatible materials

Materials to avoid	: Strong oxidising agents.
--------------------	----------------------------

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of	:	Skin and eye contact are the primary routes of exposure alt-
exposure		hough exposure may occur following accidental ingestion.

Acute toxicity

Product:		
Acute oral toxicity	:	LD50 (rat): > 5,000 mg/kg Remarks: Low toxicity Based on available data, the classification criteria are not met.
Acute inhalation toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg Remarks: Low toxicity Based on available data, the classification criteria are not met.
Skin corrosion/irritation		
Product:		
Remarks	:	Slightly irritating to skin.

According to EC No 1907/2006 as amended as at the date of this SDS

Helix Ultra Professional AO-L 0W-20

sion Revision Date: 11.12.2022	-	DS Number: 0010039452	Date of last issue: 26.05.2020 Print Date 12.12.2022	
			epeated skin contact without proper cleaning res of the skin resulting in disorders such as c	
		Based on avail	able data, the classification criteria are not me	
Serious eye damage/eye irr	ritati	on		
Product:				
Remarks	:	Slightly irritating to the eye. Based on available data, the classification criteria are no		
Respiratory or skin sensitis	satic	on		
Product:				
Remarks	:	Not a sensitise		
		Based on avail	able data, the classification criteria are not me	
Components:				
Molybdenum alkylthiocarba	amic	le complex:		
Remarks	:	May cause an a	allergic skin reaction in sensitive individuals.	
Germ cell mutagenicity				
Product:				
Genotoxicity in vivo	:	Remarks: Non Based on avail	mutagenic able data, the classification criteria are not me	
	:	This product do		
Germ cell mutagenicity- As- sessment		categories 1A/1	bes not meet the criteria for classification in IB.	
v ,				
sessment				
sessment Carcinogenicity	:	categories 1A/1	IB.	
sessment Carcinogenicity Product:	:	categories 1A/1 Not a carcinoge Based on availa	IB. en. able data, the classification criteria are not me bes not meet the criteria for classification in	

material	Chorola Carolinogeniony Chassingation
Highly refined mineral oil	No carcinogenicity classification.

According to EC No 1907/2006 as amended as at the date of this SDS

Helix Ultra Professional AO-L 0W-20

Version 1.1	Revision Date: 11.12.2022	-	DS Number: 0010039452	Date of last issue: 26.05.2020 Print Date 12.12.2022
Rep	productive toxicity			
	duct: ects on fertility	:		levelopmental toxicant., Does not impair n available data, the classification criteria are
	productive toxicity - As- sment	:	This product does categories 1A/1B	s not meet the criteria for classification in
STO	OT - single exposure			
	<mark>duct:</mark> narks	:	Based on availab	le data, the classification criteria are not met.
STO	OT - repeated exposure			
	<u>duct:</u> narks	:	Based on availab	le data, the classification criteria are not met.
Asp	piration toxicity			
	<u>duct:</u> an aspiration hazard., Ba	ased	on available data,	the classification criteria are not met.
11.2 Info	ormation on other hazar	ds		
Fur	ther information			
	<u>duct:</u> narks	:	lated during use. depend on use an environment on d	uld be handled with caution and skin contact
Rer	narks	:	Continuous conta cancer in animal	nct with used engine oils has caused skin tests.
Rer	narks	:	Slightly irritating t	o respiratory system.
Rer	narks	:	Classifications by frameworks may	other authorities under varying regulatory exist.
Rer	narks	:		otherwise, the data presented is representa- t as a whole, rather than for individual com-

According to EC No 1907/2006 as amended as at the date of this SDS

Helix Ultra Professional AO-L 0W-20

Version	Revision Date:	SDS Number:
1.1	11.12.2022	800010039452

Date of last issue: 26.05.2020 Print Date 12.12.2022

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to algae/aquatic plants	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to fish (Chronic tox- icity)	:	Remarks: Based on available data, the classification criteria are not met.
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	Remarks: Based on available data, the classification criteria are not met.
Toxicity to microorganisms	:	Remarks: Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

Product:

Biodegradability	 Remarks: Not readily biodegradable. Major constituents are inherently biodegradable, but contains components that may persist in the environment. Persistent per IMO criteria. International Oil Pollution Compensation (IOPC) Fund definition: "A non-persistent oil is oil, which, at the time of shipment, consists of hydrocarbon fractions, (a) at least 50% of which, by volume, distills at a temperature of 340°C (645°F) and (b) at least 95% of which, by volume, distils at a temperature of 370°C (700°F) when tested by the ASTM Method D-86/78 or any subsequent revision thereof."

12.3 Bioaccumulative potential

Product:

Bioaccumulation	:	Remarks: Contains components with the potential to bioaccumulate

According to EC No 1907/2006 as amended as at the date of this SDS

Helix Ultra Professional AO-L 0W-20

Version 1.1	Revision Date: 11.12.2022		9S Number: 0010039452	Date of last issue: 26.05.2020 Print Date 12.12.2022
12.4 Mob	ility in soil			
Prod	uct:			
Mobi		:		under most environmental conditions., If it adsorb to soil particles and will not be mo-
			Remarks: Floats	on water.
12.5 Resu	Ilts of PBT and vPvB a	asses	ssment	
Prod	uct:			
Asse	ssment	:		s not contain any REACH registered sub- assessed to be a PBT or a vPvB
	ocrine disrupting prop ata available	ertie	S	
12.7 Othe	er adverse effects			
<u>Prod</u> Addit matic	ional ecological infor-	:	tion potential or glo	ne depletion potential, photochemical ozone crea- obal warming potential.
				e of non-volatile components, which will not be y significant quantities under normal conditions
			Poorly soluble mixed Causes physical for	ture. Iling of aquatic organisms.
				herwise, the data presented is representative of ole, rather than for individual component(s).
SECTIO	N 13: Disposal cons	idera	ntions	
13.1 Was	te treatment methods			
Prod	uct	:	toxicity and physic determine the pro- ods in compliance Waste product sh ground water, or I Do not dispose in courses. Do not dispose of	e if possible. ility of the waste generator to determine the cal properties of the material generated to oper waste classification and disposal meth- e with applicable regulations. ould not be allowed to contaminate soil or be disposed of into the environment. to the environment, in drains or in water tank water bottoms by allowing them to und. This will result in soil and groundwater

Waste arising from a spillage or tank cleaning should be disposed of in accordance with prevailing regulations, preferably

contamination.

According to EC No 1907/2006 as amended as at the date of this SDS

Helix Ultra Professional AO-L 0W-20

Version 1.1	Revision Date: 11.12.2022	SDS Number: 800010039452	Date of last issue: 26.05.2020 Print Date 12.12.2022
		5	ed collector or contractor. The competence of the ontractor should be established beforehand.
		Pollution from	ee International Convention for the Prevention of n Ships (MARPOL 73/78) which provides tech- at controlling pollutions from ships.
Cont	aminated packaging	to a recogniz the collector Disposal sho	ccordance with prevailing regulations, preferably ed collector or contractor. The competence of or contractor should be established beforehand. uld be in accordance with applicable regional, l local laws and regulations.
Loca	I legislation		
Wast	te catalogue	: EU Waste Di	isposal Code (EWC):
Wast	te Code	: 13 02 06*	
Rem	arks	: Classificatior user.	n of waste is always the responsibility of the end
			uld be in accordance with applicable regional, l local laws and regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good

According to EC No 1907/2006 as amended as at the date of this SDS

Helix Ultra Professional AO-L 0W-20

Version 1.1	Revision Date: 11.12.2022		DS Number: 00010039452	Date of last issue: 26.05.2020 Print Date 12.12.2022	
IMDG IATA 14.4 Packii	ng group	:		a dangerous good a dangerous good	
ADR		:	Not regulated as	a dangerous good	
RID		: Not regulated as a dangerous good			
IMDG IATA		:		a dangerous good a dangerous good	
14.5 Enviro	onmental hazards				
ADR		:	Not regulated as	a dangerous good	
RID		:	Not regulated as	a dangerous good	
IMDG		:	Not regulated as	a dangerous good	
14.6 Specia	al precautions for use	ər			
Remar	ks	:	for special precau	ns: Refer to Section 7, Handling & Storage, tions which a user needs to be aware of or with in connection with transport.	

14.7 Maritime transport in bulk according to IMO instruments

MARPOL Annex 1 rules apply for bulk shipments by sea.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances, mixtures and articles (Annex XVII) REACH - List of substances subject to authorisation : Product is not subject to Authoris

(Annex XIV)

: Product is not subject to Authorisation under REACH.

Volatile organic compounds : Volatile organic compounds (VOC) content: 0 %

Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Environmental Protection Act 1990 (as amended). Health and Safety at Work etc. Act 1974. Consumers Protection Act 1987. Pollution Prevention and Control Act 1999. Environment Act 1995. Factories Act 1961. The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011. Chemicals (Hazard Information and Packag-

According to EC No 1907/2006 as amended as at the date of this SDS

Helix Ultra Professional AO-L 0W-20

Version	Revision Date:	SDS Number:	Date of last issue: 26.05.2020
1.1	11.12.2022	800010039452	Print Date 12.12.2022

ing for Supply) Regulations 2009. Control of Substances Hazardous to Health Regulations 2002 (as amended). Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997. Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 1995 (as amended). Personal Protective Equipment Regulations 2002. Personal Protective Equipment at Work Regulations 1992. Hazardous Waste (England and Wales) Regulations 2005(as amended). Control of Major Accident Hazards Regulations 1999 (as amended). Renewable Transport Fuel Obligations Order 2007 (as amended). Energy Act 2011. Environmental Permitting (England and Wales) Regulations 2010 (as amended). Waste (England and Wales) Regulations 2011 (as amended). Planning (Hazardous Substances) Act 1990 and associated regulations. The Environmental Protection (Controls on Ozone-Depleting Substances) Regulations 2011.

The components of this product are reported in the following inventories:

EINECS	:	All components listed or polymer exempt.

TSCA

All components listed.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H304 :	May be fatal if swallowed and enters airways.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H412 :	Harmful to aquatic life with long lasting effects.
H413 :	May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Asp. Tox.:Skin Irrit.:Skin Sens.:ACGIH:	Long-term (chronic) aquatic hazard Aspiration hazard Skin irritation Skin sensitisation USA. ACGIH Threshold Limit Values (TLV)
	8-hour, time-weighted average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - Interna-

According to EC No 1907/2006 as amended as at the date of this SDS

Helix Ultra Professional AO-L 0W-20

Version	Revision Date:	SDS Number:	Date of last issue: 26.05.2020
1.1	11.12.2022	800010039452	Print Date 12.12.2022

tional Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Training advice	:	Provide adequate information, instruction and training for operators.
Other information	:	No Exposure Scenario annex is attached to this safety data sheet. It is a non-classified mixture containing hazardous sub- stances as detailed in Section 3; relevant information from Exposure Scenarios for the hazardous substances contained have been integrated into the core sections 1-16 of this SDS. A vertical bar () in the left margin indicates an amendment
		from the previous version.
Sources of key data used to compile the Safety Data Sheet	:	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN