



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
Valvoline™ MULTIPURPOSE MOLY 2 GREASE

Version: 3.0

Revision Date: 28.09.2023

Print Date: 26/06/2025

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Trade name : Valvoline™ MULTIPURPOSE MOLY 2  
GREASE

Product code : 895399

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of the substance/mixture : Lubricant

**1.3 Details of the supplier of the safety data sheet**

Company : Ellis Enterprises B.V., an affiliate of Valvoline Global  
Operations  
Wieldrechtseweg 39  
3316 BG Dordrecht  
Netherlands

Telephone : +31 (0)78 654 3500 (in the Netherlands), or contact your local  
CSR contact person

E-mail address of person : SDS@valvolineglobal.com  
responsible for the SDS

**1.4 Emergency telephone number**

00-800-825-8654, or contact your local emergency telephone number at 112

---

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Not a hazardous substance or mixture.



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
Valvoline™ MULTIPURPOSE MOLY 2 GREASE

Version: 3.0

Revision Date: 28.09.2023

Print Date: 26/06/2025

## 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

### Additional Labelling

EUH210 Safety data sheet available on request.

EUH208 Contains Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts, Naphthenic acids, bismuth salts. May produce an allergic reaction.

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

| Chemical name                                                                                | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification                                                                                    | Concentration<br>(% w/w) |
|----------------------------------------------------------------------------------------------|-------------------------------------------------------|---------------------------------------------------------------------------------------------------|--------------------------|
| Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts | 85940-28-9<br>288-917-4                               | Skin Irrit. 2; H315<br>Eye Irrit. 2; H319<br>Aquatic Chronic 2;<br>H411                           | >= 1 - < 2.5             |
| Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts                                 | Not Assigned<br><br>01-2119978241-36-xxxx             | Skin Sens. 1B;<br>H317<br><br>specific<br>concentration limit<br>Skin Sens. 1B;<br>H317<br>> 10 % | >= 0.5 - < 1             |
| Naphthenic acids, bismuth salts                                                              | 85736-59-0<br>288-470-5<br>01-2120769500-56-xxxx      | Eye Irrit. 2; H319<br>Skin Sens. 1B;<br>H317                                                      | >= 0.1 - < 0.5           |



**SAFETY DATA SHEET**  
 according to Regulation (EC) No. 1907/2006  
 Valvoline™ MULTIPURPOSE MOLY 2 GREASE

Version: 3.0

Revision Date: 28.09.2023

Print Date: 26/06/2025

Substances with a workplace exposure limit :

|                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |              |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------|
| MOLYBDENUM DISULFIDE | 1317-33-5<br>215-263-9<br>05-2114678942-33-0000<br>05-2114644836-38-0000<br>05-2114700532-63-0000<br>05-2114683333-47-0000<br>05-2114690535-40-0000<br>05-2114646176-46-0000<br>05-2114662415-48-0000<br>05-2114726400-62-0000<br>05-2114781039-42-0000<br>05-2114692569-27-0000<br>05-2114693303-48-0000<br>05-2114670914-40-0000<br>05-2114672118-46-0000<br>05-2114693116-45-0000<br>05-2114685148-38-0000<br>05-2114677248-36-0000<br>05-2114746905-38-0000<br>05-2114685130-55-0000<br>05-2114695705-34-0000<br>05-2114785902-37-0000<br>05-2114718794-39-0000<br>05-2114781593-38- |  | >= 1 - < 2.5 |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------|



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006  
Valvoline™ MULTIPURPOSE MOLY 2 GREASE

Version: 3.0

Revision Date: 28.09.2023

Print Date: 26/06/2025

|  |                   |  |  |
|--|-------------------|--|--|
|  | 0000              |  |  |
|  | 05-2114721495-48- |  |  |
|  | 0000              |  |  |
|  | 05-2114767684-33- |  |  |
|  | 0000              |  |  |
|  | 05-2114716490-55- |  |  |
|  | 0000              |  |  |
|  | 05-2114690510-52- |  |  |
|  | 0000              |  |  |
|  | 05-2114694136-42- |  |  |
|  | 0000              |  |  |
|  | 05-2114696600-45- |  |  |
|  | 0000              |  |  |
|  | 05-2114671376-41- |  |  |
|  | 0000              |  |  |

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
Valvoline™ MULTIPURPOSE MOLY 2 GREASE

Version: 3.0

Revision Date: 28.09.2023

Print Date: 26/06/2025

Symptoms : No symptoms known or expected.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treatment : No hazards which require special first aid measures.  
Treat symptomatically.

---

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

**5.2 Special hazards arising from the substance or mixture**

Hazardous combustion products : carbon dioxide and carbon monoxide  
Oxides of phosphorus

**5.3 Advice for firefighters**

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

---

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.

**6.2 Environmental precautions**

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.



## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006  
Valvoline™ MULTIPURPOSE MOLY 2 GREASE

Version: 3.0

Revision Date: 28.09.2023

Print Date: 26/06/2025

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components | CAS-No.   | Value type (Form of exposure) | Control parameters | Basis   |
|------------|-----------|-------------------------------|--------------------|---------|
| MOLYBDENUM | 1317-33-5 | TWA                           | 10 mg/m3           | GB EH40 |



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
Valvoline™ MULTIPURPOSE MOLY 2 GREASE

Version: 3.0

Revision Date: 28.09.2023

Print Date: 26/06/2025

|           |  |      |                          |         |
|-----------|--|------|--------------------------|---------|
| DISULFIDE |  |      | (Molybdenum)             |         |
|           |  | STEL | 20 mg/m3<br>(Molybdenum) | GB EH40 |

## 8.2 Exposure controls

### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Hand protection  
Material : neoprene, nitrile rubber  
Break through time : >= 240 min  
Glove thickness : >= 0.35 mm  
Directive : Equipment should conform to EN 374

Remarks : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove.  
The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : No personal respiratory protective equipment normally required.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : paste  
Odour : No data available  
Odour Threshold : No data available  
  
pH : Not applicable



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
Valvoline™ MULTIPURPOSE MOLY 2 GREASE

Version: 3.0

Revision Date: 28.09.2023

Print Date: 26/06/2025

|                                                  |   |                                 |
|--------------------------------------------------|---|---------------------------------|
| Melting point/freezing point                     | : | No data available               |
| Boiling point/boiling range                      | : | No data available               |
| Flash point                                      | : | > 200 °C                        |
| Evaporation rate                                 | : | No data available               |
| Flammability (solid, gas)                        | : | No data available               |
| Upper explosion limit / Upper flammability limit | : | No data available               |
| Lower explosion limit / Lower flammability limit | : | No data available               |
| Vapour pressure                                  | : | No data available               |
| Relative vapour density                          | : | No data available               |
| Relative density                                 | : | No data available               |
| Density                                          | : | No data available               |
|                                                  |   | No data available               |
| Solubility(ies)                                  |   |                                 |
| Water solubility                                 | : | immiscible                      |
| Solubility in other solvents                     | : | No data available               |
| Partition coefficient: n-octanol/water           | : | No data available               |
| Decomposition temperature                        | : | No data available               |
| Viscosity                                        |   |                                 |
| Viscosity, dynamic                               | : | No data available               |
| Viscosity, kinematic                             | : | > 22 mm <sup>2</sup> /s (40 °C) |
| Oxidizing properties                             | : | No data available               |

**9.2 Other information**

|               |   |                   |
|---------------|---|-------------------|
| Self-ignition | : | No data available |
|---------------|---|-------------------|





**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
Valvoline™ MULTIPURPOSE MOLY 2 GREASE

Version: 3.0

Revision Date: 28.09.2023

Print Date: 26/06/2025

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

Conditions to avoid : None known.

### 10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### Components:

**Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts:**

|                           |   |                                                                                                                                                                                                     |
|---------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : | LD50 (Rat): 2,570 - 3,700 mg/kg                                                                                                                                                                     |
| Acute inhalation toxicity | : | LC50 (Rat): > 2.3 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Assessment: The substance or mixture has no acute inhalation toxicity<br>Remarks: No mortality observed at this dose. |
| Acute dermal toxicity     | : | LD50 (Rabbit): > 20,000 mg/kg                                                                                                                                                                       |



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
Valvoline™ MULTIPURPOSE MOLY 2 GREASE

Version: 3.0

Revision Date: 28.09.2023

Print Date: 26/06/2025

**Naphthenic acids, bismuth salts:**

|                       |   |                                                                                                                                         |
|-----------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity   | : | LD50 (Rat, female): > 2,000 mg/kg<br>Method: OECD Test Guideline 423<br>Assessment: The substance or mixture has no acute oral toxicity |
| Acute dermal toxicity | : | LD50 (Rabbit): > 3,160 mg/kg<br>Method: OECD Test Guideline 402<br>Assessment: The substance or mixture has no acute dermal toxicity    |

**MOLYBDENUM DISULFIDE:**

|                           |   |                                                                                                                                                      |
|---------------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : | LD50 (Rat): > 5,000 mg/kg                                                                                                                            |
| Acute inhalation toxicity | : | LC50 (Rat): > 2.82 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Assessment: The substance or mixture has no acute inhalation toxicity |

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

Remarks : May cause skin irritation and/or dermatitis.

**Components:**

**Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts:**

|         |   |                     |
|---------|---|---------------------|
| Species | : | Rabbit              |
| Result  | : | Irritating to skin. |

**Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:**

|            |   |                              |
|------------|---|------------------------------|
| Assessment | : | Slight, transient irritation |
| Result     | : | Slight, transient irritation |

**MOLYBDENUM DISULFIDE:**

|        |   |                    |
|--------|---|--------------------|
| Result | : | No skin irritation |
|--------|---|--------------------|

**Serious eye damage/eye irritation**

Not classified based on available information.



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
Valvoline™ MULTIPURPOSE MOLY 2 GREASE

Version: 3.0

Revision Date: 28.09.2023

Print Date: 26/06/2025

**Product:**

Remarks : Vapours may cause irritation to the eyes, respiratory system and the skin.

**Components:**

**Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts:**

|         |   |                     |
|---------|---|---------------------|
| Species | : | Rabbit              |
| Result  | : | Irritating to eyes. |

**Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:**

|            |   |                              |
|------------|---|------------------------------|
| Assessment | : | Slight, transient irritation |
| Result     | : | Slight, transient irritation |

**Naphthenic acids, bismuth salts:**

|        |   |                     |
|--------|---|---------------------|
| Result | : | Irritating to eyes. |
|--------|---|---------------------|

**MOLYBDENUM DISULFIDE:**

|        |   |                   |
|--------|---|-------------------|
| Result | : | No eye irritation |
|--------|---|-------------------|

**Respiratory or skin sensitisation**

**Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:**

**Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts:**

|            |   |                                    |
|------------|---|------------------------------------|
| Test Type  | : | Buehler Test                       |
| Species    | : | Guinea pig                         |
| Assessment | : | Does not cause skin sensitisation. |
| Method     | : | OECD Test Guideline 406            |

**Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:**

|            |   |                                                    |
|------------|---|----------------------------------------------------|
| Assessment | : | The product is a skin sensitiser, sub-category 1B. |
|------------|---|----------------------------------------------------|

**Naphthenic acids, bismuth salts:**



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
Valvoline™ MULTIPURPOSE MOLY 2 GREASE

Version: 3.0

Revision Date: 28.09.2023

Print Date: 26/06/2025

**Assessment** : The product is a skin sensitiser, sub-category 1B.

**Germ cell mutagenicity**

Not classified based on available information.

**Components:**

**Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts:**

**Genotoxicity in vitro** : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Further information**

**Product:**

Remarks : No data available

---

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Components:**

**Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts:**



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
Valvoline™ MULTIPURPOSE MOLY 2 GREASE

Version: 3.0

Revision Date: 28.09.2023

Print Date: 26/06/2025

|                                                     |   |                                                                                                                                                                                                            |
|-----------------------------------------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                    | : | LL50 ( <i>Oncorhynchus mykiss</i> (rainbow trout)): 4.5 mg/l<br>Exposure time: 96 h<br>Test Type: semi-static test<br>Remarks: The toxicological data has been taken from products of similar composition. |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 ( <i>Daphnia magna</i> (Water flea)): 5.4 mg/l<br>Exposure time: 48 h<br>Test Type: static test<br>Test substance: WAF                                                                                |
| Toxicity to algae/aquatic plants                    | : | ( <i>Selenastrum capricornutum</i> (green algae)): 2.1 mg/l<br>End point: Growth inhibition<br>Exposure time: 96 h<br>Test Type: static test<br>Test substance: WAF                                        |

**Ecotoxicology Assessment**

|                          |   |                                                  |
|--------------------------|---|--------------------------------------------------|
| Acute aquatic toxicity   | : | Toxic to aquatic life.                           |
| Chronic aquatic toxicity | : | Toxic to aquatic life with long lasting effects. |

**Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:**

**Ecotoxicology Assessment**

|                          |   |                                                |
|--------------------------|---|------------------------------------------------|
| Acute aquatic toxicity   | : | Not classified based on available information. |
| Chronic aquatic toxicity | : | Not classified based on available information. |

**Naphthenic acids, bismuth salts:**

**Ecotoxicology Assessment**

|                          |   |                                                |
|--------------------------|---|------------------------------------------------|
| Acute aquatic toxicity   | : | Not classified based on available information. |
| Chronic aquatic toxicity | : | Not classified based on available information. |

**MOLYBDENUM DISULFIDE:**

**Ecotoxicology Assessment**

|                          |   |                                                |
|--------------------------|---|------------------------------------------------|
| Acute aquatic toxicity   | : | Not classified based on available information. |
| Chronic aquatic toxicity | : | Not classified based on available information. |



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
Valvoline™ MULTIPURPOSE MOLY 2 GREASE

Version: 3.0

Revision Date: 28.09.2023

Print Date: 26/06/2025

## 12.2 Persistence and degradability

### Components:

**Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts:**

Biodegradability : Result: **Not readily biodegradable.**  
Biodegradation: **1.5 %**  
Exposure time: **28 d**  
Method: **OECD Test Guideline 301B**  
Remarks: **The toxicological data has been taken from products of similar composition.**

**Naphthenic acids, bismuth salts:**

Biodegradability : Result: **Inherently biodegradable.**

## 12.3 Bioaccumulative potential

### Components:

**Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts:**

Partition coefficient: n-octanol/water : log Pow: **8.8**  
Remarks: **QSAR**

**Naphthenic acids, bismuth salts:**

Partition coefficient: n-octanol/water : log Pow: **5 (20 °C)**

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

### Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
Valvoline™ MULTIPURPOSE MOLY 2 GREASE

Version: 3.0

Revision Date: 28.09.2023

Print Date: 26/06/2025

Additional ecological information : levels of 0.1% or higher.  
: No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

## SECTION 14: Transport information

### 14.1 UN number

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA\_P : Not regulated as a dangerous good

### 14.2 UN proper shipping name

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA\_P : Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA\_P : Not regulated as a dangerous good

### 14.4 Packing group



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
Valvoline™ MULTIPURPOSE MOLY 2 GREASE

Version: 3.0

Revision Date: 28.09.2023

Print Date: 26/06/2025

**ADR** : Not regulated as a dangerous good  
**RID** : Not regulated as a dangerous good  
**IMDG** : Not regulated as a dangerous good  
**IATA (Cargo)** : Not regulated as a dangerous good  
**IATA\_P (Passenger)** : Not regulated as a dangerous good

**14.5 Environmental hazards**

Not regulated as a dangerous good

**14.6 Special precautions for user**

Not applicable

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

---

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Not applicable  
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable  
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable  
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable  
UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable  
Control of Major Accident Hazards Regulations 2015 (COMAH) Not applicable

**Other regulations:**

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

**The components of this product are reported in the following inventories:**

TCSI : Not in compliance with the inventory





**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
Valvoline™ MULTIPURPOSE MOLY 2 GREASE

Version: 3.0

Revision Date: 28.09.2023

Print Date: 26/06/2025

|       |   |                                                                                                                                                 |
|-------|---|-------------------------------------------------------------------------------------------------------------------------------------------------|
| TSCA  | : | Product contains substance(s) not listed on TSCA inventory.                                                                                     |
| AIIC  | : | Not in compliance with the inventory                                                                                                            |
| DSL   | : | This product contains the following components that are not on the Canadian DSL nor NDSL.<br><br>Tac Oil C<br>Additin RC 9505<br>LITHIUM OLEATE |
| ENCS  | : | Not in compliance with the inventory                                                                                                            |
| KECI  | : | Not in compliance with the inventory                                                                                                            |
| PICCS | : | Not in compliance with the inventory                                                                                                            |
| IECSC | : | Not in compliance with the inventory                                                                                                            |
| NZIoC | : | On the inventory, or in compliance with the inventory                                                                                           |

## 15.2 Chemical safety assessment

No data available

### Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

---

## SECTION 16: Other information

### Full text of H-Statements

|      |   |                                                  |
|------|---|--------------------------------------------------|
| H315 | : | Causes skin irritation.                          |
| H317 | : | May cause an allergic skin reaction.             |
| H319 | : | Causes serious eye irritation.                   |
| H411 | : | Toxic to aquatic life with long lasting effects. |

### Full text of other abbreviations

|                 |   |                                                        |
|-----------------|---|--------------------------------------------------------|
| Aquatic Chronic | : | Long-term (chronic) aquatic hazard                     |
| Eye Irrit.      | : | Eye irritation                                         |
| Skin Irrit.     | : | Skin irritation                                        |
| Skin Sens.      | : | Skin sensitisation                                     |
| GB EH40         | : | UK. EH40 WEL - Workplace Exposure Limits               |
| GB EH40 / TWA   | : | Long-term exposure limit (8-hour TWA reference period) |



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
Valvoline™ MULTIPURPOSE MOLY 2 GREASE

Version: 3.0

Revision Date: 28.09.2023

Print Date: 26/06/2025

GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Further information**

Internal information : 000000276049

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific



**Valvoline™**  
**Global**

## **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006  
Valvoline™ MULTIPURPOSE MOLY 2 GREASE

Version: 3.0

Revision Date: 28.09.2023

Print Date: 26/06/2025

---

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN