



# MPM UTTO GL-4 Mineral

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 18-4-2019 Revision date: 5-7-2023 Supersedes: 2-2-2023 version: 8.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : MPM UTTO GL-4 Mineral  
Product code : 37000  
Type of product : Other engine, gear and lubricating oils.  
Product group : Blend

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use, Consumer use, Industrial use  
Industrial/Professional use spec : Non-dispersive use  
Used in closed systems  
Function or use category : Lubricants and additives

##### 1.2.2. Uses advised against

No additional information available.

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

MPM International Oil Company

Cyclotronweg 1

2629 HN Delft - Nederland

T +31 (0)15 2514030

[info@mpmoil.com](mailto:info@mpmoil.com) - [www.mpmoil.com](http://www.mpmoil.com)

E-mail address of competent person responsible for the SDS :

[pvhoorn@mpmoil.nl](mailto:pvhoorn@mpmoil.nl)

#### 1.4. Emergency telephone number

Emergency number : +31 (0)15 2514030 (08.00 - 17.00 GMT+1)

| Country        | Official advisory body   | Address                                  | Emergency number   | Comment |
|----------------|--|--|--|---------|
| Ireland        | National Poisons Information Centre<br>Beaumont Hospital   | PO Box 1297<br>Beaumont Road<br>9 Dublin | +353 1 809 2566<br>(Healthcare professionals-<br>24/7)<br>+353 1 809 2166 (public,<br>8am - 10pm, 7/7) |         |
| United Kingdom | Guy's & St Thomas' Poisons Unit<br>Medical Toxicology Unit, Guy's & St<br>Thomas' Hospital Trust | Avonley Road<br>SE14 5ER                 | +44 20 7188 7188   |         |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

No additional information available.

# MPM UTTO GL-4 Mineral

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P102 - Keep out of reach of children.  
EUH-statements : EUH208 - Contains: Benzenesulfonic acid, propenated, calcium salt, overbased. May produce an allergic reaction.  
EUH210 - Safety data sheet available on request.

### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Comments : Highly refined mineral oil, contains <3% (w/w) DMSO extract, according to IP346

| Name  | Product identifier   | %                    | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|----------------------|---|
| Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)      | CAS-No.: 4259-15-8<br>EC-No.: 224-235-5<br>REACH-no: 01-2119493635-27  | $\geq 1 - \leq 2,49$ | Eye Dam. 1, H318<br>Aquatic Chronic 2, H411                     |
| Benzenesulfonic acid, propenated, calcium salt, overbased | CAS-No.: 68610-84-4<br>EC-No.: 271-877-7<br>REACH-no: 01-2119657986-16 | $\geq 1 - \leq 1,99$ | Skin Sens. 1, H317<br>Aquatic Chronic 4, H413                   |

### Specific concentration limits

| Name  | Product identifier   | Specific concentration limits  |
|---|--|--|
| Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)      | CAS-No.: 4259-15-8<br>EC-No.: 224-235-5<br>REACH-no: 01-2119493635-27  | ( $50 \leq C < 100$ ) Eye Dam. 1, H318<br>( $50 \leq C < 100$ ) Eye Irrit. 2, H319 |
| Benzenesulfonic acid, propenated, calcium salt, overbased | CAS-No.: 68610-84-4<br>EC-No.: 271-877-7<br>REACH-no: 01-2119657986-16 | ( $2 \leq C < 100$ ) Skin Sens. 1, H317  |

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

After inhalation : Not required.  
After skin contact : Wash skin with mild soap and water.  
After eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes.

# MPM UTTO GL-4 Mineral

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

After ingestion : Do NOT induce vomiting. Rinse mouth out with water. Get immediate medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

After inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.  
After skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal use.  
After eye contact : Not expected to present a significant eye contact hazard under anticipated conditions of normal use.  
After ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray, powder, foam and CO<sub>2</sub>.  
Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

No additional information available.

### 5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire.  
Firefighting instructions : Use water spray or fog for cooling exposed containers.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : If spilled, may cause the floor to be slippery.

#### 6.1.1. For non-emergency personnel

Protective equipment : Gloves. Safety glasses.  
Emergency procedures : Do not breathe vapours.

#### 6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing and gloves. Safety glasses.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.  
Methods for cleaning up : Detergent. Clean up any spills as soon as possible, using an absorbent material to collect it.  
Other information : Spill area may be slippery. Use suitable disposal containers.

### 6.4. Reference to other sections

No additional information available.

# MPM UTTO GL-4 Mineral

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

|                                   |   |
|-----------------------------------|---|
| Additional hazards when processed | : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.                 |
| Precautions for safe handling     | : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.                        |
| Handling temperature              | : < 40 °C   |
| Hygiene measures                  | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. |

#### 7.2. Conditions for safe storage, including any incompatibilities

|                     |  |
|---------------------|--|
| Technical measures  | : Store in a closed container.           |
| Storage conditions  | : Keep container closed when not in use. |
| Storage temperature | : ≤ 40 °C                                |
| Storage area        | : Store in dry, well-ventilated area.    |

#### 7.3. Specific end use(s)

No additional information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1. National occupational exposure and biological limit values

No additional information available.

##### 8.1.2. Recommended monitoring procedures

No additional information available.

##### 8.1.3. Air contaminants formed

No additional information available.

##### 8.1.4. DNEL and PNEC

Additional information : Based on ACGIH TLV, a concentration of 5 mg/m<sup>3</sup> oilspray (TWA, 8 hour workday) is recommended.

##### 8.1.5. Control banding

No additional information available.

#### 8.2. Exposure controls

##### 8.2.1. Appropriate engineering controls

###### Technical measures:

No additional information available.

##### 8.2.2. Personal protection equipment

###### Personal protective equipment:

Gloves. Safety glasses.

###### Personal protective equipment symbol(s):



##### 8.2.2.1. Eye and face protection

###### Eye protection:

Safety goggles

# MPM UTTO GL-4 Mineral

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2.2.2. Skin protection

#### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

#### Hand protection:

Protective gloves

| Hand protection |                      |                   |                |             |            |
|-----------------|----------------------|-------------------|----------------|-------------|------------|
| Type            | Material             | Permeation        | Thickness (mm) | Penetration | Standard   |
| Gloves          | Nitrile rubber (NBR) | 6 (> 480 minutes) | > 0,4          |             | EN ISO 374 |

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

### 8.2.2.4. Thermal hazards

No additional information available.

### 8.2.3. Environmental exposure controls

No additional information available.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                 |   |
|---------------------------------|---|
| Physical state                  | : Liquid  |
| Colour                          | : Amber.  |
| Appearance                      | : Oily liquid.  |
| Odour                           | : Characteristic.   |
| Odour threshold                 | : Not available   |
| Melting point                   | : Not available   |
| Freezing point                  | : Not available   |
| Boiling point                   | : Not available   |
| Flammability                    | : Not available   |
| Explosive limits                | : Not available   |
| Lower explosion limit           | : Not available   |
| Upper explosion limit           | : Not available   |
| Flash point                     | : > 200 °C @ ASTM D92   |
| Auto-ignition temperature       | : Not available   |
| Decomposition temperature       | : Not available   |
| pH                              | : Not available   |
| Viscosity, kinematic            | : 59 mm <sup>2</sup> /s @ 40°C                                |
| Solubility                      | : Slightly soluble, the product remains on the water surface. |
| Log Kow                         | : Not available   |
| Vapour pressure                 | : Not available   |
| Vapour pressure at 50°C         | : Not available   |
| Density                         | : 868 kg/m <sup>3</sup> @ 15°C                                |
| Relative density                | : Not available   |
| Relative vapour density at 20°C | : Not available   |
| Particle size                   | : Not applicable  |
| Particle size distribution      | : Not applicable  |
| Particle shape                  | : Not applicable  |
| Particle aspect ratio           | : Not applicable  |
| Particle aggregation state      | : Not applicable  |
| Particle agglomeration state    | : Not applicable  |
| Particle specific surface area  | : Not applicable  |
| Particle dustiness              | : Not applicable  |

# MPM UTTO GL-4 Mineral

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available.

#### 9.2.2. Other safety characteristics

No additional information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions of use.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

No naked flames, sparks, and do not smoke.

### 10.5. Incompatible materials

Strong oxidizing agent. Acids and bases.

### 10.6. Hazardous decomposition products

None under normal conditions.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)

|                    |                       |
|--------------------|-----------------------|
| LD50 oral rat      | 3100 mg/kg            |
| LD50 dermal rabbit | > 5000 mg/kg          |
| ATE CLP (oral)     | 3100 mg/kg bodyweight |

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified (A specific ingredient in the product reduces the effect of eye irritation, which is caused by the substance ZnDTP. Based on this information, the H319 classification will be ignored.)  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified  
Aspiration hazard : Not classified

#### MPM UTTO GL-4 Mineral

|                      |                              |
|----------------------|------------------------------|
| Viscosity, kinematic | 59 mm <sup>2</sup> /s @ 40°C |
|----------------------|------------------------------|

# MPM UTTO GL-4 Mineral

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### 11.2.2. Other information

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

#### Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)

|                                |  |
|--------------------------------|--|
| LC50 fish 1                    | 10 – 35 mg/l 96h Pimephales promelas (semi static) |
| LC50 fish 2                    | 1 – 5 mg/l 96h Pimephales promelas (static)        |
| EC50 Daphnia 1                 | 1 – 1,5 mg/l 48h Daphnia magna                     |
| EC50 other aquatic organisms 1 | 1 – 5 mg/l 96h Pseudokirchneriella subcapitata     |

### 12.2. Persistence and degradability

#### MPM UTTO GL-4 Mineral

Persistence and degradability : Not soluble in water, so only minimally biodegradable.

### 12.3. Bioaccumulative potential

#### Benzenesulfonic acid, propenated, calcium salt, overbased (68610-84-4)

Log Kow : 10,88

### 12.4. Mobility in soil

#### MPM UTTO GL-4 Mineral

Soil : Prevent soil and water pollution.

### 12.5. Results of PBT and vPvB assessment

No additional information available.

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The product does not contain any substances with endocrine disrupting properties.

### 12.7. Other adverse effects

No additional information available.

# MPM UTTO GL-4 Mineral

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Additional information : This material and its container must be disposed of in a safe way, and as per local legislation.  
European List of Waste (LoW) code : 13 02 05\* - mineral-based non-chlorinated engine, gear and lubricating oils

### SECTION 14: Transport information

In accordance with ADR / IMDG

#### 14.1. UN number or ID number

UN-No. : Not regulated  
UN-No. (IMDG) : Not regulated

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated  
Proper Shipping Name (IMDG) : Not regulated

#### 14.3. Transport hazard class(es)

##### ADR

Transport hazard class(es) (ADR) : Not regulated

##### IMDG

Transport hazard class(es) (IMDG) : Not regulated

#### 14.4. Packing group

Packing group (ADR) : Not regulated  
Packing group (IMDG) : Not regulated

#### 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

#### 14.6. Special precautions for user

##### Overland transport

Not regulated

##### Transport by sea

Not regulated

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)  
Contains no substance(s) listed on the REACH Candidate List  
Contains no substance(s) listed on REACH Annex XIV (Authorisation List)  
Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)  
Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

# MPM UTTO GL-4 Mineral

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 15.1.2. National regulations

No additional information available.

### 15.2. Chemical safety assessment

No additional information available.

## SECTION 16: Other information

| Indication of changes |               |          |          |
|-----------------------|---------------|----------|----------|
| Section               | Changed item  | Change   | Comments |
|                       | Revision date | Modified |          |
|                       | Supersedes    | Modified |          |

| Full text of H- and EUH-statements |  |
|------------------------------------|--|
| Aquatic Chronic 2                  | Hazardous to the aquatic environment – Chronic Hazard, Category 2                                      |
| Aquatic Chronic 4                  | Hazardous to the aquatic environment – Chronic Hazard, Category 4                                      |
| EUH208                             | Contains: Benzenesulfonic acid, propenated, calcium salt, overbased. May produce an allergic reaction. |
| EUH210                             | Safety data sheet available on request.  |
| Eye Dam. 1                         | Serious eye damage/eye irritation, Category 1  |
| Eye Irrit. 2                       | Serious eye damage/eye irritation, Category 2  |
| H317                               | May cause an allergic skin reaction.   |
| H318                               | Causes serious eye damage.   |
| H319                               | Causes serious eye irritation.   |
| H411                               | Toxic to aquatic life with long lasting effects.   |
| H413                               | May cause long lasting harmful effects to aquatic life.  |
| Skin Sens. 1                       | Skin sensitisation, Category 1   |

### SDS MPM REACH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.