MOTOREX*
Oil of Switzerland

Revision: 13.03.2023

Printing date 13.03.2023

Version number 3.1 (replaces version 3.0)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: SCOOTER GEAR OIL ZX SAE 80W/90
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- $\cdot \ \textit{Application of the substance} \ / \ \textit{the mixture}$

Gear Oil

Only for proper handling.

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

MOTOREX AG Bern–Zürich–Strasse 31, Postfach CH–4901 Langenthal Tel. +41 (0)62 919 75 75 www.motorex.com

- · Further information obtainable from: msds@motorex.com
- · 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 (UK only).

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- Hazard pictograms Void
- Signal word Void
- · Hazard statements Void
- · Additional information:

Contains Polysulfides, di-tert-Bu, Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched), Magnesium metaborate. May produce an allergic reaction.

Safety data sheet available on request.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

| Dangerous components: | | |
|-----------------------|---|----------|
| EINECS: 273-103-3 | polysulfides, di-tert-Bu Skin Sens. 1B, H317; Aquatic Chronic 3, H412 Specific concentration limit: Skin Sens. 1B; H317: C ≥46 % | ≥1-<2.5% |
| | | <u> </u> |

(Contd. on page 2)



Printing date 13.03.2023

Version number 3.1 (replaces version 3.0)

Trade name: SCOOTER GEAR OIL ZX SAE 80W/90

| | | (Contd. of page 1) |
|---------------------------|--|--------------------|
| | Mineral oils (mixture) | ≥0.25-≤2.5% |
| | Asp. Tox. 1, H304 | |
| Reg.nr.: 01-2119493620-38 | Reaction products of bis(2-methylpentan-2-yl) dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched) Aquatic Chronic 2, H411; Acute Tox. 4, H302; Eye Irrit. 2, H319; Skin Sens. 1B, H317 Specific concentration limits: Eye Irrit. 2; H319: C ≥50.02 % Skin Sens. 1B; H317: C ≥ 9.4 % | |
| | Magnesium metaborate Skin Sens. 1B, H317 Specific concentration limit: Skin Sens. 1B; H317: C ≥15.01 % | ≥0.1-≤1% |

· Additional information:

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346. For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Do not induce vomitting. Do not take in resorption stimulating agents.

Consult a physician who will decide on need and method of emptying the stomach.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture

In case of fire carbon, sulphur and nitrogen oxides can be formed.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB

MOTOREX Oil of Switzerland
Revision: 13.03.2023

Printing date 13.03.2023

Version number 3.1 (replaces version 3.0)

Trade name: SCOOTER GEAR OIL ZX SAE 80W/90

(Contd. of page 2)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Used oils (motor oils, gear oils, industrial oils) contain components causing skin cancer. Therefore, avoid skin contact by wearing protecting gloves. Carefully clean soiled parts of the skin with soap.

- · Information about fire and explosion protection: Do not heat above flash point.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

The recommended storage temperature is (deg.C): ≤50°C

- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

| DNELs | 2 polysulfides, di-tert-Bu | | |
|---|--|-----------------------------|-------------------------------|
| | | tall and tarm | 0.167 mg/kg/24h (consumer) |
| Oral | | | 0.167 mg/kg/24h (consumer) |
| Dermal | DNEL / Workers / Local Effects / Long-term | | 173.75 mg/cm2 (worker) |
| | DNEL / Workers / Systemic effects / Long | | 3.33 mg/kg/24h (worker) |
| | DNEL/general population/Systemic effect | ts/Long-term | 1.66 mg/kg/24h (consumer) |
| | DNEL/general population/Local effects/Lo | ong-term | 86.88 mg/cm2 (consumer) |
| Inhalative | DNEL / Workers / Systemic effects / Long | g-term | 14.5 mg/m3 (worker) |
| | DNEL/general population/Systemic effect | ts/Long-term | 2.6 mg/m3 (consumer) |
| | products of bis(2-methylpentan-2-yl)di | | oric acid with phosphorus oxi |
| propylene | e oxide and amines, C12-14 alkyl (branc | - | |
| Oral | DNEL/general population/Systemic effect | ts/Long-term | 0.25 mg/kg/24h (consumer) |
| Dermal | DNEL / Workers / Systemic effects / Long-term | | 12.5 mg/kg/24h (worker) |
| | DNEL/general popul/Local effects/acute-s | short term | 0.0235 mg/cm2 (consumer) |
| | DNEL/general population/Systemic effect | ts/Long-term | 6.25 mg/kg/24h (consumer) |
| Inhalative | DNEL / Workers / Systemic effects / Long-term | | 8.56 mg/m3 (worker) |
| | DNEL/general population/Systemic effects/Long-term | | 2.2 mg/m3 (consumer) |
| 13703-82- | 7 Magnesium metaborate | | |
| Oral | DNEL/general population/Systemic effect | ts/Long-term | 0.28 mg/kg/24h (consumer) |
| Dermal | DNEL / Workers / Systemic effects / Long | g-term | 7.78 mg/kg/24h (worker) |
| | DNEL/general population/Systemic effects/Long-term | | 0.278 mg/kg/24h (consumer) |
| Inhalative | DNEL / Workers / Systemic effects / Long-term | | 5.49 mg/m3 (worker) |
| | DNEL/general population/Systemic effects/Long-term | | 0.82 mg/m3 (consumer) |
| PNECs | | | |
| 68937-96- | 2 polysulfides, di-tert-Bu | | |
| Oral PNE | C / Predators / Secondary poisoning | 6.66 mg/kg f | iood (aquatic organisms) |
| PNEC / Aquatic organisms / Freshwater 0.00024-0.063 mg/l (aquatic organisms | | 63 mg/l (aquatic organisms) | |

MOTOREX*
Oil of Switzerland

Revision: 13.03.2023

Printing date 13.03.2023

Version number 3.1 (replaces version 3.0)

Trade name: SCOOTER GEAR OIL ZX SAE 80W/90

| | | (Contd. of page 3) |
|------|---|---|
| | PNEC / Aquatic organisms / Marine water | 0.000024-0.0063 mg/l (aquatic organisms) |
| | PNEC/Aquatic organisms/Sewage treatment plant/STP | 4.51-45 mg/l (aquatic organisms) |
| | PNEC / Aquatic organisms / Sediment (freshwater) | 0.94-94,130 mg/kg (aquatic organisms) |
| | PNEC / Aquatic organisms / Sediment (marine water) | 0.094-9.413 mg/kg (aquatic organisms) |
| | PNEC / Terrestrial organism / Soil | 1,513-311,504 mg/kg (terrestrial organisms) |
| | ction products of bis(2-methylpentan-2-yl)di ylene oxide and amines, C12-14 alkyl (brand | ithiophosphoric acid with phosphorus oxide, ched) |
| Oral | PNEC / Predators / Secondary poisoning | 10 mg/kg food (secondary poisoning (predators)) |
| | PNEC / Aquatic organisms / Freshwater | 0.0012 mg/l (aquatic organisms) |
| | PNEC / Aquatic organisms / Marine water | 0.00012 mg/l (aquatic organisms) |
| | PNEC/Aquatic org/intermittent releases(freshwater) | 0.085 mg/l (aquatic organisms) |
| | PNEC/Aquatic organisms/Sewage treatment plant/STP | 24.33 mg/l (aquatic organisms) |
| | PNEC / Aquatic organisms / Sediment (freshwater) | 14.4 mg/kg (aquatic organisms) |
| | PNEC / Aquatic organisms / Sediment (marine water) | 1.44 mg/kg (aquatic organisms) |
| | PNEC / Terrestrial organism / Soil | 2.94 mg/kg (terrestrial organisms) |
| 1370 | 3-82-7 Magnesium metaborate | |
| Oral | PNEC / Predators / Secondary poisoning | 1.67 mg/kg food (secondary poisoning (predators)) |
| | PNEC / Aquatic organisms / Freshwater | 0.05 mg/l (aquatic organisms) |
| | PNEC / Aquatic organisms / Marine water | 0.05 mg/l (aquatic organisms) |
| | PNEC/Aquatic org/intermittent releases(freshwater) | 0.5 mg/l (aquatic organisms) |
| | PNEC/Aquatic organisms/Sewage treatment plant/STP | 100 mg/l (aquatic organisms) |
| | PNEC / Aquatic organisms / Sediment (freshwater) | 1.38 mg/kg (aquatic organisms) |
| | PNEC / Aquatic organisms / Sediment (marine water) | 1.38 mg/kg (aquatic organisms) |
| | , | 0.247 mg/kg (terrestrial organisms) |

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

Not necessary if room is well-ventilated.

Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

MOTOREX Oil of Switzerland
Revision: 13.03.2023

Printing date 13.03.2023

Version number 3.1 (replaces version 3.0)

Trade name: SCOOTER GEAR OIL ZX SAE 80W/90

(Contd. of page 4)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Goggles recommended during refilling
- · Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical stateColour:FluidBrown

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

boiling range Undetermined.
Flammability Not applicable.

Lower and upper explosion limit

Lower: Not determined.Upper: Not determined.

· Flash point: >210 °C

Ignition temperature: >260 °C (DIN 51794)
 Decomposition temperature: Not determined.
 pH Not determined.

Viscosity:

• Kinematic viscosity 140 mm²/s @40 °C (DIN 51562-1)

· Consistency

· **Dynamic:** Not determined.

· Solubility

· water: Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log

value) Not determined.

· Heat Capacity

· Vapour pressure: Not determined.

· Density and/or relative density

• **Density at 20 °C:** 0.895 g/cm³ (ASTM D 4052)

Relative densityVapour densityNot determined.Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and environment, and on safety.

Explosive properties: Product does not present an explosion hazard.

· Solvent separation test:

· **VOC (EC)** 0.00 %

(Contd. on page 6)

MOTOREX Oil of Switzerland
Revision: 13.03.2023

Printing date 13.03.2023

Version number 3.1 (replaces version 3.0)

Trade name: SCOOTER GEAR OIL ZX SAE 80W/90

| | | (Contd. of page 5 |
|--|-----------------|-------------------|
| · Change in condition | | |
| · Evaporation rate | Not determined. | |
| Information with regard to physical haza | ard | |
| classes | | |
| · Explosives | Void | |
| Flammable gases | Void | |
| Aerosols | Void | |
| · Oxidising gases | Void | |
| · Gases under pressure | Void | |
| Flammable liquids | Void | |
| Flammable solids | Void | |
| · Self-reactive substances and mixtures | Void | |
| · Pyrophoric liquids | Void | |
| Pyrophoric solids | Void | |
| Self-heating substances and mixtures | Void | |
| Substances and mixtures, which emit | | |
| flammable gases in contact with water | Void | |
| · Oxidising liquids | Void | |
| Oxidising solids | Void | |
| · Organic peroxides | Void | |
| Corrosive to metals | Void | |
| · Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

| · LD/LC50 values relevant for classification: | | |
|---|-----------|--|
| 68937-96 | -2 polysu | lfides, di-tert-Bu |
| Oral | LD0 | 2,000 mg/kg (rat) |
| | NOAEL | 50-100 mg/kg/24h (rat) |
| | LOAEL | 200-300 mg/kg/24h (rat) |
| Dermal | LD0 | 2,000 mg/kg (rat) |
| Inhalative | NOAEC | 196 ppm (rat) |
| | | s of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide nd amines, C12-14 alkyl (branched) |
| Oral | LD50 | 2,000 mg/kg (rat) |
| | NOEL | 50 mg/kg/24h (rat) |
| | NOAEL | 150 mg/kg/24h (rat) |
| | | (Contd. on page |

GB

MOTOREX Oil of Switzerland
Revision: 13.03.2023

Printing date 13.03.2023

Version number 3.1 (replaces version 3.0)

Trade name: SCOOTER GEAR OIL ZX SAE 80W/90

| | | (Contd. of page 6) | |
|-----------|---------------------------------|---------------------|--|
| 13703-82- | 13703-82-7 Magnesium metaborate | | |
| Oral | | 2,000 mg/kg (rat) | |
| | NOAEL | 125 mg/kg/24h (rat) | |
| Dermal | LD50 | 2,000 mg/kg (rat) | |

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

| · Aquatic | · Aquatic toxicity: | | |
|-----------|---|--|--|
| 68937-9 | 6-2 polysulfides, di-tert-Bu | | |
| LC50 | 0.088 mg/l/96h (fish) | | |
| LC0 | 0.088 mg/l/96h (fish) | | |
| EC50 | 0.299 g/kg/28d (sediment) | | |
| EC50 | 0.27 mg/l/24h (aquatic invertebrates) | | |
| EC10 | 0.092-0.472 mg/l/72h (algae / cyanobacteria) | | |
| EC50 | 0.299-2.45 mg/l/72h (algae / cyanobacteria) | | |
| EC50 | 0.24 mg/l/48h (aquatic invertebrates) | | |
| EL50 | 63 mg/l/48h (aquatic invertebrates) | | |
| EL50 | 100 mg/l/72h (algae / cyanobacteria) | | |
| NOEC | 0.094-0.388 g/kg/28d (sediment) | | |
| NOEC | 0.1 mg/l/72h (algae / cyanobacteria) | | |
| NOEC | 0.088 mg/l/96h (fish) | | |
| NOEC | 45.1 mg/l/28d (microorganisms) | | |
| NOELR | 18 mg/l/48h (aquatic invertebrates) | | |
| LOELR | 32 mg/l/96h (aquatic invertebrates) | | |
| LOEC | 0.12-0.32 mg/l/48h (algae / cyanobacteria) | | |
| LOEC | 0.178 mg/l/21d (sediment) | | |
| propyle | n products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, ne oxide and amines, C12-14 alkyl (branched) | | |
| EC50 | 2,433 mg/l/3h (microorganisms) | | |
| EC50 | 6.4-15 mg/l/96h (algae / cyanobacteria) | | |
| LL50 | 24 mg/l/96h (fish) | | |
| EL50 | 91.4 mg/l/48h (aquatic invertebrates) | | |
| EL50 | 0.66 mg/l/21d (aquatic invertebrates) | | |
| NOEC | 1.7-3.3 mg/l/96h (algae / cyanobacteria) | | |
| NOELR | 3.2 mg/l/96h (fish) | | |
| | (Contd. on page 8) | | |

(Contd. on page 8)

MOTOREX*
Oil of Switzerland
Revision: 13.03.2023

Printing date 13.03.2023

Version number 3.1 (replaces version 3.0)

Trade name: SCOOTER GEAR OIL ZX SAE 80W/90

| | (Contd. of page 7) | | | | |
|---------|-------------------------------------|--|--|--|--|
| 13703-8 | 13703-82-7 Magnesium metaborate | | | | |
| EC10 | 50 mg/l (Alga) | | | | |
| EC50 | 1,000 mg/l/3h (microorganisms) | | | | |
| EC50 | 50 mg/l (Alga) | | | | |
| | 50 mg/l (aquatic invertebrates) | | | | |
| | 1,000 mg/l (microorganisms) | | | | |
| LC50 | 50 mg/l (fish) | | | | |
| LL50 | 50 mg/l/96h (fish) | | | | |
| EL50 | 50 mg/l/48h (aquatic invertebrates) | | | | |
| EL50 | 50 mg/l/24h (aquatic invertebrates) | | | | |
| EL50 | 50 mg/l/72h (algae / cyanobacteria) | | | | |
| NOEC | 50 mg/l/96h (fish) | | | | |
| NOEC | 1,000 mg/l/3h (microorganisms) | | | | |
| NOELR | 50 mg/l/72h (algae / cyanobacteria) | | | | |
| | 50 mg/l/48h (aquatic invertebrates) | | | | |

12.2 Persistence and degradability No further relevant information available.

| · 12.3 Bioaccumulative potential | | | |
|---|---|--|--|
| 68937-96-2 polysulfides, di-tert-Bu | | | |
| Partition coefficient | 5.6 [] (log Kow) (Bioaccumulation) | | |
| Biodegradability | 13 % (28d) (Biodegradability) (OECD 301 B) | | |
| Reaction products of bis propylene oxide and ami | Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched) | | |
| Partition coefficient | 0.3-7.1 [] (log Kow) (Bioaccumulation) | | |
| 13703-82-7 Magnesium metaborate | | | |
| Bioconcentration factor (BCF) 0.893 BCF (Bioaccumulation) | | | |

- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

(Contd. on page 9)

MOTOREX Oil of Switzerland
Revision: 13.03.2023

Printing date 13.03.2023

Version number 3.1 (replaces version 3.0)

Trade name: SCOOTER GEAR OIL ZX SAE 80W/90

(Contd. of page 8)

· Uncleaned packaging:

· **Recommendation:** Disposal must be made according to official regulations.

| SECTION 14: Transport information | | |
|--|---|--|
| · 14.1 UN number or ID number · ADR/RID/ADN, ADN, IMDG, IATA | Void | |
| · 14.2 UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA | Void | |
| · 14.3 Transport hazard class(es) | | |
| · ADR/RID/ADN, ADN, IMDG, IATA · Class | Void | |
| · 14.4 Packing group · ADR/RID/ADN, IMDG, IATA | Void | |
| · 14.5 Environmental hazards: · Marine pollutant: | No | |
| · 14.6 Special precautions for user | Not applicable. | |
| · 14.7 Maritime transport in bulk accordi IMO instruments | · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. | |
| · UN "Model Regulation": | Void | |

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

- · purity requirement
- · Relevant phrases

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

- · Department issuing SDS: Abteilung Produktsicherheit
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 10)

MOTOREX*
Oil of Switzerland
Revision: 13.03.2023

Printing date 13.03.2023

Version number 3.1 (replaces version 3.0)

Trade name: SCOOTER GEAR OIL ZX SAE 80W/90

(Contd. of page 9)

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1B: Skin sensitisation – Category 1B Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· * Data compared to the previous version altered.

Annex: Exposure scenario 1

· Short title of the exposure scenario

Industrial use of lubricants and greases in vehicles or machinery

· Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

Product category

PC16 Heat transfer fluids

PC17 Hydraulic fluids

PC24 Lubricants, greases, release products

· Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

Environmental release category

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article) ERC7 Use of functional fluid at industrial site

• Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.

· Conditions of use

- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting consumer exposure Not required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- Organisational protective measures No special measures required.
- Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.

(Contd. on page 11)

MOTOREX*
Oil of Switzerland
Revision: 13.03.2023

Printing date 13.03.2023

Version number 3.1 (replaces version 3.0)

Trade name: SCOOTER GEAR OIL ZX SAE 80W/90

(Contd. of page 10)

- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

- · Disposal procedures Dispose of product residues with household waste.
- Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 2

· Short title of the exposure scenario

Professional use of lubricants and greases in vehicles or machines

Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category

PC16 Heat transfer fluids

PC17 Hydraulic fluids

PC24 Lubricants, greases, release products

Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC20 Use of functional fluids in small devices

· Environmental release category

ERC9a Widespread use of functional fluid (indoor)

ERC9b Widespread use of functional fluid (outdoor)

Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- Water No special measures required.
- · Disposal measures

Disposal must be made according to official regulations.

(Contd. on page 12)

MOTOREX*
Oil of Switzerland
Revision: 13.03.2023

Printing date 13.03.2023

Version number 3.1 (replaces version 3.0)

Trade name: SCOOTER GEAR OIL ZX SAE 80W/90

(Contd. of page 11)

Ensure that waste is collected and contained.

- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 3

- · Short title of the exposure scenario Private use of lubricants and greases in vehicles or machines
- · Sector of Use SU21 Consumer uses: Private households / general public / consumers
- · Product category PC24 Lubricants, greases, release products
- · Environmental release category

ERC9a Widespread use of functional fluid (indoor)

ERC9b Widespread use of functional fluid (outdoor)

Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- Physical state Fluid
- Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

GB ·