

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Product name:

SILKOLENE COMP GEAR

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier	FUCHS LUBRICANTS (UK) PLC. New Century Street ST1 5HU Hanley
Telephone:	+44 (0) 1782 203700
Contact Person:	Product Safety department
E-mail: Telephone:	product.safety@fuchs.com +44 (0) 1782 203700
1.4 Emergency telephone number:	UK NHS: Dial 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has not been classified as hazardous, but needs to be labelled according to regulation GB-CLP.

Classification according to GB-CLP.

Hazard summary Physical Hazards: No data a

No data available.

2.2 Label Elements

GBH208: Contains Calcium Sulfonate. May produce an allergic reaction.

GBH210: Safety data sheet available on request.





2.3 Other hazards: By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information:

Mixture containing severely refined base oils and additives.

Chemical name	Identifier	Concentration *	UK-REACH Regis- tration No.	Notes
polyolefin polyamine succinimide borated	Polymer	1,00% - <5,00%		
Polyolefin polyamine succinimide	Polymer	1,00% - <5,00%		
Calcium Sulfonate	Polymer	0,10% - <1,00%		
Phenol derivative	EINECS: 310-154-3	0,01% - <0,25%		**

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

** UK-REACH Candidate List of SVHC for authorisation

Classification

Chemical name	Identifier	Classification	
polyolefin polyamine succinimide borated	Polymer	GBCLP: Aquatic Chronic 4;H413	
Polyolefin polyamine succinimide	Polymer	GBCLP: Aquatic Chronic 4;H413	
Calcium Sulfonate	Polymer	GBCLP: Skin Sens. 1B;H317, Aquatic Chronic 4;H413	
Phenol derivative	EINECS: 310-154-3	 GBCLP: Skin Corr. 1C;H314, Eye Dam. 1;H318, Repr. 1B;H360F, Aquatic Acute 1;H400, Aquatic Chr 1;H410; M-Factor (aquatic acute): 10; M-Factor (aquatic chronic): 10 	

GB-CLP

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation GB-CLP.

SECTION 4: First aid measures	
General:	Instantly remove any clothing soiled by the product.
4.1 Description of first aid measures	
Inhalation:	Supply fresh air; consult doctor in case of symptoms.

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

Skin Contact: Wash with soap and water.





Ingestion:	Rinse mouth thoroughly.
-	
4.2 Most important symptoms and effects, both acute and delayed:	May cause skin and eye irritation.
4.3 Indication of any immediate medical attention and spe- cial treatment needed	Get medical attention if symptoms occur.
SECTION 5: Firefighting measures	5
5.1 Extinguishing media	
Suitable extinguishing me- dia:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant add-ed
Unsuitable extinguishing media:	Water with a full water jet.
5.2 Special hazards arising from the substance or mix- ture:	During fire, gases hazardous to health may be formed.
5.3 Advice for firefighters	
Special fire fighting proce- dures:	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.
Special protective equip- ment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
SECTION 6: Accidental release measures	
6.1 Personal precautions, pro- tective equipment and emergency procedures:	In case of spills, beware of slippery floors and surfaces.
6.2 Environmental Precautions:	Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.
6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.



Product name: SILKOLENE COMP GEAR

6.4 Reference to other sec- tions:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.	
SECTION 7: Handling and storage):	
7.1 Precautions for safe han- dling:	Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil prod- ucts or chemical products. Observe good industrial hygiene practices. Pro- vide adequate ventilation.	
7.2 Conditions for safe storage, including any incompatibili- ties:	Local regulations concerning handling and storage of waterpolluting prod- ucts have to be followed. Do not heat up to temperatures close to the flash point.	
7.3 Specific end use(s):	No data available.	
Storage Class:	10, Combustible liquids	
SECTION 8: Exposure controls/personal protection		
8.1 Control Parameters Occupational Exposure Limit	s None of the components have assigned exposure limits.	
8.2 Exposure controls		
Appropriate engineering controls:	Provide adequate ventilation. Ventilation rates should be matched to condi- tions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain air- borne levels to an acceptable level.	
Individual protection measures, such as personal protective equipment		
General information:	Wash hands before breaks and after work. Use personal protective equip- ment as required. Personal protection equipment should be chosen accord- ing to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be ad- hered to inhandling the chemicals or the mineral oil products.	

Eye/face protection: Safety glasses (EN 166) recommended during refilling.





Skin protection Hand Protection:	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0,38 mm
	Avoid long-term and repeated skin contact. Suitable gloves can be recom- mended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety direc- tions. The exact break through time has to be found out by the manufactur- er of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.
Thermal hazards:	Not known.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot- wear that cannot be cleaned.
Environmental Controls:	No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

, pp cal all co	
Physical state:	liquid
Form:	liquid
Color:	Red
Odor:	Characteristic
pH:	Not applicable
Freezing point:	not determined
Boiling Point:	not determined
Flash Point:	214 °C
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	not determined
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Relative vapor density:	Not applicable for mixtures
Density:	0,86 g/cm3 (15 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.





Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	not determined
Decomposition Temperature:	not determined
Kinematic viscosity:	101 mm2/s (40 °C)
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
Particle characteristics:	Not applicable
9.2 Other information	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and oth- er toxic gases or vapors.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity	
Oral Product:	Not classified for acute toxicity based on available data.
Dermal Product:	Not classified for acute toxicity based on available data.
Inhalation Product:	Not classified for acute toxicity based on available data.
Skin Corrosion/Irritation: Product:	Based on available data, the classification criteria are not met.
Serious Eye Damage/Eye Irritation:	
Product:	The classification of this product is based all or in part on test data.





Respiratory or Skin Sensitiza Product:	ation:
	Experimental data has shown that the concentration of potentially sensitiz- ing components present in this product does not induce skin sensitization.
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.
Carcinogenicity Product:	Based on available data, the classification criteria are not met.
Reproductive toxicity Product:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxici Product:	ity - Single Exposure Based on available data, the classification criteria are not met.
Specific Target Organ Toxici Product:	ity - Repeated Exposure Based on available data, the classification criteria are not met.
Aspiration Hazard Product:	Based on available data, the classification criteria are not met.
Other adverse effects:	No data available.

SECTION 12: Ecological information

1	2.	1	т	0	X	ic	ity	•

Acute toxicity Product:	Based on available data, the classification criteria are not met.
Fish Specified substance(s) Phenol derivative	LC 50 (Fish, 96 h): 0,14 mg/l
Aquatic Invertebrates Specified substance(s) Phenol derivative	EC 50 (Water Flea, 48 h): 0,017 mg/l
Chronic Toxicity Product:	Based on available data, the classification criteria are not met.
Toxicity to Aquatic Plants Specified substance(s) Phenol derivative	EC 50 (Alga, 72 h): 0,091 mg/l
12.2 Persistence and Degradabilit	y
Biodegradation Product:	Not applicable for mixtures





12.3 Bioaccumulative potential Product:	Not applicable for mixtures
12.4 Mobility in soil: Product:	Not applicable for mixtures
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB criteria.
12.6 Other adverse effects:	Experimental data has shown that the concentration of the potentially aquatic toxic components present in this product is not harmful to aquatic organisms.
Water Hazard Class (WGK):	WGK 2: significantly water-endangering.
SECTION 13: Disposal considerate	tions

13.1 Waste treatment methods

General information:	Dispose in accordance with all applicable regulations.
Disposal methods:	Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.

List of Waste (LoW) Codes

13 02 05*: mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information	
ADR/RID	
14.1 UN Number:	-
14.2 UN Proper Shipping Name:	-
14.3 Transport Hazard Class(es)	
Class:	Non-dangerous goods
Label(s):	-
Hazard No. (ADR):	-
Tunnel restriction code:	-
14.4 Packing Group:	-
14.5 Environmental hazards:	-
14.6 Special precautions for user:	-



Product name: SILKOLENE COMP GEAR

IMDG

14.1 UN Number:	-
14.2 UN Proper Shipping Name:	_
14.3 Transport Hazard Class(es)	
Class:	Non-dangerous goods
Label(s):	_
EmS No.:	_
14.3 Packing Group:	_
14.5 Environmental hazards:	_
14.6 Special precautions for user:	_
ΙΑΤΑ	
IATA 14.1 UN Number:	-
	-
14.1 UN Number:	-
14.1 UN Number: 14.2 Proper Shipping Name:	– – Non-dangerous goods
14.1 UN Number: 14.2 Proper Shipping Name: 14.3 Transport Hazard Class(es):	– – Non-dangerous goods –
14.1 UN Number: 14.2 Proper Shipping Name: 14.3 Transport Hazard Class(es): Class: Label(s):	– – Non-dangerous goods –
14.1 UN Number: 14.2 Proper Shipping Name: 14.3 Transport Hazard Class(es): Class:	– – Non-dangerous goods – –
14.1 UN Number: 14.2 Proper Shipping Name: 14.3 Transport Hazard Class(es): Class: Label(s): 14.4 Packing Group:	– – Non-dangerous goods – – –

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

GB Regulations

The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) **Regulations 2019:** none

The Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020: none

15.2 Chemical safety as-No Chemical Safety Assessment has been carried out. sessment:

DIRECTIVE Control of Major Accident Hazards Regulations 2015:

The product does not fall into the scope of the Control of Major Accident Hazards Regulations 2015.

SECTION 16: Other information

Revision Information: Vertical lines in the margin indicate an amendment.



Product name: SILKOLENE COMP GEAR

Wording of the H-statements in section 2 and 3

worung or the restat		
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H360F	May damage fertility.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	
Other information:	The classification complies with the current GB lists; however, it has been supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: On the basis of test data; Calculation Method; Bridging Principle "Substantially simi- lar mixtures"; Expert Judgement	
Revision Date:	11.01.2022	
Disclaimer:	The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech product specification). Neither should any agreed property	

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.