

SAFETY DATA SHEET

EPMO PERF-ACLL G12+

Version #: 01
Issue date: 23-October-2023
Revision date: -
Supersedes date: -

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture EPMO PERF-ACLL G12+

Registration number -

UFI: QVD7-V75G-000D-VVW4

Synonyms None.

Product code P81031

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Antifreeze / Coolant.

Uses advised against Uses other than the recommended use.

1.3. Details of the supplier of the safety data sheet

EPMO France
21, Rue entre deux cours
57530 Laquenexy
France
contact@epmo-oil.com

1.4. Emergency telephone number

Belgium / Antipoison Centre
Bruynstraat 1,
B-1120 Brussels
+32 70 245 245

United Kingdom
National Poisons Information Service
University Hospital Llandough Penlan Road CF64
2XX Cardiff
0344 892 0111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Specific target organ toxicity - repeated exposure Category 2 (kidney)

H373 - May cause damage to organs (kidney) through prolonged or repeated exposure.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Ethylene glycol

Hazard pictograms



Signal word Warning

Hazard statements

H373

May cause damage to organs (kidney) through prolonged or repeated exposure.

Precautionary statements**Prevention**

P102 Keep out of reach of children.
 P260 Do not breathe mist/vapours.

Response

P101 If medical advice is needed, have product container or label at hand.
 P301 + P310 IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician.

Storage

Not assigned.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental information on the label

None.

2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight. The mixture does not contain any substances having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Ethylene glycol	34 - <80	107-21-1 203-473-3	01-2119456816-28-XXXX	-	#
Classification: Acute Tox. 4;H302;(ATE: 1600 mg/kg bw), STOT RE 2;H373					

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

#: This substance has been assigned Union workplace exposure limit(s).

Composition comments

All concentrations are in percent by weight. The full text for all H-statements is displayed in section 16.

E Exempted from registration as per Annex V of the Regulation 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

This product contains a bittering agent.

SECTION 4: First aid measures**General information**

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Convulsions. Dizziness. Nausea, vomiting. Abdominal pain. Oedema. Prolonged exposure may cause chronic effects.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures**General fire hazards**

No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing media Alcohol resistant foam. Powder. Carbon dioxide (CO2).

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture	Thermal decomposition may produce smoke, oxides of carbon and lower molecular weight organic compounds whose composition have not been characterised.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapours. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.
For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Do not breathe mist/vapours. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see section 10 of the SDS).
7.3. Specific end use(s)	Antifreeze / Coolant. Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

Components	Type	Value	Form
Ethylene glycol (CAS 107-21-1)	TWA	52 mg/m ³	Aerosol
		20 ppm	Aerosol

Belgium. OELs. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1, as amended

Components	Type	Value	Form
Ethylene glycol (CAS 107-21-1)	Ceiling	104 mg/m ³	Aerosol
		40 ppm	Aerosol

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU

Components	Type	Value
Ethylene glycol (CAS 107-21-1)	STEL	104 mg/m ³
		40 ppm
		TWA
		52 mg/m ³
		20 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no effect levels (DNELs)

General population

Components	Value	Assessment factor	Notes
Ethylene glycol (CAS 107-21-1)			
Long-term, Local, Inhalation	7 mg/m ³	10	Skin irritation
Long-term, Systemic, Dermal	53 mg/kg	84	Repeated dose toxicity

Workers

Components	Value	Assessment factor	Notes
Ethylene glycol (CAS 107-21-1)			
Long-term, Local, Inhalation	35 mg/m ³	2	Skin irritation
Long-term, Systemic, Dermal	106 mg/kg	42	Repeated dose toxicity

Predicted no effect concentrations (PNECs)

Components	Value	Assessment factor	Notes
Ethylene glycol (CAS 107-21-1)			
Freshwater	10 mg/l	10	
Marine water	1 mg/l	100	
Sediment (freshwater)	37 mg/kg		
Sediment (marine water)	3,7 mg/kg		
Soil	1,53 mg/kg		
STP	199,5 mg/l	10	

Exposure guidelines

Belgium OELs: Skin designation

Ethylene glycol (CAS 107-21-1) Can be absorbed through the skin.

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection

Chemical respirator with organic vapour cartridge and full facepiece. Eye protection should meet standard EN 166.

Skin protection

- Hand protection

Wear suitable gloves tested to EN374. Neoprene, butyl rubber, nitrile or Viton gloves are recommended. Full contact: Use gloves classified protection index 6 with breakthrough time of 480 minutes. Minimum glove thickness 0.38 mm.

- Other

Use of an impervious apron is recommended.

Respiratory protection

Chemical respirator with organic vapour cartridge and full facepiece.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Form	Liquid.
Colour	Light red.
Odour	Mild.
Odour threshold	Not determined.
Melting point/freezing point	Not applicable. / -33 °C (-27,4 °F) (Max)
Boiling point or initial boiling point and boiling range	109 °C (228,2 °F) estimated
Flammability	Will burn if involved in a fire.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not determined.

Explosive limit – upper (%) Not determined.

Flash point Does not flash.

Auto-ignition temperature Not determined.

Decomposition temperature Not determined.

pH 8,5 (Typical) (20 °C (68 °F))

Kinematic viscosity Not determined.

Solubility

Solubility (water) Miscible.

Partition coefficient (n-octanol/water) (log value) Not applicable, product is a mixture.

Vapour pressure Not determined.

Density and/or relative density

Density 1,0645 kg/l (Typical) (20 °C (68 °F))

Relative density Not determined.

Vapour density Not determined.

Particle characteristics Not applicable, material is a liquid.

9.2. Other information

9.2.1. Information with regard to physical hazard classes No relevant additional information available.

9.2.2. Other safety characteristics

Evaporation rate Not determined.

Viscosity Not determined.

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong acids. Strong oxidising agents. Nitrates. Peroxides. Chlorates.

10.6. Hazardous decomposition products At elevated temperatures: Ketones. Aldehydes.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation In high concentrations, mists/vapours may irritate throat and respiratory system and cause coughing.

Skin contact Prolonged or repeated contact may dry skin and cause irritation.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Ingestion of ethylene glycol may result in nausea, vomiting, abdominal cramps, blindness, liver damage, irritation, reproductive effects, nerve damage, convulsions, oedema of the lung, cardiopulmonary effects (metabolic acidosis), pneumonia and kidney failure which could result in death. The single lethal dose for humans is about 100 ml. Inhalation of high levels of vapour or mists for prolonged periods of time may also result in toxic effects.

Symptoms Convulsions. Dizziness. Nausea, vomiting. Abdominal pain. Oedema. Prolonged exposure may cause chronic effects.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product	Species	Test Results
EPMO PERF-ACLL G12+ (CAS -)		
<u>Acute</u>		
Oral		
ATEmix		3339 mg/kg bw

Components	Species	Test Results
Ethylene glycol (CAS 107-21-1)		
Acute		
Dermal		
LD50	Mouse	> 3500 mg/kg
Inhalation		
<i>Aerosol</i>		
LC50	Rat	> 2,5 mg/l, 6 Hours
Oral		
LD50	Cat	1600 mg/kg
Skin corrosion/irritation	Based on available data, the classification criteria are not met.	
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.	
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.	
Skin sensitisation	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.	
Reproductive toxicity	Based on available data, the classification criteria are not met.	
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.	
Specific target organ toxicity - repeated exposure	May cause damage to organs (kidney) through prolonged or repeated exposure.	
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.	
Mixture versus substance information	No information available.	

11.2. Information on other hazards

Endocrine disrupting properties	This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.
Other information	No data available.

SECTION 12: Ecological information

12.1. Toxicity	Based on available data, the classification criteria are not met for hazardous to the aquatic environment.
-----------------------	--

Components	Species	Test Results
Ethylene glycol (CAS 107-21-1)		
Aquatic		
Crustacea	EC50 Daphnia magna	> 100 mg/l, 48 Hours
<i>Acute</i>		
Fish	LC50 Fathead minnow (Pimephales promelas)	72860 mg/l, 96 hours
12.2. Persistence and degradability	Ethylene glycol: >90% / 10 days (OECD 301A) Readily biodegradable.	
12.3. Bioaccumulative potential		
Partition coefficient n-octanol/water (log Kow)		
Ethylene glycol (CAS 107-21-1)	-1,36	
Bioconcentration factor (BCF)	Not available.	
12.4. Mobility in soil	No data available.	
12.5. Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.	
12.6. Endocrine disrupting properties	This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.	
12.7. Other adverse effects	No data available.	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	EWC: 16 01 14
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Discourage sewage disposal. Waste should not be disposed of by release to sewers. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
Hazard No. (ADR)	Not assigned.
Tunnel restriction code	Not assigned.
14.4. Packing group	-
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not assigned.

RID

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	-
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not assigned.

ADN

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	-
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not assigned.

IATA

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	-
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not assigned.

IMDG

14.1. UN number	Not regulated as dangerous goods.
------------------------	-----------------------------------

14.2. UN proper shipping name Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

14.4. Packing group -

14.5. Environmental hazards

Marine pollutant No.

EmS Not assigned.

14.6. Special precautions for user Not assigned.

14.7. Maritime transport in bulk according to IMO instruments Not established.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended

- Conditions of restriction given for the associated entry number should be considered

Ethylene glycol (CAS 107-21-1) 3

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex I, as amended

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex II, as amended

Not listed.

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended.

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

All components of this product are compliant with the registration requirements of Regulation (EC) 1907/2006 on the Registration, Evaluation, Authorization and Restriction of Chemicals, as amended.

All components comply with the following chemical inventory requirements: EINECS (European Union), ENCS (Japan), IECSC (China), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan).

For countries not listed above, further action by the importer is needed.

National regulations	Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended. Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended.
15.2. Chemical safety assessment	Safe use information for the mixture, annexed to the safety data sheet, is derived via application of the LCID methodology and consolidation of safe use advice from exposure scenarios of identified lead components.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.
 ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.
 CAS: Chemical Abstract Service.
 CEN: European Committee for Standardization.
 IATA: International Air Transport Association.
 IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.
 IMDG: International Maritime Dangerous Goods.
 MARPOL: International Convention for the Prevention of Pollution from Ships.
 PBT: Persistent, bioaccumulative and toxic.
 PNEC: Predicted No-Effect Concentration.
 DNEL: Derived No-Effect Level.
 EC50: Effective Concentration, 50%.
 LC50: Lethal Concentration, 50%.
 RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.
 LD50: Lethal Dose, 50%.
 STEL: Short term exposure limit.
 TWA: Time Weighted Average.
 vPvB: Very persistent and very bioaccumulative.
 ECHA CHEM

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H302 Harmful if swallowed.
 H373 May cause damage to organs through prolonged or repeated exposure by ingestion.

Training information

Follow training instructions when handling this material.

Disclaimer

ARTECO NV cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Annex to the extended Safety Data Sheet (eSDS)

Table of contents

1. Safe use information for mixture: (ERC2)	11
2. Safe use information for mixture: (PC4, PC16, ERC7)	12
3. Safe use information for mixture: (PC4, ERC9a)	13
4. Safe use information for mixture: (PC4, ERC9a, ERC9b)	14

Safe Use Information for mixture

General description of the process covered

Formulation & (re)packing of substances and mixtures

List of use descriptors

Sector(s) of Use Industrial

Name of contributing environmental scenario and corresponding ERC ERC2: Formulation into mixture

List of names of contributing scenarios and corresponding PROCs

PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions
PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
PROC4: Chemical production where opportunity for exposure arises
PROC5: Mixing or blending in batch processes
PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities
PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities
PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

Operational conditions

Maximum duration Covers daily exposures up to 8 hours

Range of application / process conditions Indoor use

Air exchange rate PROC8a: Local exhaust ventilation - efficiency of at least 90%. In case of insufficient ventilation, wear suitable respiratory equipment. Wear a respirator providing a minimum efficiency of 90%

Other processes: No specific measures identified.

Risk management measures

Conditions and measures related to personal protection equipment (PPE), hygiene and health evaluation and the environment

PROC5: Wear chemically resistant gloves (tested to EN374) in combination with specific activity training. For further specification, refer to section 8 of the SDS.

No other specific measures identified.



Environmental measures

As no environmental hazard was identified no environmental-related exposure assessment and risk characterization was performed. For the disposal of product residues and waste please refer to section 13 of the SDS.

Safe Use Information for mixture

General description of the process covered

Use at industrial sites

List of use descriptors

Sector(s) of Use Industrial

Product categories [PC]: PC4: Anti-freeze and de-icing products PC16: Heat transfer fluids

Name of contributing environmental scenario and corresponding ERC ERC7: Use of functional fluid at industrial site

List of names of contributing scenarios and corresponding PROCs

PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions
PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
PROC4: Chemical production where opportunity for exposure arises
PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities
PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities
PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

Operational conditions

Maximum duration Covers daily exposures up to 8 hours

Range of application / process conditions Indoor use

Air exchange rate PROC8a: Local exhaust ventilation - efficiency of at least 90% In case of insufficient ventilation, wear suitable respiratory equipment. Wear a respirator providing a minimum efficiency of 90%

Other processes: No specific measures identified.

Risk management measures

Conditions and measures related to personal protection equipment (PPE), hygiene and health evaluation and the environment No specific measures identified.

Environmental measures As no environmental hazard was identified no environmental-related exposure assessment and risk characterization was performed. For the disposal of product residues and waste please refer to section 13 of the SDS.

Safe Use Information for mixture

General description of the process covered

Widespread use by professional workers

List of use descriptors

Sector(s) of Use Professional

Product categories [PC]: PC4: Anti-freeze and de-icing products

Name of contributing environmental scenario and corresponding ERC ERC9a: Widespread use of functional fluid (indoor)

List of names of contributing scenarios and corresponding PROCs

PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions
PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
PROC4: Chemical production where opportunity for exposure arises
PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities
PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
PROC20: Use of functional fluids in small devices

Operational conditions

Maximum duration Covers daily exposures up to 8 hours

Range of application / process conditions Indoor use

Air exchange rate PROC8a: Local exhaust ventilation - efficiency of at least 90% In case of insufficient ventilation, wear suitable respiratory equipment. Wear a respirator providing a minimum efficiency of 90%

Other processes: No specific measures identified.

Risk management measures

Conditions and measures related to personal protection equipment (PPE), hygiene and health evaluation and the environment No specific measures identified.

Environmental measures As no environmental hazard was identified no environmental-related exposure assessment and risk characterization was performed. For the disposal of product residues and waste please refer to section 13 of the SDS.

Safe Use Information for mixture

General description of the process covered

Consumer uses

List of use descriptors

Sector(s) of Use Consumer

Product categories [PC]: PC4: Anti-freeze and de-icing products

Name of contributing environmental scenario and corresponding ERC ERC9a: Widespread use of functional fluid (indoor)
ERC9b: Widespread use of functional fluid (outdoor)

List of names of contributing scenarios and corresponding PROCs Not applicable.

Operational conditions

Maximum duration 0.25 h/day 16 days per month

Range of application / process conditions Amount per use: 1000 g

Indoor use Outdoor use

Risk management measures

Conditions and measures related to personal protection equipment (PPE), hygiene and health evaluation and the environment Not applicable.

Environmental measures As no environmental hazard was identified no environmental-related exposure assessment and risk characterization was performed. For the disposal of product residues and waste please refer to section 13 of the SDS.