

ZF Aftermarket

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name: Product code:

ZF-LIFEGUARDFLUID 5 S671.090.170 S671.090.171 S671.090.172 S671.090.173

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture:	Gear oil
Uses advised against:	No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

ZF Friedrichshafen AG ZF Aftermarket Obere Weiden 12 97424 Schweinfurt Germany +49 9721 475 60 www.zf.com/contact

1.4 Emergency telephone number 24/7h Emergency telephone number: +49 (0)89 19240 Information in German and English

2. Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008) The product has not been classified as hazardous, but needs to be labelled according to regulation (EU) 1272/2008 (CLP)

2.2 Label elements

EUH208: Contains alkyl amine. May produce an allergic reaction. EUH210: Safety data sheet available on request.

Hazard pictograms: Signal word: Hazard statements PHYSICAL HAZARDS: No Hazard Symbol required No signal word

Not classified as a physical hazard according to CLP criteria.

© ZF Friedrichshafen AG



ZF Aftermarket

Trade name: ZF-LIFEGUARDFLUID 5

HEALTH HAZARDS: ENVIRONMENTAL HAZARDS:	Not classified as a health hazard under CLP criteria. Not classified as environmental hazard according to CLP criteria.
Precautionary statements: Prevention:	No precautionary phrases.
Response:	No precautionary phrases.
Storage:	No precautionary phrases.
Disposal:	No precautionary phrases.

2.3 Other hazards

By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

3. Composition/information on ingredients

3.2 Mixtures

General information:

Mixture containing severely refined base oils and additives.

Chemical name	Identifier	Concentration *	REACH Registrati- on No.
base oil, low	EINECS: 276-738-	50,00 - <100,00%	01-2119474889-
viscous	4		13

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	ldentifier	Classification
base oil, low viscous	EINECS: 276-738-4	CLP: Asp. Tox. 1;H304
base oil, low viscous	EINECS: 276-738-4	CLP: Asp. Tox. 1;

CLP: Regulation No. 1272/2008.

For the wording of the listed risk phrases refer to section 16.chshafen AG • ZF Aftermarket© ZF Friedrichshafen AGRev



ZF Aftermarket

Trade name: ZF-LIFEGUARDFLUID 5

First aid measures General: Instantly remove any clothing soiled by the product. 4.1 Description of first aid measures If inhaled: Supply fresh air; consult doctor in case of symptoms. In case of skin contact: Wash with soap and water. In case of eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

If swallowed:

Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and delayed

May cause skin and eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Get medical attention if symptoms occur.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:CO2, fire extinguishing powder or fog like
water spraying. Extinguish larger fires with
alcohol resistant foam or spray water with
suitable surfactant added.Unsuitable extinguishing media:Water with a full water jet.

5.2 Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special protective equipment for fire-	Self-contained breathing apparatus and full
fighters:	protective clothing must be worn in case of
	fire.
Specific extinguishing methods:	Move container from fire area if it can be
	done without risk. Dispose of fire





ZF Aftermarket

debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

In case of spills, beware of slippery floors and surfaces.

6.2 Environmental precautions

Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and materials for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other sections

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

7. Handling and storage

7.1 Precautions for safe handling

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Local regulations concerning handling and storage of waterpolluting products have to be followed. Do not heat up to temperatures close to the flash point.

7.3 Specific end use(s)

No data available. 10, Combustible liquids

8. Exposure controls/personal protection

8.1 Control parameters

Specific use(s)

Storage Class:

Occupational Exposure Limits

None of the components have assigned exposure limits.

ZF Aftermarket

8.2 Exposure controls

Appropriate engineering controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General Information:	Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.
Eye/face protection:	Safety glasses (EN 166) recommended during refilling.
Hand protection:	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0,38 mm Avoid long-term and repeated skin con- tact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where per-
richshafen AG • ZF Aftermarket	© ZF Friedrichshafen AG Revision Date: 14.12.2017





Trade name: ZF-LIFEGUARDFLUID 5	ZF Aftermarket
	mitted in acc. To safety directions. The ex- act break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
Respiratory protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aero-sol.
Thermal hazards:	Not known.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

Environmental controls: No data available.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:	liquid
Colour:	Light brown
Odour:	Characteristic
Odour Threshold:	Not applicable for mixtures
pH:	Not applicable

Freezing point	Not applicable for mixtures	
Boiling point	Value not relevant for classification	
Flash point	> 220 °C	
Evaporation rate	Not applicable for mixtures	

© ZF Friedrichshafen AG

SAFETY DATA SHEET Regulation 1907/2006/EC

Œ

Trade name: ZF-LIFEGUARDFLUID 5

ZF Aftermarket

Flammability (solid, gas)	Value not relevant for classification	
Upper explosion limit	Not applicable for mixtures	
Lower explosion limit	Not applicable for mixtures	
Vapour pressure	Not applicable for mixtures	
Relative vapour density	Not applicable for mixtures	
Relative density	0,84 g/cm³ (20°C)	
Solubility(ies)		
Water solubility	Insoluble in water	
Solubility in other solvents	No data available.	
Partition coefficient: n- octanol/water	Not applicable for mixtures	
Auto-ignition temperature	Value not relevant for classification	
Decomposition Tempera- ture:	Value not relevant for classification	
Viscosity, kinematic	37mm²/s (40°C)	
Explosive properties	Value not relevant for classification	
Oxidizing properties	Value not relevant for classification	

9.2 Other information

Data not available

10. Stability and reactivity

© ZF Friedrichshafen AG



ZF Aftermarket

10.1	Reactivity	Stable under normal use conditions.
10.2	Chemical stability:	Stable under normal use conditions.
10.3	Possibility of hazardous reactions:	Stable under normal use conditions.
10.4	Conditions to avoid:	Stable under normal use conditions.
10.5	Incompatible materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6	Hazardous decomposition products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity	
Oral	Not classified for acute toxicity based on
Product:	available data.
Specified substance(s) base oil, low viscous	LD 50 (Rat): > 2.001 mg/kg
Dermal	Not classified for acute toxicity based on
Product:	available data.

LD 50 (Rabbit): > 2.001 mg/kg

Inhalation Product:

Not classified for acute toxicity based on available data.

Skin corrosion/irritation

Specified substance(s)

base oil, low viscous

Product: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product: Skin sensitizer: Based on available data, the classification criteria are not met. Respiratory sensitizer: Based on available data, the classification criteria are not met.

SAFETY DATA SHEET Regulation 1907/2006/EC

Œ

Trade name: ZF-LIFEGUARDFLUID 5

ZF Aftermarket

Germ cell mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

Product: Based on available data, the classification criteria are not met.

Reproductive toxicity

Product: Based on available data, the classification criteria are not met.

STOT - single exposure

Product: Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product: Based on available data, the classification criteria are not met.

Aspiration toxicity

Product: Based on available data, the classification criteria are not met.

Other Adverse Effects:

No data available

12. Ecological information

12.1 Toxicity

Acute toxicity Product:

Chronic Toxicity Product:

12.2 Persistence and degradability Biodegradability Product:

12.3 Bioaccumulative potential Bioakkumulation Product:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Not applicable for mixtures

Not applicable for mixtures

Trade name: ZF-LIFEGUARDFLUID 5		ZF Aftermarket	
12.4	Mobility in soil Mobility Product:	Not applicable for mixtures	
12.5	Results of PBT and vPvB assessment Assessment Product:	The product does not contain any sub- stances fulfilling the PBT/vPvB criteria.	
12.6	Other adverse effects No data available Water Hazard Class (WGK):	WGK 2: water-endangering.	
13.	Disposal considerations		
13.1	Waste treatment methods General information:	Dispose in accordance with all applications.	

Disposal methods:

able regulations.

Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.

EU Waste Disposal Code (EWC): 13 02 06*synthetic engine, gear and lubricating oils

Transport information 14

ADR/RID	
14.1 UN Number:	
14.2 UN Proper Shipping Name:	
14.3 Transport Hazard Class(es)	
Class:	Non-dangerous goods
Label(s):	
Hazard No. (ADR):	
Tunnel restriction code:	
14.4 Packing Group:	
14.5 Environmental hazards:	
14.6 Special precautions for user:	
ADN	
14.1 UN Number:	
14.2 UN Proper Shipping Name:	

© ZF Friedrichshafen AG



ZF Aftermarket

14.3 Transport Hazard Class(es)				
	s: Non-dangerous goods			
Label(s):			
14.3 Packing Group:				
14.5 Environmental hazards:				
14.6 Special precautions for user:				
IMDG				
14.1 UN Number:				
14.2 UN Proper Shipping Name:				
14.3 Transport Hazard Class(es)				
	s: Non-dangerous goods			
Label(s				
EmS No	.:			
14.3 Packing Group:				
14.5 Environmental hazards:				
14.6 Special precautions for user:				
ΙΑΤΑ				
14.1 UN Number:				
14.2 Proper Shipping Name:				
14.3 Transport Hazard Class(es):				
	s: Non-dangerous goods			
Label(s):			
14.4 Packing Group:				
14.5 Environmental hazards:				
14.6 Special precautions for user:				

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: not applicable.

15. Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 EU Regulations
 Regulation (EC) No. 2037/2000 Sub- none
 stances that deplete the ozone layer:
 Regulation (EC) No. 850/2004 on per- none
 sistent organic pollutants:

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

16. Other information



ZF Aftermarket

Wording of the H-statements in section 2 and 3

H304 May be fatal if swallowed and enters airways.

Other information:

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies. The classification results from the Conventional Method mentioned in regulation EU 1272/2008 (CLP).

Disclaimer:

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.